


73850-22



PSYCHIATRIC

LENGTH OF STAY

CPHA PUBLICATIONS

by Diagnosis
United States, North Central Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
December, 1987

PSYCHIATRIC LENGTH OF STAY

This publication represents one volume in the first edition of the Psychiatric Length of Stay series:

- Length of Stay by Psychiatric Diagnosis, United States, 1986
- Length of Stay by Psychiatric Diagnosis, Northeastern Region, 1986
- Length of Stay by Psychiatric Diagnosis, North Central Region, 1986
- Length of Stay by Psychiatric Diagnosis, Southern Region, 1986
- Length of Stay by Psychiatric Diagnosis, Western Region, 1986

The Length of Stay series has been published annually since 1964. The 1986 Length of Stay by Diagnosis and Operation books are available for the United States and for four geographic regions. In addition, the Length of Stay series includes the Geriatric Length of Stay by Diagnosis and Operation, United States, 1986 and Pediatric Length of Stay by Diagnosis and Operation, United States 1986. For further information, please write CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106 or call 800-521-6210 or 800-828-6762 in Michigan, Extension 3534.

CONTENTS

About CPHA and Publications	iii
Preface	iv
Description of the Database	
Data Collection	vi
Data Quality	viii
Database Characteristics.....	viii
Organization of Psychiatric Length of Stay Tables	xiii
Explanation of Psychiatric Length of Stay Statistics.....	xv
Application of Psychiatric Length of Stay Tables	xvi
Complementary Data and Graphs	xvii
Length of Stay Tables	1
Appendix 1: Hospital Service Type Definitions	169
Appendix 2: Teaching Intensity Program Calculation	170
Appendix 3: State Inclusions and Hospital Counts by Region	171
Appendix 4: <i>ICD-9-CM</i> Psychiatric Diagnosis Codes and English Descriptions	172
Appendix 5: English Descriptions and <i>ICD-9-CM</i> Psychiatric Diagnosis Codes	180
Appendix 6: Patient Characteristic Definitions Used in Graphs.....	187

ABOUT CPHA AND CPHA PUBLICATIONS

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and system development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day-to-day activity of health care professionals in a variety of settings.

Copyright ©1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

PREFACE

The Psychiatric Length of Stay series represents the first edition of a new annual publication incorporating length of stay and accompanying facility and demographic data on psychiatric patients treated in nonfederal, short-term general hospitals in the United States.

CPHA initially developed its length of stay databases in 1964. Since then, the Length of Stay or LOS series, has become a well-known standard in the health care industry.

CPHA is committed to continuing its tradition of providing high quality normative data reference publications. CPHA recognizes that sustaining a tradition means responding to emerging information needs and issues important to long-time and new users. The new series makes it possible to focus on utilization and special length of stay issues for a particular hospital population: the psychiatric patient.

The growing number of people in the United States diagnosed with mental illness or psychiatric-related conditions make these volumes both timely and imperative.

PROJECT STAFF
1986 PSYCHIATRIC LENGTH OF STAY BOOKS

Jeanine A. DeLay, MA, Project Manager, Assistant Director
Joyce Beach, Senior Programmer
Lale A. Olson, Forms Analyst
James Chesney, PhD, Director

The Project Staff is indebted to many individuals who made this publication possible. Special thanks to other Research Services staff: Carol A. Prevost, BS, Research Associate, Linda E. Vanek, MSW, Product Manager, and Susan DesHarnais, PhD, Research Scientist, for publication design, research advice, and editing assistance, and Rhonda A. Gregory, Publications Assistant, for clerical assistance.

Appreciation is also extended to Sharon Glushyn, Steve Maggio, Margaret Price, and Cheryl V. Rafdal. Finally, we gratefully acknowledge the hospitals that support this book by making their data available.

DESCRIPTION OF THE DATABASE

DATA COLLECTION


Data in the Psychiatric Length of Stay books are compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, the books contain discharge data from hospitals participating in information systems other than PAS, including: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association.

The following steps describe the PAS method of storing and retrieving medical record data:

1. In each participating hospital, personnel transfer demographic and clinical data from the record of each discharged patient via microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where its contents are entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospital personnel.
4. Hospitals continually add data stored in the computer system's permanent history file dating back as far as 1955. Participating hospitals are given access to their own data through interactive systems, in-house computers, and paper reports. The stored aggregate data are standardized and maintained as custom databases, among them the length of stay database.
5. CPHA Publications uses this annually updated database to create the Psychiatric Length of Stay series and other normative data reference tools.

A graphic of the CPHA data collection system is shown on the next page.

CPHA'S DATA COLLECTION SYSTEM



CPHA's Database is maintained for:

- Print and electronic publications, e.g., 1986 Psychiatric Length of Stay series
- Contract research market analysis, forecasting, survey, and epidemiological investigations
- Policy research on major health care issues, e.g., cost containment, quality of care, equity
- On-line access and analysis by hospitals and other health industry groups

DATA QUALITY

Data quality is one of the primary concerns of CPHA. Although the hospital is ultimately responsible for the quality of its data, CPHA shares responsibility as the hospital's medical record processor. For this reason, CPHA goes to considerable length to prevent and correct errors by continually training hospital medical personnel in coding and abstracting methods, by routinely monitoring submitted data, and by carefully checking and editing the data for errors.

Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: sex-specific diagnosis with the wrong sex recorded, incalculable age or stay, and unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the psychiatric length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following record types are excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term general hospital
4. discharge to other short-term general hospital
5. discharge against medical advice

DATABASE CHARACTERISTICS

Data in the Psychiatric Length of Stay series are from 1,445 nonfederal, short-term general hospitals in the United States. Short-term hospitals have a median stay shorter than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term and specialty institutions, e.g., long-term psychiatric facilities and centers treating psychiatric patients exclusively, are excluded. The only specialty hospital data included in this series are from short-term pediatric hospitals.

The characteristics of all hospitals with discharge data included in the Psychiatric Length of Stay books are displayed in the tables on pages x-xii. Table definitions are as follows:

Public/Private Hospitals

A public hospital is a nonfederal government-operated hospital, e.g., state, county, city, or hospital authority. A private hospital includes both nongovernment investor or for-profit and not-for-profit owned or operated facilities.

Hospitals with or without a Psychiatric Unit or Beds

The 1985 Annual Survey of Hospitals compiled on magnetic tape by the American Hospital Association (1985 AHA magnetic tape), includes service and facility codes. Nonfederal, short-term general hospitals that recorded psychiatric or children's psychiatric acute care services, or claimed a facility with psychiatric acute care beds, are included in the hospitals with psychiatric unit/beds category. Nonfederal, short-term general hospitals that do not have psychiatric or children's psychiatric acute care services, and do not claim psychiatric beds, are included in the hospitals without a psychiatric unit/beds category. In addition, some hospitals in this group contract with another hospital or provider for psychiatric services.

Hospitals in both categories, however, can offer the following services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization. Appendix 1 includes definitions of these additional services.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1985 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Hospitals
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges.

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

Appendix 2 describes how the teaching intensity index is determined.

Average Occupancy

According to *AHA Hospital Statistics*, 1986 edition, the average occupancy of a hospital is "the ratio of the average daily census to the average number of beds, i.e., statistical beds, maintained during a particular reporting period."

Table 1
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

	PUBLIC HOSPITALS			PRIVATE HOSPITALS			UNKNOWN HOSPITALS*			TOTAL HOSPITALS		
	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL	W/Psych Unit/Beds	W/O Psych Unit/Beds	TOTAL
Number of Hospitals												
Universe**	143	403	546	783	1,237	2,020	7	4	11	933	1,644	2,577
Sample	64	236	300	428	711	1,139	3	3	6	495	950	1,445
Hospitals as Percent of Universe												
Universe	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Sample	44.8	58.6	54.9	54.7	57.5	56.4	42.9	75.0	54.5	53.1	57.8	56.1
Number of Urban Hospitals												
Universe	77	90	167	565	702	1,267	5	0	5	647	792	1,439
Sample	25	54	79	281	364	645	0	0	0	306	418	724
Urban Hospitals as Percent of Universe												
Universe	53.8	22.3	30.6	72.2	56.8	62.7	71.4	0	45.5	69.3	48.2	55.8
Sample	17.5	13.4	14.5	35.9	29.4	31.9	0	0	0	32.8	25.4	28.1
Number of High/Medium Teaching Intensity Hospitals												
Universe	40	10	50	297	155	452	3	0	3	340	165	505
Sample	17	9	26	149	77	226	0	0	0	166	86	252
Number of High/Medium Teaching Intensity Hospitals as Percent of Universe												
Universe	28.0	2.5	9.2	37.9	12.5	22.4	42.9	0	27.3	36.4	10.0	19.6
Sample	11.9	2.2	4.8	19.0	6.2	11.2	0	0	0	17.8	5.2	9.8
Average Occupancy as Percent of Universe												
Universe	60.9	47.6	51.1	65.6	56.4	60.0	70.2	37.8	58.4	64.9	54.2	58.1
Sample	58.6	46.5	49.1	65.0	57.4	60.2	0	84.2	84.2	64.2	54.7	57.9

*The Unknown category means no information is available for the hospital characteristics.

**The Universe means all hospitals that have recorded the presence of a psychiatric unit or beds on the 1985 American Hospital Association magnetic tape. The Sample represents hospitals with these designations, i.e., presence of a psychiatric unit or beds, contributing data to the Psychiatric Length of Stay series.

Table 2
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITH PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	495	100.0	201,835	100.0
Control				
Public	64	12.9	20,117	10.0
Private	428	86.5	180,799	89.6
Unknown***	3	.6	919	.4
Bedsize				
< 100 Beds	84	17.1	7,301	3.6
100-199	121	24.4	32,680	16.2
200-299	105	21.2	43,167	21.4
300-399	69	13.9	39,975	19.8
400-499	58	11.7	36,212	17.9
500+	55	11.1	41,581	20.6
Unknown	3	.6	919	.5
Teaching Intensity				
Low	329	66.5	101,008	50.0
Medium	105	21.2	65,292	32.4
High	61	12.3	35,535	17.6
Location				
Rural	173	35.0	37,036	18.3
Urban	306	61.8	161,416	80.0
Unknown	16	3.2	3,383	1.7

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

Table 3
PSYCHIATRIC LENGTH OF STAY
HOSPITAL CHARACTERISTICS

HOSPITALS WITHOUT PSYCHIATRIC UNIT/BEDS

	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx*	%**
All Hospitals	950	100.0	66,829	100.0
Control				
Public	236	24.8	11,401	17.1
Private	711	74.8	54,905	82.1
Unknown***	3	.4	523	.8
Bedsize				
< 100 Beds	522	55.0	16,903	25.3
100-199	244	25.7	20,535	30.8
200-299	99	10.4	12,663	18.9
300-399	47	4.9	9,558	14.3
400-499	18	1.9	3,265	4.9
500+	18	1.9	3,410	5.1
Unknown	2	.2	495	.7
Teaching Intensity				
Low	864	91.0	53,059	79.4
Medium	65	6.8	10,456	15.6
High	21	2.2	3,314	5.0
Location				
Rural	524	55.2	19,153	28.7
Urban	418	44.0	45,674	68.3
Unknown	8	.8	2,002	3.0

*This number includes those patients who have an *ICD-9-CM* principal diagnosis code between the ranges 290-314.9.

**The denominator used to calculate the percents is the total number of patients within the specified ranges of *ICD-9-CM* psychiatric principal diagnoses.

***The Unknown category means no information is available for the hospital characteristics.

ORGANIZATION OF THE PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series is divided into separate volumes by geographic region. There are five volumes: Northeastern, North Central, Southern, Western, and the United States. The map below defines each of the 4 census regions. Appendix 3 lists the states comprising each region, and the number of hospitals and patients included in each volume.



Diagnosis Classification Categories

The tables in each regional and national volume are categorized by the widely used classification system, the *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*.¹ This system includes both diagnosis and procedure numerical codes of three to five digits. The psychiatric length of stay tables are categorized by *ICD-9-CM* diagnosis code, beginning with code 290 and ending with code 314.9, expressed to the fourth digit. Diagnosis codes within the specified range with five digits are collapsed and incorporated into the four digit *ICD-9-CM* diagnosis codes. Appendix 4 lists the *ICD-9-CM* diagnosis codes in the psychiatric length of stay tables, their accompanying English description, and the page number in the particular volume where a table is located. Appendix 5 lists, in alphabetic order, the psychiatric diagnosis English description and accompanying numerical codes. For *ICD-9-CM* codes between 290-314.9 where there are no data, no listing is included.

¹*International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Hospital Service Type

The tables are also categorized by hospital service and facility. The divisions are:

- a. Hospitals with a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals recording psychiatric or pediatric psychiatric acute care services or claiming a facility with psychiatric acute care beds.
- b. Hospitals without a Psychiatric (Psy.) Unit/Beds - Nonfederal, short-term general hospitals that do not have psychiatric or pediatric psychiatric acute care services and do not claim psychiatric acute care beds. In addition, hospitals in this group may contract with another hospital or provider for psychiatric acute care services. Hospitals in both groups can offer the following additional services: psychiatric outpatient, clinical psychology, psychiatric consultation and education, psychiatric foster and/or home care, psychiatric emergency, or partial hospitalization.

Psychiatric Length of Stay Patient Variables

The psychiatric length of stay data are divided into two patient groups, by sex, and by eight age ranges.

Patient Groups

Patients in the psychiatric length of stay tables are grouped by *ICD-9-CM* psychiatric principal diagnosis and by the presence or absence of a psychiatric secondary diagnosis. The principal diagnosis code is the diagnosis that after study explains why the patient was admitted to the hospital.

Psychiatric Principal Diagnosis, Without Any Psychiatric Secondary Diagnosis (Psych Prin, No Psych 2nd Dx)

This group includes patients having a psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) only or patients having the specified psychiatric principal diagnosis code (*ICD-9-CM* 290-314.9) and a nonpsychiatric secondary diagnosis. For example, this group may include patients having the principal psychiatric diagnosis code specified in the table, as his/her only diagnosis. Alternatively, a patient having the principal psychiatric diagnosis specified in the table and diabetes (*ICD-9-CM* code 250.0), a nonpsychiatric secondary diagnosis, is also included in this category.

Psychiatric Principal Diagnosis, With One or More Psychiatric Secondary Diagnoses (Psych Prin, Psych 2nd Dx(s))

This group includes patients having a psychiatric principal diagnosis code between the code ranges *ICD-9-CM* 290-314.9 and one or more psychiatric secondary diagnoses (*ICD-9-CM* 290-314.9). These are patients with multiple psychiatric diagnoses.

Sex

Patients are distinguished as either male or female.

Age

Patients are in one of the following age groups recorded in years:

Newborn or 0 to 12
13-17
18-20
21-24
25-34
35-54
55-74
75+

The "all ages" group summarizes all the age groups by sex.

EXPLANATION OF PSYCHIATRIC LENGTH OF STAY STATISTICS

The data are sequenced by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For the psychiatric length of stay tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in one of the two patient groups, including sex and age groups. The Grand Total represents the total number of patients in a psychiatric diagnosis category (ICD-9-CM codes 290-314.9) within one of the two hospital service type categories.

APPLICATION OF PSYCHIATRIC LENGTH OF STAY TABLES

The Psychiatric Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to his/her own institution or client. Like the LOS series, the Psychiatric Length of Stay publications assist in projecting extended stay reviews, while recommending the most effective use of psychiatric patient care services. In focusing on the length of stay for a singular population, norms which take into account special characteristics can be developed and refined. Moreover, annual publication of Psychiatric Length of Stay allows the establishment of baselines to determine the applicability of the norms in particular psychiatric service settings. In addition, the Psychiatric Length of Stay series helps in forecasting and service planning.

The following steps are intended to provide a guide in situations where a health care professional wishes to determine a reasonable length of stay by using one of the Psychiatric Length of Stay regional or national volumes:

Step 1: Consult Appendix 4 or 5 at the back of the appropriate Psychiatric Length of Stay book for the particular diagnosis to be reviewed.

Step 2: Find the corresponding table in the Psychiatric Length of Stay book. The *ICD-9-CM* psychiatric diagnosis code number follows the English title of each table.

Step 3: Depending on the purpose of the review, find the appropriate table category:

Hospital Service Type

Patient Group

Sex

Age

Step 4: Go to the 50th percentile of stay for patients under review at the point where the 50th percentile column (7) of the table intersects the horizontal line labeling the pertinent patient variables and find the number of days.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, with more specific applications, by health care professionals in many diverse settings. The psychiatric length of stay tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Increasing concern about quality care, costs, and the need for more sophisticated hospital population-specific data to perform these quality and cost reviews will make the psychiatric length of stay tables an important new tool in the health care industry.

COMPLEMENTARY DATA AND GRAPHS

Accessing a special database affords the opportunity to explore other topics discussed in the literature and research on psychiatric length of stay. The value of the psychiatric length of stay norms is enhanced if users examine the bar graphs displayed on the next few pages.

Three issues often cited in the literature are: transfer patterns and average stay of psychiatric patients by payor, length of stay differences by hospital ownership, and regional variations in stay for similar diagnoses.

The graphs which follow offer a data profile drawn from the psychiatric length of stay database. All graphs display data for the total United States, except those describing regional variations in stay for similar diagnoses.

Transfer Patterns of Psychiatric Patients by Payor and Hospital Service Type

The bar graphs on pages xix-xxxii display by payor, the percent of psychiatric patients with particular demographic or clinical characteristics transferred upon discharge to one of the following:

1. another short-term general hospital
2. skilled nursing facility
3. intermediate care facility
4. other facility
5. home health service

Graph 1 depicts all patients with psychiatric principal diagnoses (*ICD-9-CM* 290-314.9) transferred from one of the two hospital service types. Graph 2 shows the same group of patients over 74 years who were transferred. Graphs 3 and 4 present the same patient group, using two simple severity of illness indicators: patients with one or more HCFA-defined complications and comorbidities (CCs) as any secondary diagnosis, and patients with two or more psychiatric secondary diagnoses. Graph 5 describes the transfer patterns of a different group of patients: those without a psychiatric principal diagnosis who have one or more psychiatric secondary diagnoses. Definitions of the HCFA complications and comorbidities are included in Appendix 6.

While most payor definitions are self-explanatory, the no insurance category (NO INS) includes self-pay and no charge patients. The other (OTH) category incorporates Title V, other government, and worker compensation patients. Detailed definitions of payor categories are part of Appendix 6.

Average Lengths of Stay (ALOS) of Psychiatric Patients by Payor and Hospital Service Type

Graphs 6-10 display the average stay of the same patient categories depicted in Graphs 1-5.

Average Lengths of Stay of Psychiatric Patients with Selected Psychiatric Principal Diagnoses by Hospital Ownership

Graph 11 presents the average stays for all patients with 10 prevalent psychiatric principal diagnoses. The diagnoses highlighted are:

<u>ICD-9-CM Code</u>	<u>English Description</u>
291.8	Other Specified Alcoholic Psychosis
295.3	Schizophrenic-Paranoid Type
300.4	Neurotic Depression
301.8	Other Personality Disorders
303.9	Other and Unspecified Alcohol Dependence
304.2	Cocaine Dependence
306.1	Respiratory Physiological Malfunction Arising from Mental Factors

<u>ICD-9-CM Code</u>	<u>English Description</u>
307.1	Anorexia Nervosa
309.0	Brief Depressive Reaction
314.0	Attention Deficit Disorder

Definitions for the private (PRIV) and public (PUB) hospital ownership types can be found on page viii.

Average Lengths of Stay for Patients with Selected ICD-9-CM Psychiatric Principal Diagnoses by Census Region


Graphs 12-14 depict the average stays by census region for patients with the same diagnoses highlighted in graph 11.

All data for the graphs were drawn from the 1986 psychiatric length of stay database. The section beginning on page 1 includes the psychiatric length of stay tables.

GRAPH 1

PERCENT ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR



PAYOR

HOSPITALS WITH/WITHOUT PSYCH UNIT/BEDS

WITH


WITHOUT

TOTAL

GRAPH 2


PERCENT ALL PSYCH PATIENTS 74+ YEARS

TRANSFERRED BY PAYOR



GRAPH 3


PERCENT ALL PSYCH PATIENTS WITH 1 + 2ND CCs



GRAPH 4

PERCENT PATIENTS WITH MULTIPLE PSYCH DXs

TRANSFERRED BY PAYOR




PAYOR

HOSPITALS WITH/WITHOUT PSYCH UNIT/BEDS

WITH WITHOUT TOTAL

GRAPH 5


PERCENT PATIENTS WITH PSYCH 2ND DXs ONLY



GRAPH 6

ALOS ALL PSYCH PATIENTS

TRANSFERRED BY PAYOR




HOSPITALS WITH/WITHOUT PSYCH UNIT/BEDS

WITH WITHOUT TOTAL

GRAPH 7

ALOS PSYCH PATIENTS 74+ YEARS


BY PAYOR AND HOSPITAL SERVICE



GRAPH 8

ALOS PSYCH PATIENTS WITH 1 + 2ND CCs


BY PAYOR AND HOSPITAL SERVICE



GRAPH 9

ALOS PATIENTS WITH MULTIPLE PSYCH DXs


BY PAYOR AND HOSPITAL SERVICE



GRAPH 10

ALOS PATIENTS WITH PSYCH 2ND DXs ONLY


BY PAYOR AND HOSPITAL SERVICE




GRAPH 11 **ALOS PATIENTS WITH SELECTED ICD-9-CM**

PSYCH PRIN DX BY HOSPITAL OWNERSHIP


xixx




GRAPH 12
REGIONAL ALOS PATIENTS WITH SELECTED ICD-9-CM
 PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 13
REGIONAL ALOS PATIENTS WITH SELECTED ICD-9-CM
 PSYCH PRIN DX BY HOSPITAL SERVICE



GRAPH 14
REGIONAL ALOS PATIENTS WITH SELECTED ICD-9-CM
 PSYCH PRIN DX BY HOSPITAL SERVICE



Psychiatric Length of Stay Diagnosis Tables

SENILE DEMENTIA UNCOMP (290.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	30	8.2	26	2	2	7	11	16	18	21	8	6.3	32	2	2	4	6	16	20	20
75 +	66	9.8	51	3	4	7	13	23	26	89	36	7.1	42	2	2	5	9	13	23	31
ALL AGES	97	9.3	42	2	3	7	12	19	25	69	44	7.0	39	2	2	5	8	14	21	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
55-74	35	11.4	77	2	4	8	14	28	31	37	15	6.4	11	1	2	6	9	12	12	12
75 +	133	8.7	49	2	3	7	11	17	21	43	45	6.4	29	1	2	4	8	13	17	28
ALL AGES	169	9.2	56	2	3	7	12	19	25	42	61	6.4	23	1	2	5	8	12	15	27
SUBTOTAL	266	9.2	52	2	3	7	12	19	25	42	105	6.6	30	2	2	5	8	13	19	29
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	9	12.6	91	1	2	10	19	28	28	28										
75 +	24	11.2	48	2	5	11	13	20	26	33	4	11.5	126	3	3	7	18	28	28	28
ALL AGES	33	11.5	60	1	4	11	14	24	28	33	4	11.5	126	3	3	7	18	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	15	12.7	47	4	5	11	18	21	26	28	2	9.5	1	9	9	9	10	10	10	10
75 +	29	9.2	48	1	2	9	11	14	28	32	10	6.6	11	2	3	6	9	12	14	14
ALL AGES	44	10.4	49	2	4	9	13	20	28	32	12	7.1	10	2	4	6	9	11	14	14
SUBTOTAL	77	10.9	53	1	4	10	14	21	28	33	16	8.2	36	2	3	7	9	14	24	28
GRAND TOTAL	343	9.6	52	2	3	7	12	19	26	37	121	6.8	31	2	2	5	9	13	19	29

PRESENILE DEMENTIA (290.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	7.0	10	3	3	7	9	10	10	10										
55-74	35	9.5	44	3	3	7	13	17	22	34	13	7.5	15	1	2	7	11	12	13	13
75 +	45	8.3	38	2	3	6	11	16	19	35	33	6.7	20	2	2	6	9	12	14	22
ALL AGES	84	8.7	39	3	3	7	12	17	20	35	46	6.9	19	1	2	7	10	12	14	22
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	6	12.2	84	2	2	9	23	24	24	24										
55-74	39	12.9	78	3	4	12	18	27	31	35	18	7.7	20	1	2	7	12	13	15	17
75 +	72	8.7	33	2	3	7	11	19	20	26	49	8.1	32	2	3	7	10	17	20	27
ALL AGES	117	10.3	53	2	3	8	13	21	25	34	67	8.0	28	2	3	7	11	15	20	26
SUBTOTAL	201	9.6	48	2	3	7	12	19	24	34	113	7.6	24	2	3	7	10	13	19	24
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	25.0	338	12	12	25	38	38	38	38	1	12.0		12	12	12	12	12	12	12
55-74	10	9.0	36	1	2	8	10	19	22	22	3	2.3	3	1	1	2	3	4	4	4
75 +	15	12.8	49	3	5	13	19	21	24	25	4	9.0	38	4	4	7	13	18	18	18
ALL AGES	27	12.3	69	3	4	10	17	22	27	38	8	6.9	32	1	1	5	10	16	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	2	10.0	98	3	3	17	79	99 +	99 +	99 +										
55-74	20	13.2	64	3	5	11	18	25	30	31	3	5.7	5	3	3	7	7	7	7	7
75 +	19	11.6	38	4	5	9	17	21	22	23	10	6.7	15	1	2	6	7	13	15	15
ALL AGES	42	12.1	52	3	5	10	18	22	30	99 +	13	6.5	12	1	2	6	7	12	14	15
SUBTOTAL	69	12.2	57	3	5	10	18	22	29	88	21	6.6	19	1	2	6	7	13	16	18
GRAND TOTAL	270	10.3	51	2	3	9	13	21	24	35	134	7.4	24	2	2	7	10	13	18	23

SENILE DELUSION/DEPRESS (290.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	19	13.7	73	3	4	15	16	20	32	41	1	11.0		11	11	11	11	11	11	11
75 +	48	14.4	81	2	4	13	18	27	30	47	7	4.4	4	3	3	4	6	7	7	7
ALL AGES	67	14.2	78	3	4	13	18	25	30	46	8	5.3	8	3	3	4	7	10	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	29	15.8	93	4	5	13	21	32	36	41	2	6.0	8	4	4	6	8	8	8	8
75 +	78	16.2	86	4	6	15	20	29	35	49	18	6.8	30	1	1	6	9	13	19	23
ALL AGES	107	16.1	87	4	5	14	21	29	35	46	20	6.8	26	1	1	6	9	12	18	23
SUBTOTAL	174	15.4	83	3	5	14	20	28	35	46	28	6.3	22	1	2	5	8	11	15	23
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	13.2	101	3	3	8	24	24	24	24										
75 +	13	15.5	26	7	8	16	19	22	24	25	2	10.5	85	4	4	10	17	17	17	17
ALL AGES	18	14.8	45	4	7	15	20	24	25	25	2	10.5	85	4	4	10	17	17	17	17
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14										
55-74	14	20.9	190	7	9	17	23	43	47	48	1	32.0		32	32	32	32	32	32	32
75 +	39	16.6	90	4	6	15	20	29	39	43	4	9.5	95	3	3	5	15	24	24	24
ALL AGES	54	17.7	113	5	7	15	21	36	43	48	5	14.0	173	3	3	6	26	32	32	32
SUBTOTAL	72	17.0	96	4	7	15	20	28	42	47	7	13.0	132	3	3	6	22	30	32	32
GRAND TOTAL	246	15.8	89	4	5	14	20	28	35	47	35	7.7	47	1	2	5	9	17	24	32

SENILE DELIRIUM (290.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	16	14.6	78	5	6	12	22	28	29	30	6	5.8	10	4	4	5	5	11	12	12
75 +	60	10.6	66	2	2	8	16	20	26	41	36	7.5	62	2	2	6	9	11	19	46
ALL AGES	76	11.4	71	2	2	8	16	23	28	39	42	7.3	53	2	2	5	9	12	18	46
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	21	11.6	65	4	4	8	16	24	31	32	9	8.3	33	3	3	9	10	17	21	21
75 +	87	11.5	66	3	4	8	15	24	29	37	45	7.9	151	2	4	5	7	11	15	86
ALL AGES	108	11.5	65	3	4	8	15	24	29	36	54	7.9	132	2	3	6	8	12	16	83
SUBTOTAL	184	11.5	66	2	3	8	16	24	29	37	96	7.6	97	2	2	6	9	11	16	68
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	5	10.2	30	7	7	8	11	20	20	20	1	6.0		6	6	6	6	6	6	6
75 +	5	6.6	4	3	3	7	8	8	8	8	10	7.0	8	4	4	6	11	11	11	11
ALL AGES	10	8.4	19	3	5	8	8	14	20	20	11	6.9	8	4	4	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	16.0		16	16	16	16	16	16	16										
55-74	3	16.3	56	8	8	19	21	22	22	22	2	9.0	32	5	5	9	13	13	13	13
75 +	22	14.6	91	3	4	13	20	24	33	46	7	9.9	70	4	4	8	10	25	28	28
ALL AGES	26	14.9	80	4	4	14	20	24	29	46	9	9.7	57	4	4	8	11	22	28	28
SUBTOTAL	36	13.1	70	3	4	11	18	22	24	46	20	8.2	29	4	4	6	11	12	20	28
GRAND TOTAL	220	11.7	69	2	3	8	16	23	28	39	116	7.7	85	2	3	6	9	11	16	60

ARTERIOSCLEROT DEMENTIA (290.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	30	12.1	87	2	3	9	16	25	35	39	7	7.1	15	2	3	6	10	12	13	13
75 +	55	10.5	86	3	4	8	14	19	28	56	15	5.0	14	1	2	4	7	10	14	15
ALL AGES	86	11.0	85	3	3	8	15	21	30	51	22	5.7	14	1	2	5	7	11	14	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	42	13.0	108	3	5	10	14	27	36	52	6	13.5	80	3	3	11	22	26	26	26
75 +	72	12.1	43	4	5	11	15	21	23	31	30	8.0	25	2	3	7	9	14	20	24
ALL AGES	115	12.4	66	4	5	11	15	21	27	49	36	8.9	37	2	3	8	10	19	23	26
SUBTOTAL	201	11.8	74	3	4	10	15	21	28	50	58	7.7	30	2	2	6	9	15	21	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	14	9.9	28	2	3	10	12	18	20	20	1	14.0		14	14	14	14	14	14	14
75 +	11	16.1	226	1	3	15	19	41	51	52	3	5.0	7	2	2	6	7	7	7	7
ALL AGES	26	12.4	116	2	3	10	15	20	37	52	4	7.3	24	2	2	6	10	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	21.0	200	11	11	21	31	31	31	31										
55-74	11	18.3	127	7	9	13	20	39	43	43	2	10.0	98	3	3	10	17	17	17	17
75 +	15	12.4	20	5	5	12	16	19	19	19	2	8.0	32	4	4	8	12	12	12	12
ALL AGES	28	15.3	77	5	7	13	18	28	37	43	4	9.0	45	3	3	8	14	17	17	17
SUBTOTAL	54	13.9	96	3	4	12	17	22	35	52	8	8.1	31	2	2	6	13	16	17	17
GRAND TOTAL	255	12.2	80	3	4	10	15	21	29	52	66	7.8	29	2	2	6	10	15	20	26

SENILE PSYCHOT COND NOS (290.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES											1	6.0		6	6	6	6	6	6	6
SUBTOTAL											1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	2	20.0	338	7	7	20	33	33	33	33										
ALL AGES	2	20.0	338	7	7	20	33	33	33	33										
SUBTOTAL	2	20.0	338	7	7	20	33	33	33	33										
GRAND TOTAL	2	20.0	338	7	7	20	33	33	33	33	1	6.0		6	6	6	6	6	6	6

DELIRIUM TREMENS (291.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	17	4.8	17	1	1	3	7	12	14	14	13	4.9	27	1	1	4	5	11	19	21
35-54	45	7.0	43	2	3	5	7	15	20	38	30	5.9	22	1	1	5	8	12	13	22
55-74	19	8.9	59	2	2	6	10	23	24	25	23	6.6	21	2	2	5	8	11	16	23
75 +	1	5.0		5	5	5	5	5	5	5	4	10.3	74	2	2	8	16	22	22	22
ALL AGES	82	7.0	41	1	2	5	8	16	21	34	70	6.2	25	1	2	5	8	12	21	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2	4	5.0	3	3	3	5	6	7	7	7
35-54	5	6.0	12	3	3	5	9	11	11	11	8	4.0	7	1	1	3	4	8	10	10
55-74	5	6.4	9	3	3	6	8	11	11	11	7	5.7	6	3	3	6	8	9	9	9
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	11	5.8	10	2	2	5	8	11	11	11	20	4.8	5	2	3	4	6	8	9	10
SUBTOTAL	93	6.8	38	2	2	5	8	14	20	32	90	5.9	21	1	2	5	8	11	13	23
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-20											2	1.5	1	1	1	1	2	2	2	2
21-24	3	5.3	7	3	3	5	7	8	8	8	36	9.0	277	1	1	5	7	15	34	96
25-34	72	5.4	37	2	2	4	6	9	14	40	99	7.7	57	2	2	5	8	16	29	33
35-54	175	7.0	43	2	2	5	8	14	21	30	53	7.9	46	2	2	6	10	14	25	33
55-74	69	9.7	64	2	3	7	12	23	29	33	5	5.2	12	2	2	5	7	11	11	11
75 +	3	18.0	108	12	12	12	26	30	30	30	196	7.8	92	1	2	5	9	14	29	36
ALL AGES	323	7.3	48	2	2	5	8	15	24	33										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4	8	2.6	2	1	1	2	4	5	5	5
25-34	15	6.6	162	1	1	4	5	8	41	52	23	6.9	60	1	2	5	6	15	30	31
35-54	37	9.9	80	2	2	6	17	27	29	31	18	8.6	45	3	4	6	9	17	25	30
55-74	16	8.8	113	2	2	6	9	12	36	47										
75 +	2	3.0	8	1	1	2	5	5	5	5	49	6.8	48	1	2	5	7	15	29	31
ALL AGES	71	8.7	100	1	2	5	9	21	30	51	245	7.6	83	1	2	5	8	14	29	35
SUBTOTAL	394	7.5	59	2	2	5	8	17	27	39										
GRAND TOTAL	487	7.4	54	2	2	5	8	16	24	36	335	7.1	67	1	2	5	8	13	25	33

ALCOHOL AMNESTIC SYND (291.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	3.7	9	1	1	3	6	7	7	7	1	4.0		4	4	4	4	4	4	4
55-74	3	15.3	312	1	1	10	29	35	35	35	2	8.0	8	6	6	8	10	10	10	10
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	7	12.1	191	1	1	7	23	34	35	35	3	6.7	9	4	4	6	9	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	5.0		5	5	5	5	5	5	5
35-54											1	54.0		54	54	54	54	54	54	54
55-74	2	19.0	288	7	7	19	31	31	31	31	1	10.0		10	10	10	10	10	10	10
75 +	2	11.5	181	2	2	11	21	21	21	21										
ALL AGES	4	15.3	173	2	2	14	26	31	31	31	3	23.0	727	5	5	10	43	54	54	54
SUBTOTAL	11	13.3	168	1	1	7	26	33	35	35	6	14.8	376	4	4	8	10	50	54	54
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	4	16.5	58	10	10	14	22	27	27	27	3	7.7	36	2	2	7	12	14	14	14
55-74	15	9.7	38	2	4	8	12	18	25	27	2	18.5	113	11	11	18	26	26	26	26
75 +											1	11.0		11	11	11	11	11	11	11
ALL AGES	20	10.9	45	3	5	9	13	22	27	27	6	11.8	66	2	2	11	14	25	26	26
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	4.0		4	4	4	4	4	4	4										
55-74	2	9.5	1	9	9	9	10	10	10	10	4	7.3	6	5	5	6	9	11	11	11
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	4	7.3	7	4	4	7	9	10	10	10	4	7.3	6	5	5	6	9	11	11	11
SUBTOTAL	24	10.3	40	3	4	9	12	19	27	27	10	10.0	44	2	3	9	11	20	26	26
GRAND TOTAL	35	11.2	79	1	2	8	13	27	30	35	16	11.8	158	3	4	8	11	25	46	54

ALCOHOLIC DEMENTIA NEC (291.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34											1	19.0		19	19	19	19	19	19	19
35-54	6	15.7	361	1	1	7	21	49	52	52										
55-74	10	11.4	60	2	2	11	18	21	21	21	10	8.5	69	2	2	5	14	21	28	28
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	18	12.6	153	1	1	8	18	21	40	52	11	9.5	71	2	2	5	15	23	28	28
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	9.0		9	9	9	9	9	9	9
35-54	1	22.0		22	22	22	22	22	22	22	1	15.0		15	15	15	15	15	15	15
55-74	4	19.8	462	8	8	10	31	52	52	52	1	8.0		8	8	8	8	8	8	8
75 +	2	13.5	25	10	10	13	17	17	17	17										
ALL AGES	7	18.3	247	8	8	11	21	46	52	52	3	10.7	13	8	8	9	13	15	15	15
SUBTOTAL	25	14.2	177	1	2	10	19	22	52	52	14	9.7	58	2	2	8	15	20	26	28
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	4.0	18	1	1	4	7	7	7	7	2	6.5	1	6	6	6	7	7	7	7
35-54	10	12.1	132	2	2	10	13	30	40	40	3	5.0	9	2	2	5	7	8	8	8
55-74	17	14.6	219	3	4	9	18	44	48	48	3	24.7	407	12	12	14	39	48	48	48
75 +	7	8.0	30	2	2	7	9	17	19	19	1	2.0		2	2	2	2	2	2	2
ALL AGES	36	12.1	148	2	2	8	14	31	45	48	9	11.6	202	2	2	7	12	34	48	48
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	6.0	5	4	4	6	8	8	8	8	4	6.5	3	5	5	6	8	9	9	9
55-74	21	12.6	40	4	5	13	16	20	24	28	1	6.0		6	6	6	6	6	6	6
75 +	5	13.2	42	5	5	15	18	20	20	20	1	4.0		4	4	4	4	4	4	4
ALL AGES	30	11.8	40	4	4	11	16	19	21	28	6	6.0	3	4	4	6	6	9	9	9
SUBTOTAL	66	12.0	97	2	3	9	15	21	34	48	15	9.3	126	2	2	6	9	14	39	48
GRAND TOTAL	91	12.6	118	2	3	9	17	22	40	52	29	9.5	90	2	2	6	12	17	29	48

ALCOHOL HALLUCINOSIS (291.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	2.5	5	1	1	2	4	4	4	4	2	4.0	18	1	1	4	7	7	7	7
35-54	7	7.1	123	1	1	3	5	27	32	32	2	5.0		5	5	5	5	5	5	5
55-74	4	7.5	7	4	4	8	9	10	10	10	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	13	6.5	67	1	1	4	7	14	29	32	5	4.2	5	1	1	5	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	6.5	41	2	2	6	11	11	11	11										
55-74	3	7.0	3	6	6	6	8	9	9	9										
75 +																				
ALL AGES	5	6.8	12	2	2	6	9	11	11	11										
SUBTOTAL	18	6.6	50	1	1	5	9	11	24	32	5	4.2	5	1	1	5	6	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	19	10.8	153	2	2	6	10	35	41	44	4	16.0	748	1	1	3	30	57	57	57
35-54	18	8.0	41	1	3	5	12	16	22	26	4	9.0	14	5	5	8	11	14	14	14
55-74	6	10.2	110	1	1	6	15	28	29	29	3	9.0	37	5	5	6	13	16	16	16
75 +																				
ALL AGES	45	9.2	95	1	2	5	11	26	32	44	11	11.5	250	1	2	6	13	32	55	57
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	16.0	109	5	5	15	24	28	28	26	1	3.0		3	3	3	3	3	3	3
35-54	6	6.3	18	2	2	5	7	13	14	14	3	4.7	14	2	2	3	7	9	9	9
55-74	3	5.3	3	4	4	5	6	7	7	7	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	13	9.1	57	2	3	6	11	22	27	28	5	3.8	9	2	2	3	5	9	9	9
SUBTOTAL	58	9.2	85	1	2	6	11	24	30	44	16	9.1	182	1	2	5	9	16	45	57
GRAND TOTAL	76	8.6	77	1	2	5	10	20	30	42	21	8.0	141	1	2	5	8	15	34	57

PATHOLOGIC ALCOHOL INTOX (291.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	30.0		30	30	30	30	30	30	30
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1	2	15.5	421	1	1	15	30	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1	2	15.5	421	1	1	15	30	30	30	30
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	33.0		33	33	33	33	33	33	33
21-24	1	1.0		1	1	1	1	1	1	1				37	37	37	37	37	37	37
25-34	6	3.8	7	1	1	3	6	8	8	8	1	37.0		37	37	37	37	37	37	37
35-54																				
55-74																				
75 +																				
ALL AGES	7	3.4	7	1	1	3	5	8	8	8	2	35.0	8	33	33	35	37	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17											1	14.0		14	14	14	14	14	14	14
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	2	2.0		2	2	2	2	2	2	2	1	14.0		14	14	14	14	14	14	14
SUBTOTAL	9	3.1	6	1	1	2	4	7	8	8	3	28.0	151	14	14	33	36	37	37	37
GRAND TOTAL	10	2.9	5	1	1	2	3	7	8	8	5	23.0	228	1	1	30	34	37	37	37

ALCOHOLIC JEALOUSY (291.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	3	17.7	79	12	12	13	24	28	28	28										
55-74																				
75 +																				
ALL AGES	3	17.7	79	12	12	13	24	28	28	28										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	17.7	79	12	12	13	24	28	28	28										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	4	11.5	74	5	5	8	17	24	24	24										
55-74																				
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	5	10.8	58	5	5	8	13	24	24	24										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9										
SUBTOTAL	6	10.5	47	5	5	8	10	23	24	24										
GRAND TOTAL	9	12.9	62	5	6	10	16	26	28	28										

ALCOHOLIC PSYCHOSIS NEC (291.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	1	4.0		4	4	4	4	4	4	4	2	21.5	1	21	21	21	22	22	22	22
21-24	3	2.3	2	1	1	3	3	3	3	3	7	11.0	107	1	1	5	22	22	22	22
25-34	44	3.5	10	1	1	3	4	5	7	21	21	8.1	68	1	1	4	13	22	22	22
35-54	104	4.7	22	1	2	3	4	7	17	26	47	4.8	19	1	2	3	6	7	16	22
55-74	40	5.9	17	1	2	5	7	13	15	20	22	6.4	13	1	2	6	8	13	14	15
75 +	5	10.0	97	1	1	9	15	26	26	26	1	32.0		32	32	32	32	32	32	32
ALL AGES	198	4.7	21	1	2	3	5	9	15	25	100	6.9	46	1	2	4	7	21	22	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3	2	3.5	5	2	2	3	5	5	5	5
25-34	5	3.8	1	3	3	4	4	5	5	5	11	2.5	2	1	1	2	4	5	5	5
35-54	23	4.1	4	1	1	4	5	7	8	9	19	4.5	38	1	1	2	4	15	22	22
55-74	10	7.3	37	3	3	5	11	17	22	22	9	7.8	52	2	2	4	12	20	23	23
75 +																				
ALL AGES	40	4.8	13	1	2	4	5	8	11	22	41	4.6	32	1	1	3	4	13	21	23
SUBTOTAL	238	4.7	20	1	2	3	5	9	14	24	141	6.2	43	1	1	4	6	21	22	24
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17											1	22.0		22	22	22	22	22	22	22
18-20											9	6.1	43	1	1	4	5	17	23	23
21-24	12	10.4	127	1	2	4	19	30	32	32	35	8.7	82	1	2	4	22	23	24	24
25-34	123	6.2	49	1	2	4	6	21	24	29	270	4.8	21	2	2	4	5	6	18	24
35-54	255	6.0	37	1	2	4	7	12	21	30	433	4.5	15	2	3	4	5	5	8	22
55-74	85	7.9	71	1	2	5	9	20	30	36	150	4.5	5	2	2	4	5	7	10	14
75 +	6	8.0	25	2	2	8	12	15	15	15	5	5.4	19	2	2	4	7	13	13	13
ALL AGES	481	6.5	49	1	2	4	7	17	24	33	904	4.8	19	2	2	4	5	6	13	23
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3										
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	2	2	2	3	4	4	4	4	1	2.0		2	2	2	2	2	2	2
21-24	3	12.0	271	2	2	3	24	31	31	31	10	5.0	37	1	1	3	4	13	22	22
25-34	34	4.8	29	1	2	3	4	7	22	24	68	4.8	17	2	2	4	5	9	13	24
35-54	57	8.1	57	2	2	4	11	22	24	29	116	4.0	4	2	2	4	4	5	7	13
55-74	29	11.3	141	2	3	7	11	30	42	44	53	4.6	14	2	3	4	5	7	9	28
75 +	1	3.0		3	3	3	3	3	3	3	1	7.0		7	7	7	7	7	7	7
ALL AGES	128	7.8	75	2	2	4	9	23	28	42	250	4.4	11	2	2	4	5	6	9	22
SUBTOTAL	609	6.8	54	1	2	4	7	19	24	33	1154	4.7	17	2	2	4	5	6	11	23
GRAND TOTAL	847	6.2	45	1	2	4	7	15	23	31	1295	4.9	20	2	2	4	5	7	15	23

ALCOHOLIC PSYCHOSIS NOS (291.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	9.5	1	9	9	9	10	10	10	10										
55-74	1	23.0		23	23	23	23	23	23	23										
75 +											1	14.0		14	14	14	14	14	14	14
ALL AGES	3	14.0	61	9	9	10	20	23	23	23	1	14.0		14	14	14	14	14	14	14
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +																				
ALL AGES	2	7.5	5	6	6	7	9	9	9	9										
SUBTOTAL	5	11.4	44	6	6	9	13	23	23	23	1	14.0		14	14	14	14	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	2	9.0	98	2	2	9	16	16	16	16										
35-54	4	2.8	3	1	1	2	4	5	5	5										
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	9	5.9	41	1	1	3	8	17	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	2	8.5	5	7	7	8	10	10	10	10	1	1.0		1	1	1	1	1	1	1
55-74	1	22.0		22	22	22	22	22	22	22	1	3.0		3	3	3	3	3	3	3
75 +	1	11.0		11	11	11	11	11	11	11	1	7.0		7	7	7	7	7	7	7
ALL AGES	5	11.2	41	6	6	10	14	22	22	22	4	3.5	6	1	1	3	5	7	7	7
SUBTOTAL	14	7.8	45	1	2	5	11	18	21	22	4	3.5	6	1	1	3	5	7	7	7
GRAND TOTAL	19	8.7	46	1	2	7	11	20	23	23	5	5.6	27	1	1	3	9	14	14	14

DRUG WITHDRAWAL SYNDROME (292.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20	2	2.5	1	2	2	2	3	3	3	3										
21-24											1	5.0		5	5	5	5	5	5	5
25-34	29	3.5	2	2	2	3	4	5	6	8	7	6.6	54	2	2	4	6	20	23	23
35-54	15	3.5	1	1	2	4	4	5	5	5	3	2.7	4	1	1	2	4	5	5	5
55-74	6	5.0	21	1	1	4	5	13	14	14	4	2.5	6	1	1	2	4	6	6	6
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	54	3.6	4	1	2	3	4	5	5	14	16	4.4	28	1	1	3	5	6	18	23
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
21-24	7	3.0	2	1	1	3	4	5	5	5	2	2.0		2	2	2	2	2	2	2
25-34	19	3.2	3	1	1	3	4	6	7	8	3	6.7	12	3	3	7	9	10	10	10
35-54	13	7.5	28	3	3	5	10	16	18	18	11	6.1	9	1	3	5	7	11	13	13
55-74	6	12.0	104	1	*	11	18	26	27	27	4	5.0	3	3	3	5	6	7	7	7
75 +	3	7.0	25	2	2	7	11	12	12	12	2	5.5	1	5	5	5	6	6	6	6
ALL AGES	49	5.6	30	1	2	4	6	16	18	27	23	5.5	7	1	2	5	7	9	11	13
SUBTOTAL	103	4.6	17	1	2	3	5	8	15	22	39	5.0	16	1	1	5	6	8	12	23
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	2	3.5	1	3	3	3	4	4	4	4
18-20	6	3.0		2	2	3	3	4	4	4	9	2.7	1	1	1	3	3	4	4	4
21-24	8	3.1	1	2	2	3	4	5	5	5	32	3.1	1	1	2	3	4	4	5	6
25-34	109	4.5	36	1	2	3	4	6	17	35	383	3.7	3	2	2	4	4	5	6	10
35-54	64	4.2	15	2	3	4	4	5	7	27	215	3.8	3	2	2	4	4	5	7	13
55-74	4	5.0	29	2	2	3	8	13	13	13	22	4.1	4	1	2	4	5	6	8	10
75 +	2	4.0		4	4	4	4	4	4	4	1	5.0		5	5	5	5	5	5	5
ALL AGES	194	4.3	26	1	2	3	4	5	10	26	664	3.7	3	2	2	4	4	5	6	11
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17																				
18-20	4	2.8		2	2	3	3	3	3	3	12	3.9	6	1	2	4	4	7	10	11
21-24	17	3.3	4	1	1	3	4	7	8	8	25	3.3	1	1	2	4	4	4	5	5
25-34	92	4.4	28	1	2	3	4	5	6	37	143	4.1	2	2	3	4	4	5	7	11
35-54	34	5.4	16	3	3	4	5	10	20	99+	72	4.3	4	2	2	4	5	7	8	10
55-74	10	7.1	19	2	2	6	11	13	15	15	17	5.2	5	2	3	5	7	9	10	10
75 +	4	11.0	238	1	1	4	19	34	34	34	3	5.0	9	2	2	5	7	8	8	8
ALL AGES	162	4.8	27	1	2	4	5	7	14	42	272	4.1	3	2	2	4	5	6	7	11
SUBTOTAL	356	4.5	27	1	2	3	4	6	12	34	936	3.8	3	2	2	4	4	5	7	11
GRAND TOTAL	459	4.5	24	1	2	3	4	7	14	29	975	3.9	3	2	2	4	4	5	7	11

DRUG PARANOID/HALLUCINOS (292.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	2	10.5	145	2	2	10	19	19	19	19										
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	2	11.0	32	7	7	11	15	15	15	15										
25-34	1	20.0		20	20	20	20	20	20	20										
35-54	2	6.0	32	2	2	6	10	10	10	10										
55-74	2	3.0		3	3	3	3	3	3	3	5	6.0	9	3	3	7	8	10	10	10
75 +	2	2.5	1	2	2	2	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	14	8.1	72	1	1	3	15	21	25	26	6	5.7	7	3	3	5	7	10	10	10
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	3	4.0	3	3	3	3	5	6	6	6	3	4.0	19	1	1	2	7	9	9	9
35-54											1	3.0		3	3	3	3	3	3	3
55-74	6	9.7	55	3	3	8	10	23	24	24	9	6.4	22	1	2	6	9	14	16	16
75 +	9	6.2	20	3	3	6	7	13	17	17	6	6.5	8	3	3	7	7	11	11	11
ALL AGES	20	7.6	30	3	3	6	9	16	20	24	20	5.7	15	1	1	5	8	11	14	16
SUBTOTAL	34	7.8	46	1	2	6	10	19	23	26	26	5.7	13	1	1	5	7	11	12	16
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	11.7	133	1	1	10	20	24	24	24	1	2.0		2	2	2	2	2	2	2
18-20	4	12.5	79	1	1	14	19	20	20	20										
21-24	4	8.3	27	4	4	7	12	15	15	15										
25-34	7	7.3	42	1	2	5	8	18	21	21										
35-54	3	12.0	121	1	1	12	20	23	23	23	1	1.0		1	1	1	1	1	1	1
55-74	4	5.3	6	3	3	4	7	9	9	9	1	12.0		12	12	12	12	12	12	12
75 +	1	4.0		4	4	4	4	4	4	4	1	31.0		31	31	31	31	31	31	31
ALL AGES	26	8.8	53	1	1	6	12	21	23	24	4	11.5	194	1	1	7	21	31	31	31
B. FEMALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	22.0	162	13	13	22	31	31	31	31										
21-24	3	10.0	28	4	4	12	13	14	14	14										
25-34	8	6.3	29	1	1	6	8	15	18	18										
35-54	2	17.0	450	2	2	17	32	32	32	32	1	4.0		4	4	4	4	4	4	4
55-74	4	8.3	9	6	6	7	10	13	13	13	1	17.0		17	17	17	17	17	17	17
75 +	4	6.8	11	3	3	6	9	11	11	11	5	16.4	75	6	6	21	23	24	24	24
ALL AGES	23	9.5	67	1	2	7	13	21	31	32	8	13.3	78	3	3	12	22	24	24	24
SUBTOTAL	49	9.1	59	1	2	7	12	21	24	32	12	12.7	103	1	1	10	22	26	30	31
GRAND TOTAL	83	8.6	53	1	2	6	12	20	24	32	38	7.9	50	1	1	6	10	20	24	31

PATHOLOGIC DRUG INTOX (292.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	6.0		6	6	6	6	6	6	6
21-24											1	22.0		22	22	22	22	22	22	22
25-34											6	26.0	140	2	5	30	31	33	33	33
35-54											1	9.0		9	9	9	9	9	9	9
55-74											1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES											10	19.7	166	2	3	26	30	32	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	35.0		35	35	35	35	35	35	35
25-34											3	23.0	247	5	5	30	33	34	34	34
35-54											1	3.0		3	3	3	3	3	3	3
55-74																				
75 +											1	7.0		7	7	7	7	7	7	7
ALL AGES											6	19.0	240	3	3	18	34	35	35	35
SUBTOTAL											16	19.4	181	2	3	26	31	34	35	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											5	38.0	514	8	8	38	49	71	71	71
18-20											4	33.5	59	29	29	30	38	45	45	45
21-24											6	25.5	209	1	2	32	36	37	37	37
25-34	1	11.0		11	11	11	11	11	11	11	10	21.5	182	1	1	30	30	31	31	31
35-54											3	22.7	327	2	2	30	34	36	36	36
55-74																				
75 +																				
ALL AGES	1	11.0		11	11	11	11	11	11	11	28	27.1	251	1	2	30	35	41	48	71
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20											1	30.0		30	30	30	30	30	30	30
21-24											1	37.0		37	37	37	37	37	37	37
25-34											4	16.8	232	3	3	17	30	30	30	30
35-54	1	9.0		9	9	9	9	9	9	9	1	31.0		31	31	31	31	31	31	31
55-74											2	7.5	13	5	5	7	10	10	10	10
75 +																				
ALL AGES	1	9.0		9	9	54	99+	99+	99+	99+	10	18.1	212	1	2	20	30	34	37	37
SUBTOTAL	2	10.0	2	9	9	11	78	99+	99+	99+	38	24.8	247	1	2	30	31	38	44	71
GRAND TOTAL	2	10.0	2	9	9	11	78	99+	99+	99+	54	23.2	230	1	2	30	31	37	41	70

OTHER DRUG MENTAL DIS (292.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17											1	5.0		5	5	5	5	5	5	5
18-20	1	10.0		10	10	10	10	10	10	10	2	1.5	1	1	1	1	2	2	2	2
21-24																				
25-34	8	12.6	347	1	1	2	22	44	48	48	1	1.0		1	1	1	1	1	1	1
35-54	10	6.4	32	1	1	4	13	15	16	16	2	4.5	1	4	4	4	5	5	5	5
55-74	24	6.8	93	1	1	4	6	14	36	40	15	5.9	14	1	1	7	8	10	12	13
75 +	20	8.8	82	1	2	6	10	19	31	40	4	3.0	2	2	2	3	4	5	5	5
ALL AGES	63	8.1	108	1	1	4	9	18	37	47	26	4.6	11	1	1	4	7	9	11	13
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10	1	8.0		8	8	8	8	8	8	8
13-17		1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	17.0		17	17	17	17	17	17	17										
25-34	7	4.4	8	2	2	4	6	9	9	9	3	4.3	7	2	2	4	6	7	7	7
35-54	7	6.0	29	1	1	5	7	15	17	17	1	7.0		7	7	7	7	7	7	7
55-74	24	8.6	103	2	3	6	9	14	26	53	7	5.7	20	1	1	4	9	13	13	13
75 +	22	5.1	9	1	1	5	7	9	10	11	20	4.5	10	1	2	4	5	9	12	15
ALL AGES	64	6.6	49	1	1	5	8	11	15	48	35	4.7	11	1	2	4	6	10	12	15
SUBTOTAL	127	7.4	78	1	1	5	8	14	24	49	61	4.6	11	1	1	4	7	9	12	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	5.6	26	1	1	5	8	14	14	14										
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	7	10.3	38	2	3	11	15	18	19	19										
35-54	8	12.9	146	1	2	7	23	31	34	34	1	8.0		8	8	8	8	8	8	8
55-74	11	11.3	77	3	4	7	18	24	30	31	1	3.0		3	3	3	3	3	3	3
75 +	7	10.9	38	3	4	12	14	20	22	22	4	3.8	1	2	2	4	5	5	5	5
ALL AGES	39	10.5	67	1	2	7	16	22	28	34	6	4.3	5	2	2	4	5	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	3	5.3	17	3	3	3	8	10	10	10										
21-24																				
25-34	10	9.5	83	2	2	4	16	23	29	29	2	4.0	2	3	3	4	5	5	5	5
35-54	10	8.9	46	1	2	8	13	18	23	23	2	1.5	1	1	1	1	2	2	2	2
55-74	21	10.1	63	3	4	6	12	24	27	28	10	8.0	99	1	1	6	8	22	35	35
75 +	16	9.6	35	3	3	8	13	20	21	21	8	4.3	7	1	1	4	5	9	10	10
ALL AGES	61	9.6	52	3	3	7	13	21	24	29	22	5.7	50	1	1	4	7	9	20	35
SUBTOTAL	100	10.0	56	2	3	7	14	21	25	32	28	5.4	40	1	1	4	6	9	12	35
GRAND TOTAL	227	8.5	70	1	2	6	11	19	24	42	89	4.9	20	1	1	4	7	9	11	27

DRUG MENTAL DISORDER NOS (292.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	5	6.2	23	2	2	5	9	14	14	14										
21-24	3	2.3	3	1	1	3	52	99+	99+	99+										
25-34	5	2.8	4	1	1	2	4	6	6	6										
35-54	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74	4	11.8	230	1	1	6	21	34	34	34	2	4.0	2	3	3	4	5	5	5	5
75 +	4	4.8	2	3	3	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
ALL AGES	22	5.5	50	1	1	4	6	18	57	99+	4	3.5	2	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	2	15.5	221	5	5	15	26	26	26	26										
35-54	6	7.0	38	1	1	6	9	17	18	18	2	8.0	18	5	5	8	11	11	11	11
55-74	7	8.0	20	3	3	9	12	14	14	14	4	2.8	4	1	1	3	4	5	5	5
75 +	5	8.2	13	5	5	7	10	14	14	14	4	8.3	28	4	4	6	12	16	16	16
ALL AGES	21	8.1	38	1	2	7	10	16	22	26	10	6.0	21	1	1	5	8	13	16	16
SUBTOTAL	43	6.8	45	1	1	5	9	15	28	99+	14	5.3	16	1	1	4	5	11	15	16
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	4.0	2	3	3	4	5	5	5	5										
18-20	5	9.4	103	1	1	3	20	21	21	21	1	1.0		1	1	1	1	1	1	1
21-24	6	14.0	113	1	1	14	19	29	30	30										
25-34	8	8.9	23	1	3	8	12	16	17	17										
35-54	2	21.5	61	16	16	21	27	27	27	27										
55-74	2	20.0	162	11	11	20	29	29	29	29										
75 +	5	7.8	25	1	1	7	10	15	15	15										
ALL AGES	30	11.1	72	1	1	8	17	24	29	30	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	6	24.0	564	5	6	18	20	66	71	71										
25-34	2	4.0		4	4	4	4	4	4	4										
35-54	4	21.5	96	7	7	25	27	28	28	28	1	6.0		6	6	6	6	6	6	6
55-74	4	16.3	5	13	13	16	18	19	19	19				6	6	6	6	6	6	6
75 +	3	5.7	17	1	1	7	8	9	9	9	1	6.0		6	6	6	6	6	6	6
ALL AGES	20	17.0	225	2	4	16	20	27	49	71	2	6.0		6	6	6	6	6	6	6
SUBTOTAL	50	13.4	140	1	2	10	19	27	29	71	3	4.3	9	1	1	6	6	6	6	6
GRAND TOTAL	93	10.4	105	1	1	7	15	24	29	87	17	5.1	15	1	1	5	6	10	14	16

ACUTE DELIRIUM (293.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
13-17	2	1.5	1	1	1	1	2	2	2	2	4	3.3	8	1	1	2	5	7	7	7
18-20											1	2.0		2	2	2	2	2	2	2
21-24	2	12.5	221	2	2	12	23	23	23	23										
25-34	7	5.4	23	1	1	3	10	12	12	12	4	1.8		1	1	2	2	2	2	2
35-54	2	3.5	13	1	1	3	6	6	6	6	4	2.8	3	1	1	2	4	5	5	5
55-74	29	9.2	58	2	2	6	12	23	26	27	31	4.1	8	1	1	3	5	8	9	15
75 +	32	7.2	47	1	2	5	8	17	23	30	40	5.4	8	1	2	5	7	10	11	13
ALL AGES	75	7.6	51	1	2	5	10	21	25	29	85	4.4	9	1	1	4	6	8	10	14
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	11.5	5	10	10	11	13	13	13	13	1	2.0		2	2	2	2	2	2	2
35-54	12	6.0	22	1	2	5	7	14	17	17	10	5.7	54	1	1	3	4	18	25	25
55-74	43	9.0	100	1	2	5	12	20	30	52	42	5.7	34	1	2	5	6	9	12	39
75 +	58	6.7	21	2	2	6	9	12	15	27	57	5.8	20	1	2	5	6	10	14	27
ALL AGES	117	7.4	52	1	2	5	9	14	19	41	111	5.6	29	1	2	4	6	10	13	32
SUBTOTAL	192	7.5	51	1	2	5	9	15	23	33	196	5.1	20	1	2	4	6	9	11	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	46.0	3872	2	2	46	90	90	90	90										
21-24	1	15.0		15	15	15	15	15	15	15										
25-34																				
35-54	6	8.2	20	1	1	10	11	12	12	12	1	1.0		1	1	1	1	1	1	1
55-74	15	12.8	65	4	4	11	18	27	29	30	11	12.6	181	1	3	8	14	34	47	48
75 +	20	10.4	68	1	2	8	14	21	28	34	9	6.6	18	1	2	7	8	13	15	15
ALL AGES	44	12.6	202	2	3	10	14	23	31	90	21	9.5	110	1	1	7	11	19	35	48
B. FEMALE																				
0-12 YRS.																				
13-17											1	37.0		37	37	37	37	37	37	37
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	11.0	139	1	1	8	20	24	24	24	1	21.0		21	21	21	21	21	21	21
35-54	5	8.0	37	2	2	8	12	17	17	17	2	3.5	1	3	3	3	4	4	4	4
55-74	24	10.0	83	2	3	7	12	19	36	38	10	6.5	8	1	3	6	8	10	12	12
75 +	28	9.2	35	3	4	8	12	14	22	32	28	5.8	10	2	3	5	7	10	12	17
ALL AGES	61	9.4	56	2	3	7	12	17	28	38	42	7.0	36	2	3	5	7	11	19	37
SUBTOTAL	105	10.8	117	2	3	8	13	20	30	61	63	7.8	61	1	3	6	8	14	22	47
GRAND TOTAL	297	8.7	76	1	2	6	11	18	25	37	259	5.8	31	1	2	5	7	10	14	36

SUBACUTE DELIRIUM (293.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	1	14.0		14	14	14	14	14	14	14	1	3.0		3	3	3	3	3	3	3
55-74	1	8.0		8	8	8	8	8	8	8	2	5.0	18	2	2	5	8	8	8	8
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	4	9.5	20	4	4	10	13	14	14	14	3	4.3	11	2	2	3	7	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13	1	4.0		4	4	4	4	4	4	4
75 +	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
ALL AGES	2	8.5	41	4	4	8	13	13	13	13	2	4.0		4	4	4	4	4	4	4
SUBTOTAL	6	9.2	19	4	4	10	13	14	14	14	5	4.2	5	2	2	4	5	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	2	6.5	5	5	5	6	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74											1	13.0		13	13	13	13	13	13	13
75 +	2	2.5	1	2	2	2	3	3	3	3	1	7.0		7	7	7	7	7	7	7
ALL AGES	4	4.0	3	2	2	4	5	6	6	6	2	10.0	18	7	7	10	13	13	13	13
SUBTOTAL	6	4.8	5	2	2	5	6	8	8	8	2	10.0	18	7	7	10	13	13	13	13
GRAND TOTAL	12	7.0	16	2	3	6	10	13	14	14	7	5.9	14	2	2	4	8	12	13	13

OTH TRANSIENT ORG MENTAL (293.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	6	36.2	664	5	6	31	65	68	68	68										
25-34	10	18.7	194	3	5	17	21	39	53	53	1	13.0		13	13	13	13	13	13	13
35-54	16	27.5	322	9	10	22	32	63	69	71	1	4.0		4	4	4	4	4	4	4
55-74	27	17.6	202	4	6	13	22	31	51	68	1	20.0		20	20	20	20	20	20	20
75 +	21	16.5	118	2	3	15	23	31	39	40	4	15.3	345	3	3	7	25	43	43	43
ALL AGES	80	20.8	259	3	5	17	25	39	65	70	7	14.0	197	3	3	8	18	38	43	43
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2	1	39.0		39	39	39	39	39	39	39
21-24	2	12.0	50	7	7	12	17	17	17	17										
25-34	8	22.4	64	14	14	20	29	34	36	36	2	34.0	512	18	18	34	50	50	50	50
35-54	4	23.3	98	10	10	25	31	32	32	32	1	21.0		21	21	21	21	21	21	21
55-74	32	21.4	301	1	3	18	26	48	55	81	3	9.3	10	6	6	10	11	12	12	12
75 +	37	18.8	137	6	7	16	26	33	35	63	5	16.6	107	7	7	13	26	30	30	30
ALL AGES	84	20.0	189	3	6	17	26	35	48	75	12	19.9	193	6	7	15	27	42	49	50
SUBTOTAL	164	20.4	221	3	6	17	26	35	54	71	19	17.7	193	3	5	13	24	41	47	50
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	13.5	145	5	5	13	22	22	22	22										
18-20	4	19.5	12	16	16	19	22	24	24	24										
21-24	2	24.0	288	12	12	24	36	36	36	36										
25-34	17	19.0	232	6	7	13	26	40	55	62	1	30.0		30	30	30	30	30	30	30
35-54	21	22.4	289	3	5	21	29	44	62	71	2	17.5	61	12	12	17	23	23	23	23
55-74	21	15.4	121	2	4	11	21	31	40	40										
75 +	16	11.4	19	4	6	11	15	17	18	19										
ALL AGES	83	17.5	171	4	5	15	23	32	41	68	3	21.7	80	12	12	23	28	30	30	30
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	3	12.7	113	6	6	7	20	25	25	25										
25-34	8	13.3	77	4	4	9	23	25	25	25										
35-54	6	18.2	127	2	3	18	27	32	33	33										
55-74	37	17.0	123	3	4	16	22	32	42	47	3	16.7	519	3	3	4	33	43	43	43
75 +	32	18.9	73	7	8	20	24	29	31	41	1	9.0		9	9	9	9	9	9	9
ALL AGES	87	17.2	98	3	5	17	23	29	33	47	4	14.8	360	3	3	6	26	43	43	43
SUBTOTAL	170	17.3	134	4	5	16	23	30	40	60	7	17.7	222	3	3	12	28	40	43	43
GRAND TOTAL	334	18.8	180	3	5	17	24	33	46	69	26	17.7	192	3	4	12	25	42	45	50

TRANSIENT ORG MENTAL NOS (293.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21				1	1	1	1	1	1	1
21-24																				
25-34	2	25.0	1152	1	1	25	49	49	49	49	1	1.0		1	1	1	1	1	1	1
35-54	4	8.8	51	2	2	9	15	15	15	15	2	4.5	1	4	4	4	5	5	5	5
55-74	6	7.3	90	1	1	3	11	24	25	25	4	10.5	134	2	2	6	18	27	27	27
75 +	6	3.7	12	1	1	2	8	8	8	8	1	4.0		4	4	4	4	4	4	4
ALL AGES	19	9.1	147	1	1	3	14	23	38	49	8	7.0	73	1	1	4	7	22	27	27
B. FEMALE																				
0-12 YRS.																				
13-17											1	1.0		1	1	1	1	1	1	1
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54	4	22.8	221	9	9	19	32	44	44	44	2	8.5	5	7	7	8	10	10	10	10
55-74	6	7.0	16	4	4	5	11	13	13	13	5	4.0	14	1	1	3	6	10	10	10
75 +	7	7.3	85	1	1	3	9	24	27	27	7	4.0	4	2	2	4	6	7	7	7
ALL AGES	18	10.5	120	1	2	6	13	25	37	44	15	4.4	10	1	1	4	7	10	10	10
SUBTOTAL	37	9.8	130	1	1	5	13	24	38	49	23	5.3	31	1	1	4	7	10	16	27
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54	4	16.3	63	7	7	17	23	24	24	24	1	1.0		1	1	1	1	1	1	1
55-74																				
75 +	3	15.3	462	1	1	5	31	40	40	40										
ALL AGES	10	14.3	145	1	1	12	22	32	40	40	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	2.0		2	2	2	2	2	2	2										
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
35-54	1	9.0		9	9	9	9	9	9	9	1	2.0		2	2	2	2	2	2	2
55-74	2	22.5	613	5	5	22	40	40	40	40	2	16.0	50	11	11	16	21	21	21	21
75 +	1	4.0		4	4	4	4	4	4	4	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	6	11.5	203	2	2	7	9	37	40	40	6	7.8	56	2	2	5	11	20	21	21
SUBTOTAL	16	13.3	155	1	2	9	20	38	40	40	7	6.9	52	1	1	3	10	19	21	21
GRAND TOTAL	53	10.8	139	1	1	6	15	25	40	49	30	5.7	34	1	1	4	7	11	21	27

AMNESTIC SYNDROME (294.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	11.5	13	9	9	11	14	14	14	14										
55-74	4	12.0	161	1	1	10	22	27	27	27	1	7.0		7	7	7	7	7	7	7
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	7	11.4	84	1	1	9	17	25	27	27	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74	5	4.2	4	1	1	5	5	6	6	6	1	2.0		2	2	2	2	2	2	2
75 +	1	2.0		2	2	2	2	2	2	2	3	3.7	9	1	1	3	6	7	7	7
ALL AGES	6	3.8	4	1	1	4	5	6	6	6	5	3.0	6	1	1	2	4	7	7	7
SUBTOTAL	13	7.9	59	1	1	5	10	20	26	27	6	3.7	7	1	1	3	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54																				
55-74	2	10.0	8	8	8	10	12	12	12	12	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	3	7.3	26	2	2	8	11	12	12	12	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +	2	12.0	2	11	11	12	13	13	13	13										
ALL AGES	3	8.3	42	1	1	11	12	13	13	13										
SUBTOTAL	6	7.8	28	1	1	9	12	13	13	13	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	19	7.9	47	1	1	6	12	16	23	27	7	3.4	7	1	1	2	6	7	7	7

North Central Region January - December 1986

DEMENTIA IN OTH DISEASES (294.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8				50	50	50	50	50	50	50
35-54											1	50.0								
55-74	9	12.1	26	3	5	13	16	18	18	18	5	8.6	29	4	4	7	10	18	18	18
75 +	9	7.9	29	1	1	10	11	15	17	17	6	5.8	8	3	3	5	6	11	11	11
ALL AGES	19	9.9	29	1	2	10	14	17	18	18	12	10.7	169	3	4	6	9	28	47	50
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20																				
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	1	12.0		12	12	12	12	12	12	12										
35-54	2	16.5	41	12	12	16	21	21	21	21	1	15.0		15	15	15	15	15	15	15
55-74	10	14.8	95	1	4	12	21	29	35	35	3	6.3	11	4	4	5	9	10	10	10
75 +	4	27.5	172	11	11	30	38	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	19	19.9	211	4	8	14	24	38	52	62	5	7.4	25	3	3	5	11	15	15	15
SUBTOTAL	38	14.9	142	1	3	12	18	32	38	62	17	9.7	125	3	3	6	10	17	39	50
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	84.0		84	84	84	84	84	84	84
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5				5	5	5	5	5	5	5
55-74	3	19.3	188	10	10	13	29	35	35	35	1	5.0		5	5	5	5	5	5	5
75 +	2	25.0	392	11	11	25	39	39	39	39	1	5.0		5	5	5	5	5	5	5
ALL AGES	6	18.8	208	5	5	12	35	39	39	39	3	31.3	2083	5	5	5	64	84	84	84
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	28.0		28	28	28	28	28	28	28	1	31.0		31	31	31	31	31	31	31
75 +	4	6.5	20	2	2	6	10	12	12	12	1	3.0		3	3	3	3	3	3	3
ALL AGES	5	10.8	107	2	2	8	16	28	28	28	2	17.0	392	3	3	17	31	31	31	31
SUBTOTAL	11	15.2	163	2	3	11	24	37	39	39	5	25.6	1200	3	3	5	44	84	84	84
GRAND TOTAL	49	15.0	143	1	3	12	18	35	39	62	22	13.3	371	3	3	6	11	37	64	64

ORGANIC BRAIN SYND NEC (294.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																				
25-34	2	9.5	61	4	4	9	15	15	15	15										
35-54	5	13.6	21	6	6	15	16	18	18	18										
55-74	8	10.6	20	4	5	10	14	16	17	17										
75 +	5	10.4	19	6	6	11	14	16	16	16	2	4.0	18	1	1	4	7	7	7	7
ALL AGES	21	11.5	21	4	5	13	15	17	18	18	2	4.0	18	1	1	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	10.7	20	8	8	8	14	16	16	16										
35-54	3	23.7	134	11	11	26	32	34	34	34										
55-74	14	14.8	121	1	2	11	23	26	38	42										
75 +	15	11.0	46	1	1	11	14	22	23	23	1	10.0		10	10	10	10	10	10	10
ALL AGES	35	13.6	87	1	2	11	20	24	32	42	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	56	12.8	63	1	4	11	16	23	25	42	3	6.0	21	1	1	7	9	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	2	26.0	1058	3	3	26	49	49	49	49										
25-34											1	23.0		23	23	23	23	23	23	23
35-54	4	14.3	103	3	3	13	22	27	27	27										
55-74	7	20.1	118	4	6	18	30	34	35	35										
75 +	3	14.0	21	10	10	13	17	19	19	19	1	9.0		9	9	9	9	9	9	9
ALL AGES	17	19.0	158	3	3	17	28	34	44	49	2	16.0	98	9	9	16	23	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24																				
25-34																				
35-54	2	26.0	2	25	25	26	27	27	27	27										
55-74	3	16.3	51	9	9	17	21	23	23	23	1	6.0		6	6	6	6	6	6	6
75 +	9	12.7	39	4	4	13	17	21	22	22										
ALL AGES	16	14.7	61	1	4	15	21	25	26	27	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	33	16.9	113	3	4	16	23	31	35	49	3	12.7	81	6	6	9	19	23	23	23
GRAND TOTAL	89	14.3	85	2	4	13	18	26	32	46	6	9.3	55	1	1	8	10	22	23	23

North Central Region January - December 1986

ORGANIC BRAIN SYND NOS (294.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	46.5	2245	13	13	46	80	80	80	80										
18-20	3	12.7	225	3	3	5	24	30	30	30	1	17.0		17	17	17	17	17	17	17
21-24	2	14.5	221	4	4	14	25	25	25	25	1	10.0		10	10	10	10	10	10	10
25-34	2	14.0	72	8	8	14	20	20	20	20	3	16.0	19	13	13	14	19	21	21	21
35-54	8	21.5	118	3	6	23	28	35	38	38	1	3.0		3	3	3	3	3	3	3
55-74	19	10.7	60	1	2	7	18	21	24	25	2	7.0		7	7	7	7	7	7	7
75 +	27	12.3	73	1	2	12	16	21	29	41	3	2.7	2	1	1	3	4	4	4	4
ALL AGES	63	14.2	156	2	3	13	19	27	33	75	11	9.1	42	1	2	7	14	19	21	21
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9	1	14.0		14	14	14	14	14	14	14
25-34	1	4.0		4	4	4	4	4	4	4	1	4.0		4	4	4	4	4	4	4
35-54	8	13.4	131	3	4	8	20	32	34	34	1	12.0		12	12	12	12	12	12	12
55-74	37	18.1	208	2	4	13	21	42	50	57	6	7.8	26	2	2	7	9	16	17	17
75 +	39	11.5	49	3	4	10	15	24	28	29	3	16.3	292	6	6	7	29	36	36	36
ALL AGES	86	14.4	132	3	4	11	19	29	39	55	12	10.5	83	2	3	7	13	23	34	36
SUBTOTAL	149	14.3	142	2	4	11	19	28	38	57	23	9.8	62	1	3	7	14	18	26	36
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	98.0		98	98	98	98	98	98	98
18-20											1	26.0		26	26	26	26	26	26	26
21-24	1	10.0		10	10	10	10	10	10	10										
25-34	5	12.2	36	6	6	10	15	22	22	22										
35-54	5	26.0	73	17	17	26	34	35	35	35										
55-74	15	13.1	119	3	3	10	15	21	41	48										
75 +	10	14.5	23	7	8	14	18	21	22	22	1	7.0		7	7	7	7	7	7	7
ALL AGES	36	15.1	86	4	6	13	18	26	35	48	3	43.7	2300	7	7	26	80	98	98	98
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12										
21-24																				
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	6	11.3	71	2	2	9	20	23	23	23	1	27.0		27	27	27	27	27	27	27
55-74	13	15.9	113	1	3	19	24	31	31	31										
75 +	17	11.2	68	1	1	9	19	22	25	27	1	14.0		14	14	14	14	14	14	14
ALL AGES	38	12.9	80	1	2	10	20	26	30	31	2	20.5	85	14	14	27	82	99+	99+	99+
SUBTOTAL	74	14.0	82	2	4	13	20	26	31	45	5	34.4	1334	7	8	26	98	99+	99+	99+
GRAND TOTAL	223	14.2	121	2	4	12	19	27	34	53	28	14.2	340	2	3	9	17	32	98	99+

SIMPLE SCHIZOPHRENIA (295.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	3	21.0	49	16	16	18	26	29	29	29										
55-74	2	14.0	2	13	13	14	15	15	15	15										
75 +	6	13.8	58	3	4	13	20	24	24	24										
ALL AGES	13	15.4	46	4	7	15	19	25	28	29										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	26.0		26	26	26	26	26	26	26										
25-34	4	17.0	113	4	4	17	24	30	30	30										
35-54	2	6.0	18	3	3	6	9	9	9	9										
55-74	8	15.4	36	8	9	15	18	25	27	27										
75 +																				
ALL AGES	15	15.3	64	3	4	16	19	27	29	30										
SUBTOTAL	28	15.3	55	3	5	15	19	27	29	30										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	7.5	85	1	1	7	14	14	14	14										
35-54																				
55-74	2	11.0	50	6	6	11	16	16	16	16										
75 +	2	9.0	32	5	5	9	13	13	13	13										
ALL AGES	6	9.2	35	1	1	9	14	16	16	16										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	30.0		30	30	30	30	30	30	30										
25-34																				
35-54	2	7.5	25	4	4	7	11	11	11	11	1	5.0		5	5	5	5	5	5	5
55-74	6	10.8	39	1	2	11	17	17	17	17										
75 +	4	10.8	5	8	8	11	13	13	13	13										
ALL AGES	13	11.8	50	1	3	11	14	20	28	30	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	19	10.9	47	1	2	11	14	17	24	30	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	47	13.6	53	2	4	13	18	26	29	30	1	5.0		5	5	5	5	5	5	5

HEBEPHRENIA (295.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	41	3	3	7	12	12	12	12										
21-24	6	22.7	128	9	10	21	24	41	43	43										
25-34	30	13.0	102	3	4	10	20	22	24	53										
35-54	15	12.1	56	3	4	11	17	29	79	99+										
55-74	2	9.5	1	9	9	9	10	10	10	10										
75 +																				
ALL AGES	55	13.5	94	3	4	11	19	24	39	97										
B. FEMALE																				
0-12 YRS.																				
13-17	4	19.3	38	10	10	21	23	24	24	24										
18-20	3	13.3	6	11	11	14	15	15	15	15										
21-24	3	15.0	19	12	12	13	18	20	20	20										
25-34	18	14.4	75	4	6	12	19	29	32	33										
35-54	17	17.6	94	1	3	17	26	31	32	33	2	5.0	8	3	3	5	7	7	7	7
55-74	13	16.5	124	6	7	14	19	30	45	48										
75 +																				
ALL AGES	58	16.1	81	4	7	14	20	29	32	47	2	5.0	8	3	3	5	7	7	7	7
SUBTOTAL	113	14.8	89	3	5	13	20	28	32	70	2	5.0	8	3	3	5	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20	3	14.7	133	4	4	13	23	27	27	27										
21-24	6	11.5	54	2	3	10	14	23	24	24										
25-34	7	18.9	290	6	6	14	19	49	56	56										
35-54	13	13.9	58	4	6	12	15	28	29	29										
55-74	4	11.0	31	4	4	12	15	16	16	16										
75 +																				
ALL AGES	34	14.0	102	4	4	12	16	27	29	56										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	4	31.0	862	8	8	21	51	73	73	73	1	2.0		2	2	2	2	2	2	2
25-34	5	16.4	100	5	5	14	23	31	31	31										
35-54	5	12.0	76	2	2	14	19	22	22	22										
55-74	4	9.0	5	6	6	9	10	11	11	11										
75 +																				
ALL AGES	19	16.3	252	3	4	11	20	30	54	73	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	53	14.8	154	4	4	12	17	28	31	72	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	166	14.8	109	3	5	13	20	28	31	70	3	4.0	7	2	2	3	6	7	7	7

CATATONIC SCHIZOPHRENIA (295.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	1	7	7	7	8	8	8	8										
18-20	7	12.4	125	1	2	10	18	30	33	33										
21-24											2	9.5	25	6	6	9	13	13	13	13
25-34	11	14.3	107	1	3	13	24	29	31	31										
35-54	4	22.8	114	9	9	24	31	34	34	34										
55-74	3	24.7	308	14	14	15	37	45	45	45										
75 +																				
ALL AGES	27	15.7	133	1	4	14	25	33	36	45	2	9.5	25	6	6	9	13	13	13	13
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20	1	12.0		12	12	12	12	12	12	12	2	46.0	3698	3	3	46	89	89	89	89
21-24	2	7.5	85	1	1	7	14	14	14	14	1	28.0		28	28	28	28	28	28	28
25-34	2	31.0	128	23	23	31	39	39	39	39	1	1.0		1	1	1	1	1	1	1
35-54	18	16.6	194	2	4	11	28	34	45	52	4	4.8	12	1	1	4	7	9	9	9
55-74	13	14.0	92	1	3	16	18	24	35	38	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	36	15.8	152	1	4	13	21	35	39	52	10	14.7	746	1	1	4	9	58	89	89
SUBTOTAL	63	15.8	140	1	4	13	22	33	38	51	12	13.8	618	1	1	6	11	46	83	89
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	46.0	98	39	39	46	53	53	53	53										
25-34	3	29.0	400	9	9	29	44	49	49	49	1	11.0		11	11	11	11	11	11	11
35-54	6	25.5	280	3	4	26	29	51	53	53										
55-74																				
75 +																				
ALL AGES	11	30.2	292	3	7	29	46	53	53	53	1	11.0		11	11	11	11	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	14.0		14	14	14	14	14	14	14										
21-24	2	12.5	85	6	6	12	19	19	19	19										
25-34	3	17.7	4	15	15	19	19	19	19	19										
35-54	3	36.3	2093	7	7	13	70	89	89	89										
55-74	5	16.2	170	2	2	10	29	32	32	32										
75 +											2	4.0	2	3	3	4	5	5	5	5
ALL AGES	14	20.1	463	3	6	14	19	38	78	89	2	4.0	2	3	3	4	5	5	5	5
SUBTOTAL	25	24.6	396	3	6	19	30	53	62	89	3	6.3	18	3	3	5	9	11	11	11
GRAND TOTAL	88	18.3	225	1	4	14	28	37	49	75	15	12.3	498	1	1	6	10	28	74	89

PARANOID SCHIZOPHRENIA (295.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	21.0	450	6	6	21	36	36	36	36										
13-17	21	20.7	317	4	5	14	42	74	99+	99+	1	17.0		17	17	17	17	17	17	17
18-20	61	21.2	197	4	6	18	30	43	47	63	4	15.3	206	3	3	14	27	31	31	31
21-24	175	19.1	321	2	3	14	28	43	57	93	6	7.7	34	2	2	6	12	16	17	17
25-34	641	16.7	221	1	3	12	21	37	51	69	40	20.7	336	1	3	16	27	48	60	76
35-54	431	15.3	150	2	4	12	21	31	38	62	26	18.4	181	2	3	15	30	39	43	49
55-74	75	15.8	126	2	3	13	22	29	38	51	5	8.8	60	3	3	6	12	22	22	22
75 +	8	18.1	174	5	5	16	22	39	46	46	1	6.0		6	6	6	6	6	6	6
ALL AGES	1414	16.8	208	2	3	13	22	36	48	71	83	17.8	248	2	3	14	26	40	49	72
B. FEMALE																				
0-12 YRS.	4	15.3	153	4	4	12	23	33	33	33										
13-17	15	25.6	261	3	5	28	32	47	58	62	1	3.0		3	3	3	3	3	3	3
18-20	20	24.5	197	3	5	22	36	43	47	47	2	18.0	50	13	13	18	23	23	23	23
21-24	72	15.0	128	2	4	13	21	34	39	89	2	16.5	365	3	3	16	30	30	30	30
25-34	349	16.3	136	2	4	14	21	32	41	58	19	17.3	217	1	1	14	24	39	47	53
35-54	532	16.6	130	3	5	14	22	31	39	60	36	15.4	185	2	2	11	24	34	45	56
55-74	230	17.0	136	4	6	15	22	30	37	51	25	18.4	350	1	1	14	27	52	58	66
75 +	29	16.9	104	3	4	14	22	31	34	45	6	13.5	48	5	5	14	15	24	25	25
ALL AGES	1251	16.7	137	3	5	14	22	32	40	58	91	16.4	221	1	2	13	24	37	52	62
SUBTOTAL	2665	16.8	173	2	4	14	22	34	44	67	174	17.1	232	1	2	13	25	39	49	65
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	8	19.5	238	4	5	17	20	44	55	55										
18-20	24	15.7	136	2	2	13	25	31	38	45										
21-24	79	16.4	190	1	3	14	23	33	42	72	3	4.7	10	1	1	6	7	7	7	7
25-34	223	15.1	141	2	4	13	21	33	38	64	13	18.0	302	1	2	16	23	38	61	66
35-54	187	16.2	168	3	4	13	21	35	43	68	7	19.3	152	3	4	26	30	31	31	31
55-74	36	17.1	184	2	3	13	23	37	46	59	1	3.0		3	3	3	3	3	3	3
75 +	4	20.0	137	8	8	18	27	36	36	36										
ALL AGES	561	15.9	159	2	3	13	21	34	42	63	24	16.1	227	1	2	10	27	31	42	66
B. FEMALE																				
0-12 YRS.	1	21.0		21	21	21	21	21	21	21										
13-17																				
18-20	7	12.0	155	1	2	8	15	34	38	38	2	18.5	1	18	18	18	19	19	19	19
21-24	33	22.7	181	7	11	20	28	40	50	65										
25-34	107	16.8	167	3	5	14	20	32	41	69	6	7.7	2	6	6	7	10	82	99+	99+
35-54	154	16.7	171	2	4	14	22	31	41	79	9	10.1	102	3	3	5	15	27	33	33
55-74	71	19.4	193	4	6	17	25	35	42	79	5	27.6	469	13	13	14	41	63	63	63
75 +	14	16.5	122	3	4	15	20	32	40	42	1	5.0		5	5	5	5	5	5	5
ALL AGES	387	17.7	173	3	5	15	23	34	42	72	23	13.8	187	3	4	9	18	37	74	99+
SUBTOTAL	948	16.6	167	2	4	14	22	34	42	65	47	15.0	204	2	3	10	20	32	63	99+
GRAND TOTAL	3613	16.7	173	2	4	14	22	34	43	67	221	16.6	227	1	3	13	24	37	50	69

AC SCHIZOPHRENIC EPISODE (295.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	18.5	313	6	6	18	31	31	31	31										
13-17	3	7.3	34	4	4	4	12	14	14	14	1	2.0		2	2	2	2	2	2	2
18-20	7	27.4	384	9	10	18	39	58	62	62										
21-24	14	16.5	250	1	1	15	18	37	55	60	3	12.7	1	11	11	13	14	14	14	14
25-34	16	17.9	115	7	8	13	25	36	40	42	1	3.0		3	3	3	3	3	3	3
35-54	10	14.2	50	3	3	15	18	23	25	25	1	22.0		22	22	22	22	22	22	22
55-74	1	17.0		17	17	17	17	17	17	17										
75 +																				
ALL AGES	53	17.5	177	3	4	14	22	37	42	62	6	10.8	57	2	2	12	14	21	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	3	29.0	201	18	18	24	40	45	45	45										
18-20	10	24.9	323	6	7	20	35	54	61	61	1	58.0		58	58	58	58	58	58	58
21-24	13	22.9	96	7	12	22	27	39	41	42										
25-34	28	14.6	87	2	3	16	21	27	31	31										
35-54	10	17.0	245	1	1	12	28	42	45	45	3	8.0	63	2	2	5	14	17	17	17
55-74	8	11.3	77	1	2	9	14	25	30	30	2	3.5	1	3	3	3	4	4	4	4
75 +																				
ALL AGES	72	18.1	160	2	4	18	24	36	44	58	6	14.8	479	2	2	4	17	54	58	58
SUBTOTAL	125	17.8	168	2	4	16	24	37	43	61	12	12.8	248	2	2	8	15	33	54	58
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	4	16.3	157	2	2	16	26	30	30	30										
21-24	5	8.6	25	3	3	9	13	14	14	14	1	10.0		10	10	10	10	10	10	10
25-34	4	20.5	27	17	17	19	24	28	28	28										
35-54	5	15.6	69	8	8	14	22	27	27	27										
55-74	2	21.5	85	15	15	21	28	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	21	15.1	76	3	4	14	21	28	29	30	2	7.0	18	4	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	1	25.0		25	25	25	25	25	25	25										
18-20	2	23.5	13	21	21	23	26	26	26	26	1	6.0		6	6	6	6	6	6	6
21-24	5	18.8	113	10	10	13	25	36	36	36										
25-34	6	19.3	214	8	8	15	18	45	48	48										
35-54	3	32.3	398	15	15	28	47	54	54	54										
55-74	6	11.3	93	1	1	9	19	25	26	26										
75 +																				
ALL AGES	23	19.4	171	2	7	18	26	38	50	54	1	6.0		6	6	6	6	6	6	6
SUBTOTAL	44	17.4	126	3	4	15	24	28	40	54	3	6.7	9	4	4	6	9	10	10	10
GRAND TOTAL	169	17.7	156	2	4	16	24	35	42	61	15	11.6	202	2	2	6	14	22	49	58

North Central Region January - December 1986

LATENT SCHIZOPHRENIA (295.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	38.0		38	38	38	38	38	38	38										
18-20	1	7.0		7	7	7	7	7	7	7										
21-24	2	13.5	5	12	12	13	15	15	15	15										
25-34	5	29.0	142	11	11	35	37	40	40	40										
35-54	6	11.3	11	7	7	12	14	14	14	14										
55-74																				
75 +																				
ALL AGES	15	19.0	146	7	7	14	32	38	39	40										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	8.5	5	7	7	8	10	10	10	10										
25-34	6	5.7	5	3	3	6	7	9	9	9										
35-54	20	12.0	29	5	6	11	16	19	22	24										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	29	10.6	31	3	5	9	15	18	20	24										
SUBTOTAL	44	13.5	83	4	5	11	16	25	37	40										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20											1	39.0		39	39	39	39	39	39	39
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	1	11.0		11	11	11	11	11	11	11										
35-54	3	19.0	61	14	14	15	25	28	28	28										
55-74																				
75 +																				
ALL AGES	6	18.2	173	2	3	14	28	38	39	39	1	39.0		39	39	39	39	39	39	39
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2450	15	15	50	85	85	85	85										
18-20																				
21-24																				
25-34	3	11.0	19	6	6	13	14	14	14	14										
35-54	3	12.7	1	12	12	13	13	13	13	13										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	9	19.7	610	6	6	13	14	57	85	85										
SUBTOTAL	15	19.1	411	3	6	13	15	39	73	85	1	39.0		39	39	39	39	39	39	39
GRAND TOTAL	59	14.9	167	4	5	12	16	32	39	81	1	39.0		39	39	39	39	39	39	39

RESIDUAL SCHIZOPHRENIA (295.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	9.0	64	1	1	9	15	17	17	17										
13-17	2	21.5	85	15	15	28	82	99+	99+	99+										
18-20	24	17.7	273	1	1	12	29	44	48	51	3	7.3	13	4	4	7	10	11	11	11
21-24	79	17.4	207	4	5	13	21	31	47	77	4	29.5	360	3	3	33	41	48	48	48
25-34	334	17.4	230	1	3	14	23	37	47	68	13	28.5	242	4	9	25	33	57	59	59
35-54	238	15.2	143	1	3	12	22	31	38	55	7	25.7	413	6	7	19	43	57	58	58
55-74	73	16.1	127	2	6	14	21	31	38	59	1	7.0		7	7	7	7	7	7	7
75 +	5	14.6	99	1	1	14	21	28	28	28										
ALL AGES	758	16.6	188	1	3	13	22	34	44	66	28	24.9	296	3	5	23	34	54	58	59
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17	3	53.7	1601	20	20	70	99	99+	99+	99+										
18-20	18	14.7	100	2	4	13	22	28	34	38	1	26.0		26	26	26	26	26	26	26
21-24	66	17.5	223	2	4	13	24	40	48	66	4	19.3	402	7	7	11	31	49	49	49
25-34	189	16.7	142	3	4	15	23	32	42	54	6	26.7	318	2	4	25	31	54	57	57
35-54	312	15.7	124	2	4	13	22	34	39	48	19	21.6	417	3	5	17	27	39	70	94
55-74	187	17.8	176	3	5	15	22	34	43	84	10	17.9	451	1	1	14	23	49	73	73
75 +	10	11.1	47	4	5	7	15	22	22	22										
ALL AGES	786	16.7	156	3	4	14	22	34	42	59	40	21.3	378	2	3	16	26	45	65	94
SUBTOTAL	1544	16.6	173	2	4	14	22	34	43	64	68	22.8	342	2	4	19	30	50	58	90
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	3	17.3	391	4	4	8	32	40	40	40										
18-20	5	15.0	54	8	8	14	20	26	26	26										
21-24	39	17.2	188	2	4	14	20	39	47	57	1	3.0		3	3	3	3	3	3	3
25-34	114	15.8	177	2	3	12	20	33	46	61	5	15.2	52	6	6	15	18	26	26	26
35-54	117	17.8	185	2	5	14	22	37	43	66	2	13.0	8	11	11	13	15	15	15	15
55-74	22	16.9	150	5	6	13	22	38	45	46	1	4.0		4	4	4	4	4	4	4
75 +	3	9.7	21	6	6	8	13	15	15	15										
ALL AGES	304	16.7	177	2	4	13	21	35	44	60	9	12.1	52	3	3	14	16	63	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	5	12.2	57	3	3	17	18	18	18	18										
21-24	26	17.5	183	1	2	16	24	32	39	61	1	11.0		11	11	11	11	11	11	11
25-34	70	15.4	184	2	3	13	20	28	35	82	5	5.8	16	1	1	6	8	12	12	12
35-54	83	16.2	146	2	4	14	21	33	46	50	4	24.8	315	8	8	21	38	48	48	48
55-74	42	18.5	150	6	6	14	24	39	45	55	4	8.0	23	4	4	6	11	15	15	15
75 +	5	11.2	14	6	6	12	14	15	15	15										
ALL AGES	231	16.3	158	2	4	14	21	31	43	56	14	12.2	154	2	3	7	14	31	44	48
SUBTOTAL	535	16.6	166	2	4	13	21	34	44	60	23	12.2	109	2	4	11	15	31	64	99+
GRAND TOTAL	2079	16.6	171	2	4	14	22	34	43	62	91	20.1	303	2	4	15	27	48	58	97

SCHIZOAFFECTIVE TYPE (295.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	15	20.1	243	1	2	19	35	49	85	99 +	1	8.0		8	8	8	8	8	8	8
18-20	35	19.2	420	1	2	12	25	46	73	86										
21-24	76	21.7	318	3	3	19	30	45	54	92	3	26.7	308	16	16	17	39	47	47	47
25-34	239	16.5	149	2	4	13	23	37	40	57	6	15.0	98	2	2	14	26	26	26	26
35-54	194	16.4	182	3	4	13	21	34	41	82										
55-74	40	18.2	94	5	8	16	21	30	32	57	1	6.0		6	6	6	6	6	6	6
75 +	3	26.0	723	9	9	12	46	57	57	57										
ALL AGES	602	17.5	200	3	4	14	24	37	45	81	11	16.7	162	2	4	16	24	35	46	47
B. FEMALE																				
0-12 YRS.																				
13-17	14	19.9	228	4	5	15	23	44	54	57										
18-20	22	16.1	171	1	2	14	24	33	45	51										
21-24	81	18.3	225	2	4	16	24	35	44	81	1	11.0		11	11	11	11	11	11	11
25-34	352	16.2	174	2	3	12	21	34	44	66	8	21.9	199	6	8	17	29	45	48	48
35-54	513	16.7	160	3	5	14	21	33	41	68	11	14.4	139	3	3	10	19	33	39	40
55-74	180	17.6	170	3	5	14	24	36	42	57										
75 +	8	12.9	85	6	6	8	20	28	29	29										
ALL AGES	1170	16.8	171	3	4	13	22	34	43	67	20	17.2	163	3	4	15	20	39	44	48
SUBTOTAL	1772	17.1	179	3	4	14	23	35	44	72	31	17.0	159	3	4	16	20	39	47	48
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	11	33.5	540	3	6	34	41	63	89	91										
18-20	22	15.9	114	3	5	14	21	35	39	40	2	8.5	61	3	3	8	14	14	14	14
21-24	28	13.9	84	2	3	13	20	28	31	36										
25-34	173	18.6	255	4	6	14	22	36	49	91	3	13.7	113	2	2	16	21	23	23	23
35-54	135	17.2	173	2	4	15	21	32	43	59	1	21.0		21	21	21	21	21	21	21
55-74	23	17.2	149	3	5	16	24	40	42	42										
75 +																				
ALL AGES	392	18.0	213	3	5	15	22	35	43	90	6	13.2	78	2	2	15	21	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	7	16.0	13	10	11	15	19	21	21	21										
18-20	14	14.1	244	1	3	8	19	44	50	52	1	2.0		2	2	2	2	2	2	2
21-24	55	17.7	143	4	5	14	24	34	43	57	1	8.0		8	8	8	8	8	8	8
25-34	175	16.1	182	2	3	12	22	35	44	63	11	14.6	120	3	4	11	20	33	38	38
35-54	251	16.5	148	3	4	15	22	32	45	63	4	11.0	60	4	4	9	16	22	22	22
55-74	98	20.7	238	3	6	16	27	40	48	75	2	19.5	313	7	7	19	32	32	32	32
75 +	6	21.5	342	11	11	15	17	55	59	59										
ALL AGES	606	17.2	174	3	4	14	23	35	45	68	19	13.4	107	2	3	9	20	31	35	38
SUBTOTAL	998	17.5	190	3	4	14	23	35	44	74	25	13.3	98	2	3	10	21	29	33	38
GRAND TOTAL	2770	17.2	184	3	4	14	23	35	44	73	56	15.4	131	2	3	13	21	32	40	48

SCHIZOPHRENIA NEC (295.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20	3	31.3	535	5	5	41	46	48	48	48	1	35.0		35	35	35	35	35	35	35
21-24	3	25.7	594	6	6	18	44	53	53	53										
25-34	14	18.1	270	3	5	14	19	37	60	66	2	2.0	2	1	1	2	3	3	3	3
35-54	14	12.9	69	3	5	11	14	22	33	36	1	20.0		20	20	20	20	20	20	20
55-74	5	9.8	43	3	3	11	16	16	16	16										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	41	16.5	205	3	4	12	18	38	50	66	4	14.8	253	1	1	11	27	35	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	2	23.0	648	5	5	23	41	41	41	41	1	32.0		32	32	32	32	32	32	32
18-20	2	11.0	72	5	5	11	17	17	17	17	1	36.0		36	36	36	36	36	36	36
21-24	6	25.7	369	9	9	19	48	49	49	49										
25-34	14	14.4	287	1	2	8	15	38	56	61										
35-54	22	13.1	135	1	2	10	16	33	41	44	4	6.0	13	2	2	6	9	10	10	10
55-74	11	18.5	103	7	8	16	21	34	43	44										
75 +	4	6.8	34	2	2	5	11	15	15	15										
ALL AGES	61	15.4	195	1	3	10	19	40	46	60	6	15.3	220	2	2	9	32	36	36	36
SUBTOTAL	102	15.8	199	2	3	12	19	40	48	63	10	15.1	207	1	1	9	32	35	36	36
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	87.0		87	87	87	87	87	87	87
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	3	26.0	273	10	10	25	38	43	43	43	1	22.0		22	22	22	22	22	22	22
25-34	12	14.4	97	2	3	12	16	32	35	35	2	7.0	2	6	6	7	8	8	8	8
35-54	12	11.5	42	2	3	11	16	20	23	23										
55-74	2	29.5	265	18	18	29	41	41	41	41										
75 +																				
ALL AGES	30	15.1	116	2	4	12	18	33	41	43	4	30.8	1453	6	6	15	54	87	87	87
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6	1	11.0		11	11	11	11	11	11	11
25-34	14	9.6	70	1	3	8	11	16	31	36	1	15.0		15	15	15	15	15	15	15
35-54	10	11.6	51	2	3	10	14	23	25	25	1	2.0		2	2	2	2	2	2	2
55-74	5	26.2	244	5	5	29	40	42	42	42										
75 +	2	35.0	648	17	17	35	53	53	53	53										
ALL AGES	33	14.0	159	2	4	9	16	37	42	53	3	9.3	45	2	2	11	14	15	15	15
SUBTOTAL	63	14.5	137	2	4	11	17	35	41	52	7	21.6	873	2	3	11	20	74	87	87
GRAND TOTAL	165	15.3	175	2	3	11	18	36	44	60	17	17.8	453	1	2	10	24	36	69	87

SCHIZOPHRENIA NOS (295.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	35.0	128	27	27	35	43	43	43	43										
13-17	28	26.4	379	5	6	20	38	52	67	81										
18-20	33	18.4	188	2	3	15	24	37	46	58	2	8.0	32	4	4	8	12	12	12	12
21-24	65	20.2	335	1	2	17	28	41	61	98	2	31.5	1625	3	3	31	60	60	60	60
25-34	152	15.3	188	1	3	12	20	33	43	62	7	7.3	68	1	1	4	15	20	20	20
35-54	127	13.9	108	1	3	11	20	26	38	44	5	4.8	5	2	2	5	7	7	7	7
55-74	22	10.5	72	1	1	10	14	22	28	32	5	9.6	87	1	1	9	16	23	23	23
75 +	3	10.7	8	8	8	10	13	14	14	14										
ALL AGES	432	16.4	204	1	3	12	21	37	44	77	21	9.6	178	1	1	5	12	21	40	60
B. FEMALE																				
0-12 YRS.																				
13-17	16	22.0	359	1	2	14	35	56	58	58										
18-20	24	19.0	159	4	7	17	25	41	44	49	2	2.0		2	2	2	2	2	2	2
21-24	44	18.8	273	2	4	15	25	36	50	88	3	8.7	153	1	1	2	18	23	23	23
25-34	149	17.3	251	2	4	14	20	36	49	85	5	7.8	81	2	2	3	12	23	23	23
35-54	175	16.9	188	3	4	13	23	33	43	84	13	9.1	63	2	3	6	11	21	28	30
55-74	75	18.2	201	3	6	14	23	36	48	72	3	8.7	51	4	4	5	14	17	17	17
75 +	2	14.5	113	7	7	14	22	22	22	22	1	2.0		2	2	2	2	2	2	2
ALL AGES	485	17.7	218	2	4	14	22	36	48	81	27	8.0	62	1	2	5	9	22	24	30
SUBTOTAL	917	17.1	211	2	4	13	22	37	45	78	48	8.7	111	1	1	5	11	22	24	60
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	23.5	140	6	6	28	30	32	32	32										
13-17	14	30.6	248	11	13	27	48	51	53	53										
18-20	11	20.5	220	1	5	15	35	40	45	46										
21-24	33	16.9	262	3	5	11	20	32	60	78	1	1.0		1	1	1	1	1	1	1
25-34	66	13.3	97	1	2	11	20	27	36	91	2	3.0	2	2	2	3	4	4	4	4
35-54	52	14.1	171	1	3	10	18	26	42	76	2	3.0	8	1	1	3	5	5	5	5
55-74	20	14.8	82	2	4	12	20	26	35	40										
75 +	1	23.0		23	23	23	23	23	23	23										
ALL AGES	201	16.1	175	1	3	12	21	34	46	77	5	2.6	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	14	25.5	320	2	6	20	34	54	59	60										
18-20	6	11.8	90	1	1	9	20	25	26	26										
21-24	23	15.0	75	5	7	13	20	29	30	31										
25-34	44	13.9	137	2	3	10	19	26	35	64	4	9.8	97	3	3	6	16	24	24	24
35-54	56	12.7	130	1	2	10	15	31	40	97	1	4.0		4	4	4	4	4	4	4
55-74	38	17.4	90	3	5	15	26	33	38	99 +	3	10.0	112	2	2	6	18	22	22	22
75 +	3	12.7	19	8	8	13	16	17	17	17										
ALL AGES	184	15.2	135	2	4	13	20	31	39	87	8	9.1	79	2	2	5	15	23	24	24
SUBTOTAL	385	15.7	155	2	3	13	20	32	43	78	13	6.6	58	1	1	4	7	22	24	24
GRAND TOTAL	1302	16.6	197	2	4	13	21	35	45	77	61	8.2	100	1	1	4	9	22	24	57

MANIC DIS, SINGL EPISODE (296.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	5	23.6	61	14	14	22	31	33	33	33										
18-20	4	6.3	15	3	3	5	9	12	12	12										
21-24	4	35.5	846	18	18	22	51	79	79	79										
25-34	23	16.5	202	2	3	15	22	31	47	65	3	26.3	1779	2	2	2	57	75	75	75
35-54	17	12.3	63	2	3	13	17	23	28	30	1	18.0		18	18	18	18	18	18	18
55-74	15	17.9	79	7	7	18	22	34	34	34	1	2.0		2	2	2	2	2	2	2
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	69	16.8	173	3	3	15	22	30	34	76	5	19.8	1000	2	2	2	32	75	75	75
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	4	22.3	65	14	14	21	28	33	33	33										
21-24	3	19.7	484	1	1	14	36	44	44	44										
25-34	17	15.7	81	3	3	15	20	29	31	32	1	17.0		17	17	17	17	17	17	17
35-54	35	15.5	104	1	4	14	21	32	35	37	1	27.0		27	27	27	27	27	27	27
55-74	24	14.1	72	3	6	12	18	25	33	39	6	7.0	26	2	2	6	6	16	17	17
75 +	5	18.6	11	15	15	17	21	23	23	23										
ALL AGES	88	15.8	92	1	4	14	21	31	34	42	8	10.8	73	2	3	6	17	24	27	27
SUBTOTAL	157	16.2	128	2	4	15	21	30	34	64	13	14.2	399	2	2	6	17	37	68	75
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	1	54.0		54	54	54	54	54	54	54	1	59.0		59	59	59	59	59	59	59
18-20																				
21-24	2	2.0	2	1	1	2	3	3	3	3										
25-34	11	16.5	439	1	2	10	19	46	73	75										
35-54	12	14.5	241	3	3	10	16	35	56	59										
55-74	2	8.5	61	3	3	8	14	14	14	14										
75 +																				
ALL AGES	29	15.1	327	1	2	10	16	43	60	75	1	59.0		59	59	59	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	16.0		16	16	16	16	16	16	16										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	4	19.0	137	7	7	19	29	30	30	30										
35-54	7	24.9	867	4	5	15	22	76	90	90	1	5.0		5	5	5	5	5	5	5
55-74	5	15.0	104	3	3	18	22	27	27	27	1	2.0		2	2	2	2	2	2	2
75 +	2	27.0	200	17	17	27	37	37	37	37										
ALL AGES	20	20.4	352	3	5	16	24	33	63	90	2	3.5	5	2	2	3	5	5	5	5
SUBTOTAL	49	17.3	336	2	3	13	21	34	60	90	3	22.0	1029	2	2	5	45	59	59	59
GRAND TOTAL	206	16.5	175	2	3	14	21	30	37	77	16	15.7	465	2	2	6	18	56	70	75

MANIC, RECURRENT EPISODE (296.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	10.0	32	6	6	10	14	14	14	14										
25-34	11	15.5	117	1	4	12	25	31	36	36	1	13.0		13	13	13	13	13	13	13
35-54	11	10.1	20	1	2	12	14	15	15	15										
55-74	6	11.3	70	2	2	11	21	84	99+	99+	1	15.0		15	15	15	15	15	15	15
75 +	2	44.0	578	27	27	44	61	61	61	61										
ALL AGES	32	14.3	142	1	3	12	19	30	57	99+	2	14.0	2	13	13	14	15	15	15	15
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	2	8.0	32	4	4	8	12	12	12	12										
25-34	9	21.9	198	1	3	20	32	41	46	46	1	17.0		17	17	17	17	17	17	17
35-54	14	19.0	138	3	8	15	25	36	43	45	1	19.0		19	19	19	19	19	19	19
55-74	17	21.0	79	9	12	21	26	35	39	40	1	6.0		6	6	6	6	6	6	6
75 +	1	17.0		17	17	17	17	17	17	17	1	4.0		4	4	4	4	4	4	4
ALL AGES	44	19.8	119	3	8	18	27	35	41	46	4	11.5	58	4	4	11	18	19	19	19
SUBTOTAL	76	17.5	134	2	5	14	25	35	43	89	6	12.3	38	4	4	14	17	19	19	19
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	11.0		11	11	11	11	11	11	11										
18-20																				
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	5	11.2	17	7	7	12	14	16	16	16	1	1.0		1	1	1	1	1	1	1
35-54	3	5.3	3	4	4	5	6	7	7	7										
55-74	6	12.7	16	8	8	12	15	19	19	19										
75 +																				
ALL AGES	17	9.7	23	3	3	9	14	16	18	19	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	12.0		12	12	12	12	12	12	12										
25-34	4	10.0	77	1	1	8	15	22	22	22										
35-54	7	16.1	47	6	7	20	21	23	23	23	1	1.0		1	1	1	1	1	1	1
55-74	3	21.7	232	10	10	16	33	39	39	39										
75 +	1	34.0		34	34	34	34	34	34	34	1	17.0		17	17	17	17	17	17	17
ALL AGES	17	15.7	108	2	4	13	21	32	37	39	2	9.0	128	1	1	9	17	17	17	17
SUBTOTAL	34	12.7	73	3	3	11	16	22	32	39	3	6.3	86	1	1	1	13	17	17	17
GRAND TOTAL	110	16.0	120	2	4	13	22	32	39	76	9	10.3	54	1	1	13	17	18	19	19

DEPR PSYCH, SINGL EPISOD (296.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	17	18.2	134	2	4	15	27	34	42	45										
13-17	122	23.8	263	5	6	22	33	48	64	99 +	7	28.0	392	1	3	30	40	56	60	60
18-20	47	14.9	177	1	2	12	19	38	43	59	4	15.5	63	4	4	18	20	22	22	22
21-24	84	10.8	70	1	2	10	14	20	28	41	8	12.6	112	2	2	10	20	29	31	31
25-34	308	14.5	179	1	2	11	19	31	42	57	33	9.7	104	1	1	7	10	21	36	44
35-54	624	13.6	110	2	3	11	18	28	35	48	46	12.1	80	1	2	11	19	24	30	33
55-74	413	17.2	158	2	4	15	22	34	42	56	44	9.8	78	1	3	6	14	23	30	36
75 +	114	18.5	186	4	5	15	24	37	44	68	21	8.9	58	2	2	7	12	21	27	29
ALL AGES	1729	15.6	158	2	3	13	21	32	42	59	163	11.4	105	1	2	7	16	25	32	44
B. FEMALE																				
0-12 YRS.	18	30.7	367	1	2	32	49	55	58	59	1	15.0		15	15	15	15	15	15	15
13-17	212	23.2	344	2	4	19	32	58	68	99 +	18	12.8	91	1	1	13	21	27	29	30
18-20	91	15.0	257	1	2	11	19	36	52	78	11	12.9	242	1	1	4	24	39	44	44
21-24	150	12.9	122	2	2	9	18	29	37	48	8	7.8	97	1	1	3	14	24	24	24
25-34	603	15.2	176	1	3	11	21	33	42	64	52	10.0	99	1	2	6	15	25	28	44
35-54	1125	15.5	135	2	4	13	20	31	40	56	90	12.5	189	2	2	7	17	30	37	69
55-74	904	18.0	155	3	5	15	24	33	42	62	82	10.7	145	1	2	6	14	26	33	66
75 +	297	19.0	144	3	5	17	26	35	39	61	39	7.7	45	2	3	5	9	15	22	35
ALL AGES	3400	16.8	173	2	4	14	23	34	43	65	301	10.9	135	1	2	6	15	27	33	60
SUBTOTAL	5129	16.4	168	2	4	13	22	33	42	63	464	11.1	124	1	2	7	15	26	32	55
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	33	28.4	428	3	5	25	42	65	77	99 +	7	56.1	930	23	23	77	98	99 +	99 +	99 +
13-17	134	27.5	405	4	5	24	39	59	74	99 +	12	24.2	968	1	1	12	32	79	95	98
18-20	56	14.3	117	3	3	11	20	29	39	44	4	27.0	430	8	8	25	44	50	50	50
21-24	76	15.7	193	3	4	11	21	29	48	66	2	32.0	32	28	28	32	36	36	36	36
25-34	381	13.5	96	2	3	11	19	28	31	45	22	8.6	94	1	1	4	10	27	28	29
35-54	550	14.5	112	2	3	12	20	28	32	55	31	10.0	182	1	1	4	14	23	25	70
55-74	224	17.2	162	3	4	14	23	33	44	63	14	7.9	51	1	1	5	12	19	21	22
75 +	57	17.4	111	4	5	17	24	29	32	62	6	20.5	508	1	1	11	34	57	60	60
ALL AGES	1511	16.2	171	2	4	13	22	31	42	70	98	16.2	460	1	1	8	23	52	80	99 +
B. FEMALE																				
0-12 YRS.	12	17.0	219	1	4	14	21	36	54	57	3	46.0	271	27	27	55	56	56	56	56
13-17	188	29.8	382	5	7	28	42	62	76	99 +	17	35.4	1129	1	2	37	63	85	94	97
18-20	84	18.0	342	2	3	11	23	45	50	89	4	7.5	40	2	2	7	13	13	13	13
21-24	146	14.0	140	2	3	11	18	28	41	57	12	14.7	638	1	1	4	10	58	80	84
25-34	565	16.2	150	3	4	14	21	32	42	61	33	11.8	195	1	2	7	15	33	64	99 +
35-54	720	16.6	141	3	4	14	22	30	41	63	57	10.2	96	1	2	6	14	24	31	41
55-74	437	19.7	167	4	5	17	25	38	46	69	28	10.5	111	2	3	8	12	19	33	54
75 +	143	18.7	130	4	6	17	23	35	40	52	11	5.8	15	2	2	5	8	11	15	15
ALL AGES	2295	18.2	188	3	4	15	23	37	47	72	165	13.8	327	1	2	7	15	38	59	96
SUBTOTAL	3806	17.4	183	3	4	14	23	34	46	72	263	14.7	376	1	2	7	17	42	70	99
GRAND TOTAL	8935	16.8	175	2	4	14	22	34	44	67	727	12.4	218	1	2	7	16	29	42	85

DEPR PSYCH, RECUR EPISOD (296.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	37.0	200	27	27	37	47	47	47	47										
13-17	21	23.1	143	5	9	21	33	39	41	43	2	20.5	613	3	3	20	38	38	38	38
18-20	18	14.4	93	4	5	11	22	27	33	36										
21-24	21	17.4	276	2	5	13	18	39	55	73										
25-34	164	16.4	123	4	5	14	22	30	40	53	5	8.8	26	2	2	9	13	15	15	15
35-54	328	16.3	120	3	4	14	22	32	40	49	15	10.8	105	1	2	5	18	23	32	35
55-74	268	20.1	184	4	6	18	26	36	45	68	8	15.1	466	1	1	6	20	53	62	62
75 +	75	20.4	147	7	8	16	28	38	42	62	2	8.0	8	6	6	8	10	10	10	10
ALL AGES	897	18.0	149	4	5	15	24	35	41	58	32	12.0	186	1	2	7	16	34	38	62
B. FEMALE																				
0-12 YRS.	2	20.5	421	6	6	20	35	35	35	35										
13-17	37	30.0	543	4	7	23	50	72	83	99+	1	13.0		13	13	13	13	13	13	13
18-20	26	21.1	243	5	6	17	32	44	49	66	1	2.0		2	2	2	2	2	2	2
21-24	78	14.3	137	2	2	11	18	30	41	49	1	11.0		11	11	11	11	11	11	11
25-34	381	15.7	161	2	3	13	21	31	42	69	13	11.2	101	1	1	8	18	26	30	31
35-54	882	16.0	127	3	4	14	21	31	37	56	42	13.7	208	2	3	9	19	29	38	81
55-74	821	20.5	178	5	7	18	28	37	48	73	32	17.3	298	2	2	12	22	35	49	89
75 +	279	22.5	202	5	7	20	29	40	47	70	18	13.3	185	2	2	6	21	32	42	48
ALL AGES	2506	18.4	172	3	5	15	24	35	44	67	108	14.2	214	2	2	10	19	30	37	84
SUBTOTAL	3403	18.3	166	3	5	15	24	35	43	65	140	13.7	207	2	2	9	19	31	37	82
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	24.5	386	6	6	23	64	99+	99+	99+										
13-17	31	24.0	544	3	5	16	39	61	94	99+	1	2.0		2	2	2	2	2	2	2
18-20	26	18.2	182	4	6	15	21	44	68	99+	1	2.0		2	2	2	2	2	2	2
21-24	35	14.6	113	2	3	13	22	27	37	42										
25-34	226	15.5	171	3	4	13	21	30	39	75	2	17.5	545	1	1	17	34	34	34	34
35-54	340	15.6	144	3	4	13	21	30	39	63	10	10.8	51	1	2	9	16	21	24	24
55-74	158	18.1	120	5	6	16	24	34	43	95	5	14.2	57	1	1	17	19	19	19	19
75 +	23	16.9	109	5	6	14	21	33	43	43	1	6.0		6	6	6	6	6	6	6
ALL AGES	843	16.5	162	3	4	14	22	33	42	80	20	11.2	82	1	1	9	18	22	29	34
B. FEMALE																				
0-12 YRS.	2	47.5	3281	7	7	47	88	88	88	88	1	34.0		34	34	34	34	34	34	34
13-17	47	22.9	340	4	6	17	31	58	73	99+	2	37.5	421	23	23	37	52	52	52	52
18-20	35	16.3	142	5	5	11	24	34	39	50	1	11.0		11	11	11	11	11	11	11
21-24	94	18.2	229	3	3	13	27	39	48	65	4	3.8	6	1	1	3	5	7	7	7
25-34	434	16.9	222	2	4	13	23	34	51	95	26	10.7	127	1	2	6	13	30	35	43
35-54	700	17.1	160	3	4	14	22	33	41	69	24	12.0	111	2	2	7	18	27	32	40
55-74	404	20.0	165	4	6	17	26	40	47	59	9	15.7	151	1	2	16	28	31	32	32
75 +	117	21.8	197	5	7	19	28	43	48	69	4	12.8	195	2	2	8	22	33	33	33
ALL AGES	1833	18.2	192	3	5	15	24	36	47	77	71	12.6	145	1	2	7	20	31	34	50
SUBTOTAL	2676	17.7	182	3	4	14	23	35	45	79	91	12.3	130	1	2	7	19	30	34	48
GRAND TOTAL	6079	18.0	174	3	5	15	24	35	44	71	231	13.2	175	1	2	9	19	31	35	66

BIPOLAR AFFECTIVE, MANIC (296.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	19.7	169	5	6	17	24	41	43	43	1	1.0		1	1	1	1	1	1	1
18-20	20	21.7	110	4	8	21	28	36	38	39										
21-24	59	19.4	256	2	4	16	23	40	47	88	1	11.0		11	11	11	11	11	11	11
25-34	160	17.2	159	3	5	14	22	32	38	65	4	12.5	92	1	1	13	20	23	23	23
35-54	190	16.4	115	3	5	14	22	30	36	55	8	9.5	70	1	2	5	16	23	24	24
55-74	106	18.5	102	5	7	17	25	33	36	49	1	19.0		19	19	19	19	19	19	19
75 +	6	17.2	72	6	7	16	19	31	32	32										
ALL AGES	547	17.6	141	4	5	15	23	32	39	57	15	10.5	67	1	1	9	18	23	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	9	16.6	87	3	4	16	23	30	34	34										
18-20	25	15.2	127	3	4	11	20	31	42	43	1	3.0		3	3	3	3	3	3	3
21-24	34	19.3	359	4	5	14	25	34	61	99	5	20.4	772	5	5	9	25	70	70	70
25-34	196	17.0	130	4	6	15	21	31	40	62	4	32.5	20	27	27	32	35	38	38	38
35-54	408	18.4	141	4	6	16	24	34	42	53	8	21.4	259	2	4	18	31	46	50	50
55-74	275	18.5	126	6	7	16	24	31	37	66	4	12.5	23	7	7	13	16	17	17	17
75 +	33	20.1	141	2	7	18	28	35	39	56										
ALL AGES	980	18.1	142	4	6	16	23	32	40	62	22	20.7	296	3	4	15	32	42	58	70
SUBTOTAL	1527	18.0	139	4	6	16	23	32	39	59	37	16.6	223	1	2	11	23	37	46	70
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	5	18.2	79	5	5	17	24	29	29	29										
18-20	11	23.5	345	6	8	17	28	49	72	74										
21-24	18	13.6	72	4	6	10	17	27	32	35	1	3.0		3	3	3	3	3	3	3
25-34	62	14.7	113	3	4	14	21	29	40	94	2	20.0	72	14	14	20	26	26	26	26
35-54	75	19.0	156	2	5	16	25	39	45	59	3	19.7	52	14	14	17	25	28	28	28
55-74	24	19.9	300	7	8	15	23	38	57	87	1	7.0		7	7	7	7	7	7	7
75 +	4	14.0	79	7	7	11	19	27	27	27										
ALL AGES	200	17.5	164	3	5	15	23	33	43	80	7	15.6	83	3	4	14	24	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	66.0	882	45	45	66	87	87	87	87										
18-20	6	13.2	87	1	1	16	20	23	23	23	1	6.0		6	6	6	6	6	6	6
21-24	10	20.8	81	3	7	23	25	31	36	36										
25-34	52	18.2	145	3	5	17	27	32	38	56										
35-54	81	17.6	107	3	5	17	24	33	36	45	4	25.3	1095	3	3	12	46	74	74	74
55-74	50	21.3	159	6	7	20	29	35	51	56	1	26.0		26	26	26	26	26	26	26
75 +	6	17.7	58	4	5	20	21	26	26	26										
ALL AGES	207	19.1	153	3	5	18	27	33	38	56	6	22.2	720	3	4	18	62	95	99+	99+
SUBTOTAL	407	18.3	159	3	5	16	24	33	40	67	13	18.6	355	3	3	16	26	77	95	99+
GRAND TOTAL	1934	18.0	145	4	6	16	23	33	39	60	50	17.1	252	1	3	14	25	38	69	99+

BIPOLAR AFFECT, DEPRESS (296.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17	4	5.5	9	3	3	5	8	9	9	9										
18-20	6	27.0	110	16	17	23	31	44	46	46										
21-24	9	12.1	68	4	5	10	16	26	29	29	1	11.0		11	11	11	11	11	11	11
25-34	54	16.1	124	2	4	14	20	32	40	47	4	11.8	57	3	3	11	17	21	21	21
35-54	99	16.4	132	3	5	15	21	29	33	62	5	13.0	70	3	3	10	19	25	25	25
55-74	47	18.7	134	4	7	15	27	34	41	53	3	5.7	17	1	1	7	8	9	9	9
75 +	8	21.1	557	3	3	15	23	61	76	76										
ALL AGES	228	16.8	145	3	5	14	22	31	40	61	13	10.8	49	1	2	10	15	22	24	25
B. FEMALE																				
0-12 YRS.																				
13-17	5	22.8	295	8	8	20	29	52	52	52										
18-20	9	13.6	321	1	2	8	13	42	60	60										
21-24	11	17.4	205	6	6	12	22	41	51	52										
25-34	87	14.1	130	3	4	11	18	25	43	59	5	17.8	178	6	6	12	30	35	35	35
35-54	197	16.7	111	3	4	15	22	29	37	53	4	13.3	160	4	4	8	21	32	32	32
55-74	130	22.1	215	5	8	19	28	42	59	99+	2	15.0	50	10	10	15	20	20	20	20
75 +	32	23.2	216	6	9	18	26	49	57	61	3	11.3	9	8	8	13	13	13	13	13
ALL AGES	471	18.2	165	4	5	15	23	35	44	68	14	14.7	105	4	6	11	20	32	34	35
SUBTOTAL	699	17.7	160	3	5	15	23	34	43	63	27	12.8	79	2	3	10	16	28	32	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	24.0	59	17	17	21	27	37	37	37	1	61.0		61	61	61	61	61	61	61
18-20	8	11.5	110	3	3	8	15	29	34	34										
21-24	6	23.5	137	10	10	21	31	41	42	42										
25-34	31	15.5	90	2	4	13	20	29	35	40										
35-54	45	15.6	99	4	5	14	22	29	41	99+	5	17.2	179	5	5	17	24	38	38	38
55-74	13	25.5	108	7	12	22	34	38	40	41	1	13.0		13	13	13	13	13	13	13
75 +	3	26.7	378	13	13	18	41	49	49	49										
ALL AGES	111	17.5	119	3	5	16	23	34	40	70	7	22.9	402	5	5	17	33	56	61	61
B. FEMALE																				
0-12 YRS.																				
13-17	10	27.9	914	6	7	13	52	75	98	98	1	51.0		51	51	51	51	51	51	51
18-20	2	10.5	5	9	9	10	12	12	12	12										
21-24	13	18.0	199	4	4	14	27	40	43	44										
25-34	49	15.5	135	1	3	13	21	37	45	99+										
35-54	86	18.3	158	6	7	14	22	35	45	63	4	11.8	264	1	1	5	21	36	36	36
55-74	30	24.8	337	5	7	22	30	44	72	85										
75 +	4	24.0	85	17	17	21	30	37	37	37										
ALL AGES	194	19.1	224	4	6	14	24	39	50	92	5	19.6	507	1	1	6	40	51	51	51
SUBTOTAL	305	18.5	187	4	5	15	24	37	45	91	12	21.5	408	1	3	15	37	54	60	61
GRAND TOTAL	1004	18.0	166	4	5	15	23	35	44	69	39	15.5	188	2	3	10	20	36	45	61

BIPOLAR AFFECTIVE, MIXED (296.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	18.0		18	18	18	18	18	18	18										
13-17	4	37.0	539	15	15	35	56	63	63	63										
18-20	3	25.3	299	13	13	18	38	45	45	45										
21-24	10	15.3	75	2	4	14	19	28	29	29										
25-34	61	17.0	109	3	5	15	22	31	36	55	1	16.0		16	16	16	16	16	16	16
35-54	73	17.5	155	3	5	14	25	35	44	60	3	14.3	34	8	8	16	18	19	19	19
55-74	26	14.5	115	3	4	12	21	31	38	40	1	25.0		25	25	25	25	25	25	25
75 +	3	20.3	44	14	14	20	25	27	27	27										
ALL AGES	181	17.4	142	3	5	15	23	33	41	61	5	16.8	38	8	8	16	20	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	2	39.0	18	36	36	39	42	42	42	42										
18-20	4	13.5	63	2	2	16	18	20	20	20	1	8.0		8	8	8	8	8	8	8
21-24	16	15.9	220	2	3	12	18	30	53	63	2	12.0	162	3	3	12	21	21	21	21
25-34	80	15.1	122	3	4	12	19	34	38	50	2	6.0		5	5	6	7	7	7	7
35-54	158	16.2	79	4	6	15	21	30	33	45	3	12.0		7	9	13	14	14	14	14
55-74	100	19.1	178	3	5	16	25	39	44	66	3	28.7	166	16	16	28	38	42	42	42
75 +	14	18.1	93	8	9	17	18	32	42	45										
ALL AGES	374	16.9	124	3	5	15	21	32	40	48	11	15.1	133	3	4	13	20	34	41	42
SUBTOTAL	555	17.0	132	3	5	15	22	32	40	52	16	15.6	100	4	5	15	20	28	38	42
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	15.7	199	7	7	8	26	32	32	32										
18-20	7	19.4	850	2	2	8	18	71	84	84										
21-24	16	13.1	197	1	2	10	16	25	49	59										
25-34	34	18.6	161	3	4	17	24	39	46	48										
35-54	43	16.2	132	3	4	14	21	37	40	50										
55-74	13	17.8	93	6	6	18	20	32	39	41										
75 +																				
ALL AGES	116	16.8	182	2	4	14	22	37	42	67										
B. FEMALE																				
0-12 YRS.																				
13-17	5	20.4	333	3	3	14	34	48	48	48										
18-20	5	13.4	175	3	3	10	19	36	36	36										
21-24	5	17.6	383	6	6	9	24	52	52	52										
25-34	48	19.6	235	3	3	17	23	38	48	79	1	6.0		6	6	6	6	6	6	6
35-54	55	14.9	93	4	5	12	21	29	35	38	3	21.7	159	7	7	29	29	29	29	29
55-74	34	19.4	143	4	7	17	22	39	45	47										
75 +	2	16.0	72	10	10	16	22	22	22	22										
ALL AGES	154	17.6	165	3	5	15	22	35	43	63	4	17.8	167	6	6	18	29	29	29	29
SUBTOTAL	270	17.3	170	3	4	15	22	36	43	62	4	17.8	167	6	6	18	29	29	29	29
GRAND TOTAL	825	17.1	144	3	5	15	22	34	41	57	20	16.1	104	4	5	15	23	29	36	42

BIPOLAR AFFECTIVE NOS (296.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	19.0	151	4	4	19	27	34	34	34										
13-17	19	20.8	158	3	4	23	31	36	40	43										
18-20	10	17.4	84	5	6	17	23	30	35	35										
21-24	15	19.1	226	4	4	16	27	41	51	54	1	11.0		11	11	11	11	11	11	11
25-34	80	15.9	147	2	3	12	21	33	40	54	3	4.3	3	3	3	4	5	6	6	6
35-54	95	17.3	180	3	5	14	22	34	51	65	5	23.0	1336	3	3	7	32	88	88	88
55-74	24	19.1	192	3	4	16	25	44	49	53										
75 +	5	16.6	26	10	10	17	21	22	22	22										
ALL AGES	252	17.4	163	3	4	15	23	35	44	56	9	15.4	754	3	3	6	11	58	88	88
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	27	24.0	173	4	6	24	33	42	48	49										
18-20	13	15.4	61	4	5	14	22	27	27	27										
21-24	18	16.1	103	1	3	15	22	29	34	36										
25-34	94	14.0	86	1	2	13	20	26	33	41	5	12.4	103	2	2	8	21	26	26	26
35-54	173	17.1	139	3	6	15	21	32	40	61	4	13.5	38	9	9	12	18	22	22	22
55-74	99	20.7	248	3	5	17	27	41	52	83	3	7.7	52	3	3	4	13	16	16	16
75 +	8	21.3	100	9	10	21	29	35	36	36	1	52.0		52	52	52	52	52	52	52
ALL AGES	433	17.7	158	2	5	15	23	34	41	59	13	14.7	183	2	3	9	20	31	48	52
SUBTOTAL	685	17.6	159	3	5	15	23	35	42	58	22	15.0	392	2	3	8	16	34	66	88
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	18.5	421	4	4	18	33	33	33	33										
13-17	13	26.8	475	5	6	20	38	59	75	79										
18-20	6	17.0	101	3	4	18	25	28	28	28										
21-24	23	16.5	127	5	7	14	21	29	39	55										
25-34	76	18.5	148	3	6	18	22	32	36	66	3	9.7	24	5	5	9	13	15	15	15
35-54	73	18.1	163	3	5	16	23	32	37	75	2	12.5	145	4	4	12	21	21	21	21
55-74	15	18.4	69	5	10	16	24	30	32	33										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	209	18.6	164	4	6	17	24	33	37	72	5	10.8	51	4	4	9	16	21	21	21
B. FEMALE																				
0-12 YRS.	1	41.0		41	41	41	41	41	41	41										
13-17	28	34.5	522	3	11	29	48	73	80	83	1	71.0		71	71	85	99+	99+	99+	99+
18-20	2	11.0	32	7	7	11	15	15	15	15										
21-24	18	17.1	194	3	4	15	21	22	49	67										
25-34	84	14.6	101	2	3	15	21	27	34	46	1	3.0		3	3	3	3	3	3	3
35-54	67	17.9	115	3	6	18	23	33	39	54	4	9.0	91	3	3	5	15	23	23	23
55-74	23	21.7	174	6	8	21	28	37	52	55	2	6.0	32	2	2	6	10	10	10	10
75 +	1	30.0		30	30	30	30	30	30	30										
ALL AGES	224	19.2	208	3	4	17	24	35	48	77	8	15.3	554	2	2	7	35	88	99+	99+
SUBTOTAL	433	18.9	187	3	5	17	24	34	44	77	13	13.5	347	2	3	8	21	74	94	99+
GRAND TOTAL	1118	18.1	170	3	5	16	23	35	43	66	35	14.5	363	2	3	8	18	49	83	99+

MANIC-DEPRESSIVE NEC/NOS (296.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	23.9	422	5	6	16	33	64	70	72										
18-20	9	14.2	287	1	1	8	18	44	50	50	1	1.0		1	1	1	1	1	1	1
21-24	14	17.3	154	2	3	16	21	33	47	51	1	9.0		9	9	9	9	9	9	9
25-34	26	14.1	112	4	5	10	18	31	41	43	1	10.0		10	10	10	10	10	10	10
35-54	55	15.3	100	2	5	13	21	29	32	48	6	8.3	31	2	2	7	10	17	18	18
55-74	27	13.0	109	2	3	9	18	24	29	51	2	5.0	18	2	2	5	8	8	8	8
75 +	6	17.5	204	8	8	13	15	43	46	46	2	2.0	2	1	1	2	3	3	3	3
ALL AGES	153	15.8	159	2	4	13	20	32	43	67	13	6.5	23	1	1	6	9	12	17	18
B. FEMALE																				
0-12 YRS.																				
13-17	15	28.1	399	6	8	23	35	60	73	78										
18-20	12	17.8	315	3	5	13	20	41	65	69										
21-24	14	16.7	211	1	2	12	30	35	43	45	1	3.0		3	3	3	3	3	3	3
25-34	85	15.7	149	2	3	13	20	34	42	54	5	10.2	59	3	3	8	16	21	21	21
35-54	97	14.4	147	1	3	11	20	32	42	84	5	2.4	1	1	1	2	3	4	4	4
55-74	72	15.3	103	4	5	13	21	31	38	43	13	6.8	35	1	2	5	8	13	22	24
75 +	15	21.4	219	3	4	17	28	39	54	59										
ALL AGES	310	16.2	167	2	4	13	22	35	43	67	24	6.5	35	1	2	4	8	16	22	24
SUBTOTAL	463	16.1	163	2	4	13	21	34	43	67	37	6.5	30	1	1	5	9	14	20	24
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	7	19.7	379	1	1	13	34	49	52	52										
13-17	24	27.3	565	1	2	22	38	64	75	95										
18-20	8	18.1	164	4	4	18	26	37	39	39										
21-24	23	21.4	161	3	5	18	31	37	44	48										
25-34	36	13.0	71	3	4	10	20	27	29	31	6	18.8	482	6	6	7	25	57	61	61
35-54	64	15.8	153	2	3	14	22	28	35	71	5	24.8	1430	4	4	8	34	92	92	92
55-74	17	16.1	74	4	7	15	21	30	33	34	1	5.0		5	5	5	5	5	5	5
75 +	2	29.0	1152	5	5	29	53	53	53	53										
ALL AGES	181	17.9	213	2	3	15	24	35	43	73	12	20.2	769	4	5	7	20	70	89	92
B. FEMALE																				
0-12 YRS.	1	31.0		31	31	31	31	31	31	31										
13-17	33	24.2	394	2	3	19	35	55	64	76										
18-20	18	13.9	324	1	2	11	16	27	60	79										
21-24	21	14.2	137	2	3	10	19	28	40	50										
25-34	89	16.2	212	2	3	13	21	34	42	73	1	1.0		1	1	1	1	1	1	1
35-54	102	16.2	171	3	5	13	21	33	40	72	3	7.0	19	4	4	5	10	12	12	12
55-74	48	20.2	181	3	6	17	30	36	46	64	4	4.3	7	1	1	4	6	7	7	7
75 +	11	15.8	119	4	7	13	19	31	44	45	1	4.0		4	4	4	4	4	4	4
ALL AGES	323	17.4	215	2	3	14	23	35	46	75	9	4.8	11	1	1	4	6	10	12	12
SUBTOTAL	504	17.6	213	2	3	14	23	35	45	75	21	13.6	488	1	2	6	9	39	75	92
GRAND TOTAL	967	16.9	189	2	3	14	23	35	43	71	58	9.0	203	1	1	5	9	17	25	89

AFFECT PSYCHOSES NEC/NOS (296.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	13.0	72	7	7	13	19	19	19	19										
18-20	3	24.7	730	3	3	16	45	55	55	55										
21-24	2	9.5	113	2	2	9	17	17	17	17										
25-34	6	11.7	43	5	5	11	16	20	21	21										
35-54	15	19.4	249	3	8	17	21	31	59	68	1	4.0		4	4	4	4	4	4	4
55-74	10	12.0	105	1	2	11	15	28	35	35	1	9.0		9	9	9	9	9	9	9
75 +	4	11.0	61	1	1	11	16	20	20	20	2	5.0		5	5	5	5	5	5	5
ALL AGES	43	15.0	179	1	3	12	20	30	42	68	4	5.8	4	4	4	5	7	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17	5	20.6	159	8	8	18	32	37	37	37										
18-20	2	4.0		4	4	4	4	4	4	4										
21-24	4	12.3	67	4	4	11	19	22	22	22										
25-34	10	20.6	255	7	7	18	20	48	58	58	2	26.5	1201	2	2	26	51	51	51	51
35-54	35	15.6	126	1	3	13	20	31	40	50	1	6.0		6	6	6	6	6	6	6
55-74	18	14.1	74	1	4	15	20	24	28	31	2	4.0	2	3	3	4	5	5	5	5
75 +	4	21.0	29	15	15	20	24	28	28	28	2	8.5	25	5	5	8	12	12	12	12
ALL AGES	78	16.0	125	3	4	14	20	31	39	56	7	12.0	306	2	2	5	10	43	51	51
SUBTOTAL	121	15.7	142	2	4	14	20	30	38	61	11	9.7	196	2	3	5	8	28	49	51
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	7	32.9	573	2	4	45	54	56	56	56										
18-20	2	22.0	200	12	12	22	32	32	32	32	1	3.0		3	3	3	3	3	3	3
21-24	4	17.5	230	4	4	16	30	33	33	33										
25-34	18	18.5	259	1	4	17	27	28	54	71										
35-54	19	11.8	97	1	1	10	15	25	33	39	2	13.0	50	8	8	13	18	18	18	18
55-74	9	19.3	139	7	8	14	31	37	40	40										
75 +																				
ALL AGES	60	18.0	239	1	3	13	27	39	53	69	3	9.7	57	3	3	8	15	18	18	18
B. FEMALE																				
0-12 YRS.	2	50.5	3961	6	6	50	95	95	95	95										
13-17	4	22.8	136	11	11	20	30	39	39	39	2	41.0	338	28	28	41	54	54	54	54
18-20	1	20.0		20	20	20	20	20	20	20										
21-24	3	10.3	51	4	4	9	16	18	18	18										
25-34	22	13.0	111	1	2	9	19	26	36	43	3	7.3	33	1	1	9	11	12	12	12
35-54	22	15.0	153	2	3	11	21	31	44	49										
55-74	19	17.1	71	5	7	16	22	30	34	36	4	7.8	26	3	3	7	12	14	14	14
75 +	3	27.7	319	7	7	37	38	39	39	39	1	3.0		3	3	3	3	3	3	3
ALL AGES	76	16.7	202	2	4	14	21	36	40	83	10	13.8	261	1	2	9	14	41	54	54
SUBTOTAL	136	17.3	216	2	4	13	23	37	44	74	13	12.8	210	1	2	9	15	33	50	54
GRAND TOTAL	257	16.5	182	2	4	14	21	32	40	67	24	11.4	197	2	3	6	12	30	52	54

PARANOID STATE, SIMPLE (297.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	1	17.0		17	17	17	17	17	17	17										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	1	4.0		4	4	4	4	4	4	4										
SUBTOTAL	2	10.5	85	4	4	10	17	17	17	17										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54																				
55-74																				
75 +																				
ALL AGES	1	8.0		8	8	8	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	10.0		10	10	10	10	10	10	10
SUBTOTAL	2	8.5	1	8	8	8	9	9	9	9	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	4	9.5	30	4	4	8	13	17	17	17	1	10.0		10	10	10	10	10	10	10

PARANOIA (297.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	2.0		2	2	2	2	2	2	2										
18-20																				
21-24																				
25-34	8	10.1	69	1	2	8	16	22	24	24										
35-54	9	6.9	31	1	1	7	11	15	16	16										
55-74	5	8.6	34	2	2	8	11	18	18	18										
75 +	2	21.0	162	12	12	21	30	30	30	30										
ALL AGES	25	9.2	59	1	1	8	13	19	25	30										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	13.0		13	13	13	13	13	13	13										
35-54	12	16.3	213	3	5	11	22	34	53	56										
55-74	20	16.9	94	4	7	15	22	32	37	41	2	4.0		4	4	4	4	4	4	4
75 +	8	6.6	30	1	1	5	11	15	15	15	2	14.0	200	4	4	14	24	24	24	24
ALL AGES	42	14.6	123	2	3	14	19	27	37	56	4	9.0	100	4	4	4	14	24	24	24
SUBTOTAL	67	12.6	105	1	2	11	17	25	31	53	4	9.0	100	4	4	4	14	24	24	24
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	7	17.3	299	2	2	11	33	43	44	44	1	3.0		3	3	3	3	3	3	3
35-54	12	13.2	74	3	3	11	18	26	31	32										
55-74	2	9.0	2	8	8	9	10	10	10	10										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	22	13.9	132	2	3	10	19	34	40	44	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	24.0	21	17	17	24	27	29	29	29										
35-54	5	22.0	91	10	10	25	28	34	34	34										
55-74	8	13.0	94	4	4	11	18	29	32	32										
75 +	4	14.0	1	13	13	14	15	15	15	15	1	3.0		3	3	3	3	3	3	3
ALL AGES	22	17.7	78	4	6	15	25	30	33	34	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	44	15.8	106	3	4	13	23	32	35	44	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	111	13.9	106	2	3	13	19	28	34	49	6	7.0	70	3	3	4	4	22	24	24

PARAPHRENIA (297.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	4	12.5	84	6	6	9	18	26	26	26										
ALL AGES	4	12.5	84	6	6	9	18	26	26	26										
SUBTOTAL	4	12.5	84	6	6	9	18	26	26	26										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +	1	25.0		25	25	25	25	25	25	25										
ALL AGES	2	19.0	72	13	13	19	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	2	15.5	221	5	5	15	26	26	26	26										
55-74																				
75 +	3	30.0	381	11	11	29	45	50	50	50										
ALL AGES	5	24.2	309	5	5	26	34	50	50	50										
SUBTOTAL	7	22.7	225	5	6	25	28	46	50	50										
GRAND TOTAL	11	19.0	186	5	6	13	26	37	49	50										

SHARED PARANOID DISORDER (297.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	2	5.5	1	5	5	5	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	3	5.7		5	5	6	6	6	6	6	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	48.0		48	48	48	48	48	48	48										
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +																				
ALL AGES	2	26.5	925	5	5	26	48	48	48	48										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21										
SUBTOTAL	3	24.7	470	5	5	21	41	48	48	48										
GRAND TOTAL	6	15.2	296	5	5	6	21	45	48	48	1	4.0		4	4	4	4	4	4	4

PARANOID STATES NEC (297.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	51.0		51	51	51	51	51	51	51										
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	34.0		34	34	34	34	34	34	34										
55-74	1	18.0		18	18	18	18	18	18	18										
75 +																				
ALL AGES	4	26.3	439	2	2	26	42	51	51	51										
B. FEMALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74	1	13.0		13	13	13	13	13	13	13										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	4	7.5	20	3	3	7	11	13	13	13										
SUBTOTAL	8	16.9	298	2	2	11	26	46	51	51										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34	2	15.5	13	13	13	15	18	18	18	18										
35-54																				
55-74																				
75 +																				
ALL AGES	3	11.7	49	4	4	13	17	18	18	18										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	31.0		31	31	31	31	31	31	31										
21-24																				
25-34	4	16.0	90	4	4	16	22	27	27	27										
35-54																				
55-74	3	12.7	8	10	10	12	15	16	16	16	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	8	16.6	79	4	6	15	22	30	31	31	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	11	15.3	69	4	4	15	18	29	31	31	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	19	15.9	157	2	3	13	18	33	43	51	1	3.0		3	3	3	3	3	3	3

PARANOID STATE NOS (297.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17																				
18-20	2	18.5	545	2	2	18	35	35	35	35										
21-24	6	10.8	83	1	2	9	11	26	28	28										
25-34	21	12.5	112	1	2	9	20	27	34	35										
35-54	38	12.6	117	2	3	11	16	25	38	51										
55-74	17	17.0	136	4	5	15	23	28	43	51	2	19.0	648	1	1	18	37	37	37	37
75 +	6	13.3	56	4	4	14	19	22	22	22	2	6.5	13	4	4	6	9	9	9	9
ALL AGES	91	13.4	115	2	3	11	19	27	35	51	4	12.8	271	1	1	6	23	37	37	37
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	15.3	106	6	6	14	24	27	27	27										
25-34	30	11.3	64	3	3	10	14	23	26	38	1	2.0		2	2	2	2	2	2	2
35-54	47	13.2	114	1	3	11	17	24	38	52										
55-74	44	15.9	134	3	4	13	20	32	38	51	2	4.0	8	2	2	4	6	6	6	6
75 +	21	14.7	66	5	6	13	21	24	30	37	1	1.0		1	1	1	1	1	1	1
ALL AGES	146	13.9	103	3	4	11	18	27	35	51	4	2.8	5	1	1	2	4	6	6	6
SUBTOTAL	237	13.7	107	2	3	11	18	27	35	51	8	7.8	146	1	1	3	7	29	37	37
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	17.0		17	17	17	17	17	17	17										
13-17	5	42.4	628	15	15	40	58	80	80	80	1	6.0		6	6	6	6	6	6	6
18-20	1	12.0		12	12	12	12	12	12	12										
21-24	6	10.0	22	4	4	11	13	16	16	16										
25-34	25	12.4	60	2	3	12	17	20	28	31	1	2.0		2	2	2	2	2	2	2
35-54	33	15.5	134	3	4	11	21	30	44	46										
55-74	8	21.3	85	11	12	19	25	36	41	41										
75 +	2	23.0	50	18	18	23	28	28	28	28	2	5.0	2	4	4	5	6	6	6	6
ALL AGES	81	16.5	168	3	4	15	20	29	43	71	4	4.5	4	2	2	5	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17	1	33.0		33	33	33	33	33	33	33										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	3	5.0	7	3	3	4	7	8	8	8										
25-34	8	8.8	33	1	2	9	13	16	18	18										
35-54	26	19.1	149	3	5	16	28	35	41	52	2	9.0	98	2	2	9	16	16	16	16
55-74	23	19.9	123	7	9	17	26	34	44	54	2	7.0	18	4	4	7	10	10	10	10
75 +	18	15.8	132	4	6	13	18	25	43	54	4	18.0	547	4	4	7	30	53	53	53
ALL AGES	80	17.0	135	3	4	15	23	32	38	54	8	13.0	280	2	3	7	13	42	53	53
SUBTOTAL	161	16.8	149	3	4	15	21	31	40	54	12	10.2	196	2	2	6	9	27	49	53
GRAND TOTAL	398	14.9	128	2	4	12	20	29	37	52	20	9.2	170	1	1	5	8	26	45	53

REACT DEPRESS PSYCHOSIS (298.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	39.0	18	36	36	39	42	42	42	42										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34	3	19.3	160	6	6	21	28	31	31	31										
35-54	2	4.5	1	4	4	4	5	5	5	5	1	1.0		1	1	1	1	1	1	1
55-74	2	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	10	16.9	214	4	4	10	31	39	42	42	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	5.5	41	1	1	10	77	99+	99+	99+										
25-34	5	7.8	50	1	1	5	13	18	18	18										
35-54	8	13.5	65	1	3	14	19	24	25	25										
55-74	10	16.3	48	8	8	16	19	27	30	30	3	10.7	95	5	5	5	18	22	22	22
75 +											1	6.0		6	6	6	6	6	6	6
ALL AGES	25	12.8	63	1	1	13	18	25	44	99+	4	9.5	70	5	5	6	14	22	22	22
SUBTOTAL	35	14.0	104	1	3	13	20	31	40	99+	5	7.8	67	1	1	5	10	22	22	22
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	5	14.4	155	4	4	10	23	34	34	34	2	2.0	2	1	1	2	3	3	3	3
35-54	1	2.0		2	2	2	2	2	2	2										
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	7	11.9	125	2	2	9	17	31	34	34	2	2.0	2	1	1	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	16.0		16	16	16	16	16	16	16										
25-34	1	28.0		28	28	28	28	28	28	28										
35-54	3	17.0	273	1	1	16	29	34	34	34										
55-74	1	9.0		9	9	9	9	9	9	9	2	7.0	8	5	5	7	9	9	9	9
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	6	17.3	148	1	2	16	28	33	34	34	3	5.3	13	2	2	5	8	9	9	9
SUBTOTAL	13	14.4	132	1	2	10	21	34	34	34	5	4.0	10	1	1	3	6	9	9	9
GRAND TOTAL	48	14.1	109	1	2	13	20	33	36	99+	10	5.9	38	1	1	5	6	15	22	22

EXCITATIV TYPE PSYCHOSIS (298.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	9.0		9	9	9	9	9	9	9										
18-20	3	5.3	57	1	1	1	11	14	14	14										
21-24	3	5.0	12	1	1	7	7	7	7	7										
25-34	1	1.0		1	1	1	1	1	1	1	2	1.5	1	1	1	1	2	2	2	2
35-54	4	5.3	44	1	1	2	9	15	15	15										
55-74	3	14.7	132	8	8	8	23	28	28	28	2	3.5	13	1	1	3	6	6	6	6
75 +	2	8.5	13	6	6	8	11	11	11	11	1	1.0		1	1	1	1	1	1	1
ALL AGES	17	7.2	51	1	1	7	9	15	23	28	5	2.2	5	1	1	1	3	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	8.0	58	1	1	7	14	16	16	16										
25-34	8	7.5	17	2	2	8	11	12	13	13	2	2.5	1	2	2	2	3	3	3	3
35-54	4	1.0		1	1	1	1	1	1	1	3	5.7	25	1	1	5	9	11	11	11
55-74	8	10.6	29	5	5	10	14	18	20	20	5	5.8	19	2	2	5	8	13	13	13
75 +	2	4.5	13	2	2	4	7	7	7	7	3	6.3	10	3	3	7	8	9	9	9
ALL AGES	26	7.3	31	1	1	6	12	14	17	20	13	5.4	14	1	1	5	7	11	13	13
SUBTOTAL	43	7.3	37	1	1	7	11	14	17	28	18	4.5	13	1	1	3	6	10	12	13
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											1	7.0		7	7	7	7	7	7	7
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	6	3.2	1	2	2	3	4	5	5	5
35-54	4	7.3	1	7	7	7	8	8	8	8	3	4.0	3	2	2	5	5	5	5	5
55-74	3	11.0	49	3	3	14	15	16	16	16										
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	8	8.1	22	3	3	7	11	15	16	16	11	3.7	3	2	2	3	5	6	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	5.3	6	4	4	4	7	8	8	8										
35-54	6	14.2	179	2	2	17	32	87	99+	99+	1	3.0		3	3	3	3	3	3	3
55-74	3	8.7	21	5	5	7	12	14	14	14	1	2.0		2	2	2	2	2	2	2
75 +	2	11.0	8	9	9	11	13	13	13	13	3	8.3	38	3	3	7	13	15	15	15
ALL AGES	14	10.6	88	2	3	8	16	36	84	99+	5	6.0	29	2	2	3	9	15	15	15
SUBTOTAL	22	9.7	64	2	3	7	14	25	58	99+	16	4.4	11	2	2	3	5	7	13	15
GRAND TOTAL	65	8.1	47	1	1	7	13	16	23	90	34	4.5	11	1	1	3	6	9	13	15

REACTIVE CONFUSION (298.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	5.0		5	5	5	5	5	5	5										
35-54																				
55-74																				
75 +											3	4.3	18	1	1	3	7	9	9	9
ALL AGES	1	5.0		5	5	5	5	5	5	5	3	4.3	18	1	1	3	7	9	9	9
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
35-54											1	2.0		2	2	2	2	2	2	2
55-74	1	1.0		1	1	1	1	1	1	1										
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	2	1.0		1	1	1	1	1	1	1	4	3.5	2	2	2	3	4	5	5	5
SUBTOTAL	3	2.3	6	1	1	1	4	5	5	5	7	3.9	6	1	1	3	5	8	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	73.0		73	73	73	73	73	73	73
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9										
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	2	6.0	18	3	3	6	9	9	9	9	1	73.0		73	73	73	73	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	28.0		28	28	28	28	28	28	28	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	2	17.5	221	7	7	17	28	28	28	28	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	4	11.8	122	3	3	8	18	28	28	28	2	37.5	2521	2	2	37	73	73	73	73
GRAND TOTAL	7	7.7	89	1	1	5	8	24	28	28	9	11.3	541	1	1	3	6	47	73	73

ACUTE PARANOID REACTION (298.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	8.5	5	7	7	8	10	10	10	10										
21-24	2	10.5	25	7	7	10	14	14	14	14										
25-34	3	5.7	41	1	1	3	10	13	13	13										
35-54	6	8.8	39	1	1	11	13	15	15	15										
55-74	2	3.0	2	2	2	3	4	4	4	4										
75 +	1	10.0		10	10	10	10	10	10	10										
ALL AGES	16	7.8	25	1	1	8	12	14	15	15										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8										
25-34	9	8.9	49	1	1	10	12	20	22	22										
35-54	15	9.9	32	1	3	9	13	18	20	21										
55-74	5	10.4	33	5	5	9	14	19	19	19	2	14.0	128	6	6	14	22	22	22	22
75 +	2	8.0	18	5	5	8	11	11	11	11										
ALL AGES	32	9.5	33	1	2	9	13	18	21	22	2	14.0	128	6	6	14	22	22	22	22
SUBTOTAL	48	8.9	31	1	1	9	13	16	19	22	2	14.0	128	6	6	14	22	22	22	22
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	19.5	313	7	7	19	32	32	32	32										
21-24																				
25-34	7	11.3	73	1	1	9	20	22	22	22										
35-54	6	15.3	73	5	5	14	18	29	30	30										
55-74	3	7.7	10	4	4	9	10	10	10	10										
75 +	3	7.7	8	6	6	6	10	11	11	11	1	12.0		12	12	12	12	12	12	12
ALL AGES	21	12.2	72	2	3	10	16	25	31	32	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	4	7.5	20	4	4	6	10	14	14	14										
35-54	4	17.0	13	13	13	17	20	21	21	21	1	1.0		1	1	1	1	1	1	1
55-74	6	15.0	61	2	3	14	22	24	24	24										
75 +	7	22.1	224	2	4	19	32	45	47	47	1	5.0		5	5	5	5	5	5	5
ALL AGES	22	16.0	111	2	3	14	21	27	40	47	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	43	14.1	95	2	3	13	19	25	33	47	3	6.0	31	1	1	5	10	12	12	12
GRAND TOTAL	91	11.4	66	1	2	10	15	21	24	42	5	9.2	67	1	1	6	14	22	22	22

PSYCHOGEN PARANOID PSYCH (298.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	36.0		36	36	36	36	36	36	36										
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	2	23.0	338	10	10	23	36	36	36	36										
SUBTOTAL	2	23.0	338	10	10	23	36	36	36	36										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	23.0	338	10	10	23	36	36	36	36										

REACT PSYCHOSIS NEC/NOS (298.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	4	10.0	21	6	6	9	13	16	16	16										
18-20	9	15.6	75	4	6	14	23	29	31	31										
21-24	11	8.8	48	2	2	6	16	19	19	19										
25-34	25	10.0	55	2	3	8	12	20	28	32	1	39.0		39	39	39	39	39	39	39
35-54	27	8.6	34	2	3	7	12	17	22	25	1	24.0		24	24	24	24	24	24	24
55-74	10	13.5	55	4	6	11	20	25	25	25	2	6.0	2	5	5	6	7	7	7	7
75 +	4	13.5	2	12	12	13	14	15	15	15	1	5.0		5	5	5	5	5	5	5
ALL AGES	90	10.5	50	2	3	9	14	21	25	32	6	13.5	221	1	1	6	24	37	39	39
B. FEMALE																				
0-12 YRS.	2	14.5	313	2	2	14	27	27	27	27										
13-17	5	15.0	98	3	3	16	24	25	25	25										
18-20	3	17.3	103	8	8	16	25	28	28	28										
21-24	9	17.7	178	1	3	11	24	39	45	45										
25-34	56	11.2	98	2	4	8	14	23	28	52										
35-54	62	9.3	53	2	3	8	11	16	28	38	1	3.0		3	3	3	3	3	3	3
55-74	36	11.1	57	2	3	10	14	21	26	38	1	2.0		2	2	2	2	2	2	2
75 +	4	11.5	7	8	8	12	13	14	14	14	3	22.0	100	12	12	22	29	32	32	32
ALL AGES	177	11.1	78	2	3	9	14	23	29	49	5	14.2	164	2	2	12	24	32	32	32
SUBTOTAL	267	10.9	68	2	3	9	14	22	27	44	11	13.8	177	1	2	7	23	35	39	39
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	45.0		45	45	45	45	45	45	45	1	27.0		27	27	27	27	27	27	27
13-17	8	25.4	356	7	7	17	42	53	57	57										
18-20	9	11.3	146	1	1	9	13	32	40	40										
21-24	9	8.3	51	1	1	6	15	19	20	20										
25-34	12	10.0	25	1	4	11	13	16	19	19										
35-54	15	14.2	208	1	1	11	15	27	52	60										
55-74	7	14.0	87	2	3	10	23	26	26	26										
75 +																				
ALL AGES	61	14.0	173	1	2	11	17	32	45	60	1	27.0		27	27	27	27	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	6	11.5	53	2	2	11	17	21	21	21										
18-20	4	14.8	78	5	5	14	22	25	25	25										
21-24	9	10.1	27	4	5	10	12	19	19	19										
25-34	31	11.5	66	3	3	9	14	25	27	32										
35-54	31	12.8	89	2	4	10	18	25	36	38										
55-74	23	11.5	64	1	2	11	19	22	24	24	2	3.0	8	1	1	2	5	5	5	5
75 +	2	4.5	5	3	3	4	6	6	6	6										
ALL AGES	106	11.7	68	2	3	10	18	23	26	37	2	3.0	8	1	1	2	5	5	5	5
SUBTOTAL	167	12.6	105	2	3	10	17	25	33	55	3	11.0	196	1	1	5	21	27	27	27
GRAND TOTAL	434	11.5	84	2	3	9	15	23	28	46	14	13.2	168	1	1	6	24	33	38	39

PSYCHOSIS NOS (298.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	19.3	434	4	4	11	35	43	43	43										
13-17	17	14.6	206	1	2	10	23	28	47	57	3	10.3	143	2	2	14	62	99 +	99 +	99 +
18-20	20	11.4	80	1	1	10	14	28	29	30										
21-24	30	12.8	129	1	2	9	18	27	32	51	1	12.0		12	12	12	12	12	12	12
25-34	63	12.1	161	1	2	10	16	23	29	80	9	6.1	81	1	1	1	7	22	28	28
35-54	92	11.2	145	1	2	8	13	24	40	57	7	4.6	3	2	2	5	6	7	7	7
55-74	76	12.1	107	1	2	9	15	28	31	52	45	5.9	13	1	2	5	8	11	14	16
75 +	66	10.7	102	2	2	7	15	23	34	46	51	6.9	22	2	2	6	8	13	18	23
ALL AGES	367	11.8	131	1	2	9	15	26	32	56	116	6.4	24	1	2	5	8	13	18	52
B. FEMALE																				
0-12 YRS.	2	13.0	242	2	2	13	24	24	24	24	2	2.5	1	2	2	2	3	3	3	3
13-17	17	23.8	540	2	4	19	39	78	94	99 +	3	7.7	10	4	4	9	10	10	10	10
18-20	12	18.6	302	3	4	13	29	48	53	54	2	1.0		1	1	1	1	1	1	1
21-24	23	14.9	141	2	3	14	21	34	36	39	3	1.7	1	1	1	1	3	3	3	3
25-34	83	14.2	153	1	3	12	19	33	40	89	5	2.2	3	1	1	1	3	5	5	5
35-54	133	13.1	135	1	2	10	17	26	35	58	13	4.7	25	1	1	4	6	28	84	99 +
55-74	146	10.6	61	2	3	8	15	21	28	37	63	5.6	32	1	2	5	7	10	12	39
75 +	128	8.7	53	1	2	6	12	17	24	37	67	6.1	15	2	2	6	8	11	13	19
ALL AGES	544	12.1	123	1	3	8	17	27	35	61	158	5.5	22	1	1	5	7	10	13	41
SUBTOTAL	911	12.0	125	1	2	8	16	27	35	57	274	5.9	23	1	2	5	8	11	14	39
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	17	20.6	153	4	7	20	29	41	43	43										
18-20	12	22.2	829	1	1	8	29	79	80	80	1	3.0		3	3	3	3	3	3	3
21-24	15	11.8	64	1	1	13	16	23	27	29	3	2.7	2	1	1	3	4	4	4	4
25-34	33	13.2	72	2	3	12	16	27	31	36	1	14.0		14	14	14	14	14	14	14
35-54	49	12.9	91	2	3	10	17	27	34	39	6	3.0	5	1	1	2	4	7	7	7
55-74	40	12.1	71	2	3	10	16	27	29	30	9	6.3	66	1	1	4	6	19	27	27
75 +	17	10.3	34	2	2	11	14	18	20	21	18	5.1	14	1	2	4	6	7	14	19
ALL AGES	184	13.7	135	2	3	11	18	28	33	67	38	5.0	26	1	1	4	6	8	17	27
B. FEMALE																				
0-12 YRS.	1	6.0		6	6	6	6	6	6	6										
13-17	11	22.8	317	5	6	20	31	52	56	56										
18-20	12	27.5	942	1	2	10	56	76	84	85										
21-24	14	9.1	31	1	2	9	14	16	18	18										
25-34	49	14.8	118	4	4	12	23	27	29	59	5	3.6	4	1	1	4	5	6	6	6
35-54	75	14.8	134	2	3	12	20	30	35	59	6	3.5	11	1	1	2	6	9	9	9
55-74	67	14.2	127	3	3	12	19	23	41	56	16	6.5	15	2	3	5	9	10	15	17
75 +	43	11.0	70	3	4	8	13	21	29	44	18	5.6	16	1	2	4	6	13	15	15
ALL AGES	272	14.6	165	2	4	11	19	29	41	64	45	5.4	14	1	2	5	7	10	15	17
SUBTOTAL	456	14.3	151	2	3	11	19	28	36	64	83	5.2	20	1	1	4	6	9	15	24
GRAND TOTAL	1367	12.7	137	1	3	9	17	28	35	59	357	5.7	23	1	1	5	7	11	14	28

INFANTILE AUTISM (299.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILE						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3	2	52.5	181	43	43	52	62	62	62	62
13-17											1	6.0		6	6	6	6	6	6	6
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	3	37.0	811	6	6	43	57	62	62	62
B. FEMALE																				
0-12 YRS.	1	28.0		28	28	28	28	28	28	28										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	2	15.5	313	3	3	15	28	28	28	28	3	37.0	811	6	6	43	57	62	62	62
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	12.5	25	9	9	12	16	16	16	16										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.5	25	9	9	12	16	16	16	16										
B. FEMALE																				
0-12 YRS.	1	33.0		33	33	33	33	33	33	33										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	33.0		33	33	33	33	33	33	33										
SUBTOTAL	3	19.3	154	9	9	16	29	33	33	33										
GRAND TOTAL	5	17.8	159	3	3	16	29	33	33	33	3	37.0	811	6	6	43	57	62	62	62

EARLY CHLD PSYCHOSES NEC (299.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	22.2	211	3	6	24	40	68	97	99+	1	25.0		25	25	25	25	25	25	25
13-17	2	46.5	25	43	43	46	50	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	26.3	261	4	7	25	45	60	92	99+	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	3	16.3	78	9	9	14	23	26	26	26										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	25.8	402	9	9	20	40	54	54	54										
SUBTOTAL	16	26.1	276	5	8	25	45	53	84	99+	1	25.0		25	25	25	25	25	25	25
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	40.9	787	6	10	41	57	84	91	91	1	85.0		85	85	85	85	85	85	85
13-17	4	40.0	745	13	13	34	56	78	78	78	1	34.0		34	34	34	34	34	34	34
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	13	40.6	713	7	12	35	57	81	89	91	2	59.5	1301	34	34	59	85	85	85	85
B. FEMALE																				
0-12 YRS.	1	71.0		71	71	71	71	71	71	71	1	60.0		60	60	60	60	60	60	60
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	39.0	2048	7	7	39	71	71	71	71	1	60.0		60	60	60	60	60	60	60
SUBTOTAL	15	40.4	757	6	7	35	66	78	88	91	3	59.7	644	34	34	60	79	85	85	85
GRAND TOTAL	31	33.0	545	6	8	27	48	75	90	99+	4	51.0	734	25	25	47	72	85	85	85

EARLY CHLD PSYCHOSIS NOS (299.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	9	22.3	201	6	7	22	32	42	47	47										
13-17	1	29.0		29	29	64	99+	99+	99+	99+										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	23.0	182	6	7	29	34	68	97	99+										
B. FEMALE																				
0-12 YRS.	3	50.3	1038	27	27	37	74	87	87	87	1	13.0		13	13	13	13	13	13	13
13-17	1	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	39.3	1175	6	6	32	62	87	87	87	1	13.0		13	13	13	13	13	13	13
SUBTOTAL	14	27.6	459	6	6	29	36	87	97	99+	1	13.0		13	13	13	13	13	13	13
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	25.0	9	22	22	25	27	28	28	28	2	53.0	128	45	45	53	61	61	61	61
13-17	1	47.0		47	47	47	47	47	47	47										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.5	127	22	22	26	37	47	47	47	2	53.0	128	45	45	53	61	61	61	61
B. FEMALE																				
0-12 YRS.	2	36.5	313	24	24	36	49	49	49	49										
13-17	1	14.0		14	14	14	14	14	14	14										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	29.0	325	14	14	24	43	49	49	49										
SUBTOTAL	7	29.9	169	14	16	25	42	49	49	49	2	53.0	128	45	45	53	61	61	61	61
GRAND TOTAL	21	28.4	348	6	7	27	37	60	92	99+	3	39.7	593	13	13	45	57	61	61	61

ANXIETY STATES (300.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	10.8	242	1	1	2	18	38	42	42										
13-17	10	17.9	348	1	1	8	39	44	44	44	1	2.0		2	2	2	2	2	2	2
18-20	7	4.9	22	1	1	4	7	13	14	14	3	2.0	1	1	1	2	3	3	3	3
21-24	17	9.1	91	1	2	4	13	26	29	31	4	2.8	4	1	1	2	4	5	5	5
25-34	58	7.5	54	1	1	5	10	17	23	34	23	3.2	5	1	1	2	5	7	8	9
35-54	118	6.7	51	1	1	4	7	16	22	35	57	2.5	5	1	1	2	3	5	6	14
55-74	67	6.9	30	1	2	5	9	14	19	27	36	3.1	4	1	1	3	4	5	8	9
75 +	11	5.6	25	1	1	5	7	12	18	19	14	3.5	13	1	1	2	3	7	13	15
ALL AGES	296	7.4	65	1	1	5	9	18	24	43	138	2.9	5	1	1	2	4	5	7	15
B. FEMALE																				
0-12 YRS.	2	1.5	1	1	1	1	2	2	2	2										
13-17	16	14.2	205	1	2	7	25	36	42	44	11	1.6	1	1	1	1	2	3	4	4
18-20	11	8.3	57	1	1	5	14	19	23	23	8	2.8	3	1	1	2	4	6	6	6
21-24	23	9.3	145	1	2	4	9	32	37	39	5	1.8	1	1	1	2	2	3	3	3
25-34	101	6.7	26	1	1	5	10	14	17	22	53	3.1	6	1	1	3	4	6	8	14
35-54	177	7.5	50	1	1	5	10	16	23	34	105	3.3	5	1	1	3	4	6	8	11
55-74	150	5.8	24	1	2	4	8	12	14	25	103	3.6	12	1	1	3	4	6	7	23
75 +	52	5.8	35	1	1	4	9	13	15	33	57	3.6	7	1	1	3	4	9	10	11
ALL AGES	532	7.0	47	1	1	4	9	15	21	36	342	3.3	8	1	1	3	4	6	8	12
SUBTOTAL	828	7.1	54	1	1	4	9	16	23	37	480	3.2	7	1	1	3	4	6	8	13
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	15.7	416	1	1	7	31	39	39	39										
13-17	7	11.7	156	1	1	5	21	32	33	33										
18-20	11	15.0	262	2	2	8	20	45	47	47	1	5.0		5	5	5	5	5	5	5
21-24	17	10.6	144	1	1	9	13	19	41	52	2	5.5	25	2	2	5	9	9	9	9
25-34	52	10.6	67	1	2	8	14	22	31	35	12	4.5	82	1	1	2	3	13	30	33
35-54	99	11.1	94	1	1	9	17	23	29	47	23	5.0	30	1	1	3	5	12	20	23
55-74	35	10.4	72	1	2	7	17	23	28	28	15	4.9	5	1	2	5	6	8	9	10
75 +	7	11.7	38	5	5	11	13	22	24	24	5	3.4	8	1	1	2	6	7	7	7
ALL AGES	231	11.1	97	1	2	8	16	24	29	48	58	4.7	30	1	1	3	5	9	15	32
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	15	15.2	397	1	2	7	17	46	67	74	3	1.7	1	1	1	1	2	3	3	3
18-20	8	13.5	99	2	3	9	23	27	28	28										
21-24	24	10.3	56	1	1	9	16	22	23	24	5	2.4	2	1	1	2	3	5	5	5
25-34	110	10.3	83	1	2	7	14	24	26	46	27	3.3	4	1	1	3	4	6	7	10
35-54	161	11.7	96	2	2	9	17	26	32	50	39	4.1	24	1	1	3	4	10	11	28
55-74	110	10.3	83	2	3	8	14	20	31	48	40	3.3	4	1	1	3	4	5	6	12
75 +	39	10.0	60	2	3	8	14	23	27	29	12	5.6	16	1	2	4	9	12	13	13
ALL AGES	468	11.0	93	1	2	8	15	24	30	49	126	3.7	11	1	1	3	4	7	11	17
SUBTOTAL	699	11.0	95	1	2	8	15	24	30	48	184	4.0	18	1	1	3	4	8	11	26
GRAND TOTAL	1527	8.9	76	1	2	6	12	21	26	43	664	3.4	10	1	1	3	4	6	9	15

HYSTERIA (300.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	1	1	1	2	3	3	3	3	2	20.0	450	5	5	20	35	35	35	35
13-17	4	16.0	713	1	1	3	30	56	56	56	5	2.0	2	1	1	1	3	4	4	4
18-20	10	3.1	6	1	1	2	5	7	8	8										
21-24	9	7.4	120	1	1	4	6	25	36	36	6	2.3	2	1	1	2	3	4	4	4
25-34	10	5.0	19	1	1	4	5	12	16	16	6	3.5	11	1	1	2	6	9	9	9
35-54	15	4.5	19	1	1	3	5	13	14	15	5	3.4	2	2	2	4	4	5	5	5
55-74	7	4.1	10	1	1	3	5	9	10	10	3	9.7	29	4	4	10	14	15	15	15
75 +											3	7.7	30	4	4	5	12	14	14	14
ALL AGES	59	5.4	73	1	1	3	5	10	16	54	30	5.1	45	1	1	3	5	12	15	35
B. FEMALE																				
0-12 YRS.	8	3.8	5	1	1	3	5	7	8	8	7	4.3	19	1	1	3	6	12	13	13
13-17	33	12.8	446	1	1	4	11	30	70	96	14	4.4	49	1	1	2	3	13	24	27
18-20	9	12.4	456	2	2	5	9	48	68	68	6	1.8	3	1	1	1	2	5	5	5
21-24	15	3.3	6	1	1	2	5	8	8	8	9	2.0	4	1	1	1	2	5	7	7
25-34	38	7.2	34	1	2	5	11	17	20	21	16	4.6	23	1	1	4	6	9	17	20
35-54	64	10.3	262	1	1	5	9	26	52	87	38	4.1	6	1	1	4	6	8	9	10
55-74	24	7.0	48	1	1	5	8	19	23	29	23	4.5	18	1	1	3	5	9	14	21
75 +	5	5.4	26	1	1	4	9	13	13	13	9	3.0	3	1	1	2	4	6	6	6
ALL AGES	196	8.9	198	1	1	5	9	19	28	83	122	4.0	15	1	1	3	5	8	10	23
SUBTOTAL	255	8.1	171	1	1	4	8	18	27	74	152	4.2	21	1	1	3	5	9	11	27
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	28.5	1301	3	3	28	54	54	54	54	1	7.0		7	7	7	7	7	7	7
18-20	5	3.6	4	1	1	4	5	6	6	6	2	3.0		3	3	3	3	3	3	3
21-24	2	7.0	18	4	4	7	10	10	10	10	1	4.0		4	4	4	4	4	4	4
25-34	8	4.5	3	2	2	4	6	7	7	7	5	4.4	13	1	1	3	7	10	10	10
35-54	14	5.1	20	1	1	4	6	8	17	19	6	3.2	8	1	1	2	5	8	8	8
55-74	5	8.6	28	3	3	9	12	16	16	16	2	4.5	1	4	4	4	5	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5	2	1.0		1	1	1	1	1	1	1
ALL AGES	37	6.6	78	1	2	4	6	11	18	54	19	3.6	7	1	1	3	5	8	9	10
B. FEMALE																				
0-12 YRS.	2	14.0	128	6	6	14	22	22	22	22	1	2.0		2	2	2	2	2	2	2
13-17	11	15.3	348	1	2	8	16	47	62	63	1	3.0		3	3	3	3	3	3	3
18-20	6	12.5	84	1	1	12	19	25	26	26	3	5.7	21	3	3	3	9	11	11	11
21-24	10	3.8	12	1	1	2	5	10	11	11	3	2.3	1	2	2	2	3	3	3	3
25-34	25	10.8	55	2	2	8	19	20	22	25	11	3.5	4	1	1	3	5	7	8	8
35-54	38	11.0	87	1	2	8	16	24	28	41	20	4.3	12	1	1	3	7	10	11	11
55-74	15	7.3	36	1	1	5	10	15	21	23	12	3.6	2	1	1	3	5	6	6	6
75 +	4	12.5	110	2	2	13	21	22	22	22	5	3.6		3	3	4	4	4	4	4
ALL AGES	111	10.4	96	1	2	8	16	22	26	50	56	3.8	7	1	1	3	5	8	10	11
SUBTOTAL	148	9.5	93	1	2	6	12	21	25	54	75	3.8	7	1	1	3	5	8	10	11
GRAND TOTAL	403	8.6	142	1	1	5	9	20	26	65	227	4.0	17	1	1	3	5	8	10	22

PHOBIC DISORDERS (300.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22	1	1.0		1	1	1	1	1	1	1
18-20	2	5.0		5	5	5	5	5	5	5										
21-24	1	6.0		6	6	6	6	6	6	6	1	18.0		18	18	18	18	18	18	18
25-34	2	3.0		3	3	3	3	3	3	3										
35-54	5	4.2	13	1	1	3	8	8	8	8										
55-74	1	26.0		26	26	26	26	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
ALL AGES	13	7.2	61	1	1	5	8	23	25	26	3	6.7	96	1	1	1	14	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17	3	9.0	37	5	5	6	13	16	16	16	1	1.0		1	1	1	1	1	1	1
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	1	11.0		11	11	11	11	11	11	11										
25-34	14	11.9	127	1	1	10	18	24	37	41	1	26.0		26	26	26	26	26	26	26
35-54	16	9.9	103	1	1	6	16	30	32	32	5	6.6	12	2	2	8	9	10	10	10
55-74	8	12.9	69	3	4	11	19	25	27	27										
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	44	10.8	92	1	1	8	16	23	31	41	7	8.6	71	1	1	8	10	23	26	26
SUBTOTAL	57	10.0	85	1	1	6	16	22	30	40	10	8.0	70	1	1	6	10	22	26	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	25.7	95	19	19	21	33	37	37	37										
18-20	2	21.5	41	17	17	21	26	26	26	26										
21-24	2	17.0	338	4	4	17	30	30	30	30										
25-34	3	2.7	2	1	1	3	4	4	4	4										
35-54	19	14.1	70	5	6	12	18	28	28	28										
55-74	3	19.0	84	9	9	21	25	27	27	27	2	5.0	18	2	2	5	8	8	8	8
75 +																				
ALL AGES	32	15.2	96	3	4	13	24	28	30	37	2	5.0	18	2	2	5	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17	3	8.3	11	6	6	7	11	12	12	12										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24	2	7.0	8	5	5	7	9	9	9	9										
25-34	10	11.3	86	1	1	10	13	26	33	33	1	2.0		2	2	2	2	2	2	2
35-54	15	12.8	128	2	3	11	15	25	41	47										
55-74	7	15.9	144	4	4	13	27	32	33	33										
75 +	2	8.5	61	3	3	8	14	14	14	14										
ALL AGES	40	12.0	96	2	3	10	14	27	33	47	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	72	13.4	98	2	4	11	18	28	32	45	3	4.0	12	2	2	2	7	8	8	8
GRAND TOTAL	129	11.9	95	1	2	9	17	27	31	42	13	7.1	57	1	1	4	9	20	25	26

OBSESSIVE-COMPULSIVE DIS (300.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	38.0		38	38	38	38	38	38	38										
18-20																				
21-24																				
25-34	6	30.5	1044	4	4	21	38	86	91	91	1	35.0		35	35	35	35	35	35	35
35-54	7	24.1	1178	1	2	19	61	99+	99+	99+	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	16	25.1	891	2	3	17	38	97	99+	99+	2	19.0	512	3	3	19	35	35	35	35
B. FEMALE																				
0-12 YRS.	2	26.0	800	6	6	26	46	46	46	46										
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	1	20.0		20	20	20	20	20	20	20										
25-34	8	25.4	563	1	2	22	50	86	99+	99+	2	13.5	313	1	1	13	26	26	26	26
35-54	3	23.3	215	8	8	25	34	37	37	37										
55-74	2	25.0	450	10	10	25	40	40	40	40										
75 +	3	20.0	37	16	16	17	24	27	27	27	1	36.0		36	36	36	36	36	36	36
ALL AGES	20	22.8	331	1	2	20	41	54	81	99+	3	21.0	325	1	1	26	33	36	36	36
SUBTOTAL	36	23.8	564	1	3	19	38	83	99+	99+	5	20.2	292	1	1	26	35	36	36	36
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17	2	8.0	8	6	6	8	10	10	10	10										
18-20																				
21-24	2	8.0	32	4	4	8	12	12	12	12										
25-34	7	8.9	30	2	2	9	11	18	19	19	2	41.5	1985	10	10	41	73	73	73	73
35-54	7	21.4	114	13	14	17	25	40	43	43										
55-74	4	21.0	106	9	9	22	29	31	31	31										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	24	14.5	97	3	4	13	17	29	35	43	2	41.5	1985	10	10	41	73	73	73	73
B. FEMALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	56	99+	99+	99+	99+										
18-20	2	11.0	72	5	5	11	17	17	17	17										
21-24	2	11.5	1	11	11	11	12	12	12	12										
25-34	9	28.0	879	3	3	18	34	80	83	83	1	23.0		23	23	23	23	23	23	23
35-54	8	26.6	204	8	9	29	37	44	46	46										
55-74	4	29.3	1019	9	9	15	46	77	77	77	1	11.0		11	11	11	11	11	11	11
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	27	24.2	491	4	6	16	34	76	85	99+	2	17.0	72	11	11	17	23	23	23	23
SUBTOTAL	51	19.6	326	4	5	15	23	44	77	99+	4	29.3	882	10	10	17	48	73	73	73
GRAND TOTAL	87	21.4	420	3	4	16	28	56	91	99+	9	24.2	502	1	2	23	35	58	73	73

NEUROTIC DEPRESSION (300.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	13	34.3	329	8	13	38	54	99 +	99 +	99 +										
13-17	96	28.2	346	4	5	28	43	56	64	87	2	2.0	2	1	1	2	3	3	3	3
18-20	27	10.4	103	1	1	8	15	26	34	41	3	2.0	1	1	1	2	3	3	3	3
21-24	46	9.9	86	1	1	7	14	19	30	42	11	3.0	3	1	1	3	3	6	6	6
25-34	153	11.3	128	1	2	8	14	25	34	45	19	5.2	27	1	1	3	7	12	18	21
35-54	257	11.6	88	2	3	9	15	24	31	45	30	7.4	77	1	1	4	8	24	27	31
55-74	107	11.4	87	2	3	9	15	26	32	70	32	5.4	15	1	2	4	6	12	15	15
75 +	20	12.5	113	3	4	8	16	24	38	48	10	3.8	4	1	1	4	4	7	8	8
ALL AGES	719	14.0	176	1	3	10	18	34	44	72	107	5.4	33	1	1	3	6	13	19	29
B. FEMALE																				
0-12 YRS.	19	31.6	386	5	7	28	51	64	84	99 +	1	17.0		17	17	17	17	17	17	17
13-17	204	30.0	437	2	5	29	44	62	74	99 +	13	3.5	5	1	1	3	5	7	9	9
18-20	68	12.6	206	1	1	8	16	33	40	97	10	4.8	18	1	1	3	7	12	14	14
21-24	82	10.3	129	1	1	7	11	29	39	55	8	7.9	114	1	1	2	15	25	25	25
25-34	299	10.9	94	1	2	9	14	24	29	48	57	7.8	70	1	2	5	9	20	23	40
35-54	475	11.7	118	1	2	8	16	24	30	55	83	6.1	60	1	2	3	6	10	29	38
55-74	273	12.8	112	2	3	11	16	25	30	62	74	5.2	25	1	2	4	6	10	14	31
75 +	72	11.1	83	2	3	8	15	26	30	42	23	5.5	11	1	2	4	8	11	12	13
ALL AGES	1492	14.4	206	1	2	10	19	33	45	75	269	6.1	46	1	2	4	7	14	21	37
SUBTOTAL	2211	14.3	195	1	2	10	19	34	45	74	376	5.9	42	1	1	4	6	14	21	36
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	34	37.2	350	15	17	36	52	85	99 +	99 +	1	11.0		11	11	11	11	11	11	11
13-17	112	27.1	475	2	5	23	42	76	96	99 +	3	13.3	122	1	1	17	21	22	22	22
18-20	70	15.1	165	1	3	12	20	35	43	54	3	5.0	13	2	2	4	8	9	9	9
21-24	63	13.6	159	2	2	10	19	32	46	47	5	6.4	108	1	1	2	8	25	25	25
25-34	248	10.9	69	1	2	9	16	22	28	38	33	16.9	273	1	2	15	24	33	59	66
35-54	349	12.7	106	2	3	10	18	27	31	44	38	9.9	111	1	1	4	16	29	31	35
55-74	87	13.0	88	2	3	11	17	26	31	45	6	4.7	10	2	2	3	7	10	10	10
75 +	10	12.8	90	4	4	10	23	27	27	27	3	5.7	10	2	2	7	8	8	8	8
ALL AGES	973	15.0	193	2	3	11	20	32	46	90	92	11.7	169	1	1	6	19	28	31	64
B. FEMALE																				
0-12 YRS.	19	40.0	617	4	5	37	70	90	99 +	99 +										
13-17	200	29.7	483	4	6	25	44	68	92	99 +	9	10.2	92	1	2	6	23	63	99 +	99 +
18-20	74	16.9	206	2	3	13	21	35	51	66	7	5.3	18	2	2	3	7	13	14	14
21-24	116	11.1	97	1	2	8	16	23	28	50	5	9.4	138	2	2	4	13	30	30	30
25-34	397	12.5	113	2	3	10	17	26	35	63	24	13.1	229	1	1	6	24	31	45	60
35-54	466	12.5	97	2	3	10	17	25	31	52	56	9.5	95	2	2	5	11	26	31	42
55-74	172	14.1	98	3	4	12	17	29	36	47	18	9.1	131	3	4	6	8	11	37	54
75 +	47	14.0	99	2	3	13	19	31	35	41	6	14.5	203	3	3	7	30	34	35	35
ALL AGES	1491	15.5	206	2	3	12	20	34	47	91	125	10.2	126	2	2	6	11	29	34	70
SUBTOTAL	2464	15.3	201	2	3	12	20	33	46	91	217	10.8	145	1	2	6	16	28	33	63
GRAND TOTAL	4675	14.8	199	2	3	11	20	34	45	84	593	7.7	85	1	2	4	8	21	29	46

NEURASTHENIA (300.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	1.0		1	1	1	1	1	1	1
35-54	1	7.0		7	7	7	7	7	7	7										
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	2	4.5	13	2	2	4	7	7	7	7	2	2.5	5	1	1	2	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	8.0	72	2	2	8	14	14	14	14
35-54	3	4.0	19	1	1	2	7	9	9	9	1	3.0		3	3	3	3	3	3	3
55-74	1	2.0		2	2	2	2	2	2	2	3	3.7	9	1	1	3	6	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3	1	16.0		16	16	16	16	16	16	16
ALL AGES	5	3.4	10	1	1	2	4	9	9	9	7	6.6	37	1	1	3	12	16	16	16
SUBTOTAL	7	3.7	9	1	1	2	6	9	9	9	9	5.7	31	1	1	3	9	15	16	16
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	11.3	235	2	2	3	22	29	29	29	2	3.5	1	3	3	3	4	4	4	4
35-54											1	3.0		3	3	3	3	3	3	3
55-74	1	1.0		1	1	1	1	1	1	1	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	4	8.8	182	1	1	2	16	29	29	29	4	3.5		3	3	3	4	4	4	4
SUBTOTAL	4	8.8	182	1	1	2	16	29	29	29	4	3.5		3	3	3	4	4	4	4
GRAND TOTAL	11	5.5	67	1	1	2	6	17	28	29	13	5.0	22	1	1	3	5	14	16	16

DEPERSONALIZATION SYND (300.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	9.0	18	6	6	9	12	12	12	12										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	9.0	18	6	6	9	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.0	8	5	5	7	9	9	9	9										
21-24	1	9.0		9	9	9	9	9	9	9										
25-34																				
35-54	1	20.0		20	20	20	20	20	20	20										
55-74																				
75 +																				
ALL AGES	4	10.8	40	5	5	9	15	20	20	20										
SUBTOTAL	6	10.2	29	5	5	9	12	19	20	20										
GRAND TOTAL	6	10.2	29	5	5	9	12	19	20	20										

HYPOCHONDRIASIS (300.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	5.5	1	5	5	5	6	6	6	6										
55-74	3	17.7	71	9	9	18	24	26	26	26										
75 +																				
ALL AGES	6	10.8	89	1	1	7	18	25	26	26										
SUBTOTAL	6	10.8	89	1	1	7	18	25	26	26										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	2	5.0	18	2	2	5	8	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54																				
55-74																				
75 +	2	16.0	338	3	3	16	29	29	29	29										
ALL AGES	4	9.0	179	1	1	3	16	29	29	29										
SUBTOTAL	6	7.7	114	1	1	3	8	27	29	29										
GRAND TOTAL	12	9.3	94	1	1	5	13	27	29	29										

NEUROTIC DISORDERS NEC (300.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	19.0		19	19	19	19	19	19	19										
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	6	13.0	66	5	5	10	18	26	27	27										
55-74	3	13.3	19	10	10	12	16	18	18	18	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	11	12.5	55	1	3	10	18	22	27	27	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
18-20											1	3.0		3	3	3	3	3	3	3
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7	1	2.0		2	2	2	2	2	2	2
35-54	12	10.2	70	1	1	9	15	20	29	30	3	10.7	19	6	6	11	14	15	15	15
55-74	8	14.9	96	2	3	14	19	30	34	34	1	31.0		31	31	31	31	31	31	31
75 +	2	33.5	481	18	18	33	49	49	49	49	1	5.0		5	5	5	5	5	5	5
ALL AGES	24	13.4	129	1	2	11	17	30	38	49	8	9.5	95	2	2	5	13	26	31	31
SUBTOTAL	35	13.1	104	1	2	10	18	27	33	49	9	8.8	88	2	2	5	12	25	31	31
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	45.0		45	45	45	45	45	45	45										
18-20																				
21-24																				
25-34	5	7.0	12	4	4	6	10	12	12	12										
35-54	5	14.4	71	7	7	13	20	27	27	27	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	12	14.3	140	4	4	10	18	32	43	45	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24	3	9.3	90	2	2	6	16	20	20	20										
25-34	9	6.1	12	1	1	7	9	10	10	10										
35-54	27	14.0	309	4	5	9	17	22	35	97	1	9.0		9	9	9	9	9	9	9
55-74	14	14.2	169	2	4	9	23	38	40	41										
75 +																				
ALL AGES	54	12.6	209	2	3	9	14	23	36	95	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	66	12.9	195	2	4	9	18	24	39	89	2	6.5	13	4	4	6	9	9	9	9
GRAND TOTAL	101	13.0	162	2	3	9	18	25	36	72	11	8.4	72	2	2	5	10	21	30	31

NEUROTIC DISORDER NOS (300.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
13-17	7	4.4	7	2	2	3	7	8	8	8										
18-20	3	10.3	130	1	1	7	19	23	23	23										
21-24	5	3.2	11	1	1	2	4	9	9	9										
25-34	9	3.8	13	1	1	3	5	10	12	12	2	1.0		1	1	1	1	1	1	1
35-54	20	12.0	95	1	1	9	18	27	29	30	4	2.0	1	1	1	2	3	3	3	3
55-74	6	13.3	128	1	1	14	23	27	27	27	6	13.7	138	2	2	11	23	31	32	32
75 +	4	7.0	5	5	5	6	8	10	10	10	5	3.8	7	1	1	3	6	7	7	7
ALL AGES	55	8.4	71	1	1	5	11	23	27	30	18	6.3	72	1	1	3	7	20	28	32
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17	18	4.3	13	1	1	3	6	11	12	12	7	2.0	1	1	1	2	2	4	4	4
18-20	9	3.2	40	1	1	1	2	13	20	20	2	2.0	2	1	1	2	3	3	3	3
21-24	7	10.1	172	1	1	7	12	33	38	38	2	1.0		1	1	1	1	1	1	1
25-34	16	9.3	30	1	1	10	11	17	19	20	6	2.5	3	1	1	2	4	5	5	5
35-54	31	7.8	38	1	1	7	12	17	18	23	4	3.3	4	1	1	3	5	5	5	5
55-74	21	12.5	67	3	4	10	20	23	27	31	4	7.8	3	6	6	8	9	10	10	10
75 +	9	11.0	69	4	4	8	15	25	28	28	6	7.3	43	1	1	5	10	18	19	19
ALL AGES	111	8.4	55	1	1	7	12	20	23	34	32	3.9	15	1	1	3	5	9	10	19
SUBTOTAL	166	8.4	59	1	1	6	12	20	24	31	50	4.7	36	1	1	3	6	10	19	32
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	7.7	6	5	5	8	9	10	10	10										
13-17	23	5.1	14	1	2	5	6	8	15	18	2	44.0	2592	8	8	44	80	80	80	80
18-20	10	5.5	23	1	1	4	7	13	16	16	1	7.0		7	7	7	7	7	7	7
21-24	2	2.5	1	2	2	2	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	22	5.6	34	1	1	4	8	15	20	21	1	3.0		3	3	3	3	3	3	3
35-54	17	7.4	122	1	1	4	7	14	37	48	6	2.7	3	1	1	2	5	5	5	5
55-74	2	7.0	32	3	3	7	11	11	11	11	2	11.0	32	7	7	11	15	15	15	15
75 +	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
ALL AGES	80	5.8	42	1	1	4	7	12	17	40	14	10.2	417	1	1	4	7	21	67	80
B. FEMALE																				
0-12 YRS.	2	32.0	1682	3	3	32	61	61	61	61										
13-17	19	9.3	103	1	2	6	8	24	36	42	8	2.3	1	1	1	2	3	4	4	4
18-20	12	3.3	17	1	1	2	3	8	15	16	6	1.3		1	1	1	2	2	2	2
21-24	12	6.0	53	1	1	3	7	17	25	26	1	1.0		1	1	1	1	1	1	1
25-34	26	5.8	45	1	1	4	6	13	20	31	6	2.3	2	1	1	2	3	5	5	5
35-54	23	8.3	57	1	1	7	12	17	26	29	16	4.6	38	1	1	3	5	6	21	27
55-74	7	9.4	39	1	2	11	14	17	18	18	5	5.0	18	2	2	3	7	12	12	12
75 +	4	9.5	42	3	3	9	15	16	16	16	6	6.2	18	4	4	5	5	14	15	15
ALL AGES	105	7.6	83	1	1	4	10	16	27	51	48	3.7	19	1	1	3	4	6	12	27
SUBTOTAL	185	6.8	66	1	1	4	8	15	19	46	62	5.2	111	1	1	3	5	7	15	74
GRAND TOTAL	351	7.6	63	1	1	5	10	17	23	38	112	5.0	77	1	1	3	5	9	15	50

PARANOID PERSONALITY (301.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	10.0	32	6	6	10	14	14	14	14										
21-24																				
25-34	6	10.5	52	4	4	9	11	23	24	24										
35-54	6	20.5	232	6	6	16	28	45	47	47										
55-74																				
75 +																				
ALL AGES	14	14.7	139	4	5	10	20	30	43	47										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	17.0		17	17	17	17	17	17	17										
21-24																				
25-34	4	4.0	9	1	1	4	6	7	7	7										
35-54	3	15.3	98	4	4	21	21	21	21	21	1	2.0		2	2	2	2	2	2	2
55-74	1	8.0		8	8	8	8	8	8	8	1	22.0		22	22	22	22	22	22	22
75 +	1	14.0		14	14	14	14	14	14	14										
ALL AGES	10	10.1	57	1	1	7	17	21	21	21	2	12.0	200	2	2	12	22	22	22	22
SUBTOTAL	24	12.8	106	2	4	10	18	24	34	47	2	12.0	200	2	2	12	22	22	22	22
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	46.0		46	46	46	46	46	46	46										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24																				
25-34	9	13.0	61	3	4	11	18	25	27	27										
35-54	6	13.3	56	3	3	14	20	22	22	22	1	2.0		2	2	2	2	2	2	2
55-74	1	4.0		4	4	4	4	4	4	4										
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	19	13.9	109	3	4	11	19	25	37	46	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	23.0		23	23	23	23	23	23	23										
55-74	2	4.5	25	1	1	4	8	8	8	8										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	4	9.0	95	1	1	6	15	23	23	23										
SUBTOTAL	23	13.0	107	2	3	10	19	24	34	46	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	47	12.9	104	2	3	10	19	24	31	47	3	8.7	132	2	2	2	17	22	22	22

North Central Region January - December 1986

AFFECTIVE PERSONALITY (301.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	32.5	313	20	20	32	45	45	45	45										
18-20	1	8.0		8	8	8	8	8	8	8										
21-24	1	13.0		13	13	13	13	13	13	13										
25-34	3	9.7	11	6	6	10	12	13	13	13										
35-54	2	7.0	32	3	3	7	11	11	11	11	1	13.0		13	13	13	13	13	13	13
55-74																				
75 +																				
ALL AGES	9	14.3	157	3	4	11	15	35	45	45	1	13.0		13	13	13	13	13	13	13
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.7	42	15	15	26	27	27	27	27										
18-20	1	31.0		31	31	31	31	31	31	31										
21-24	2	6.5	13	4	4	6	9	9	9	9										
25-34	7	11.1	150	1	1	5	22	30	31	31										
35-54	7	7.6	19	2	2	6	11	13	14	14	2	5.0	2	4	4	5	6	6	6	6
55-74	4	25.5	171	18	18	20	33	45	45	45										
75 +																				
ALL AGES	24	14.4	135	1	3	11	23	31	35	45	2	5.0	2	4	4	5	6	6	6	6
SUBTOTAL	33	14.4	135	2	3	11	20	31	43	45	3	7.7	22	4	4	6	11	13	13	13
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	64	99 +	99 +	99 +	99 +										
18-20	4	18.8	28	12	12	19	23	25	25	25										
21-24	6	13.2	34	6	6	14	19	19	19	19										
25-34	12	10.8	81	1	2	8	14	27	29	29										
35-54	3	14.7	283	3	3	7	27	34	34	34										
55-74																				
75 +																				
ALL AGES	26	13.7	85	2	4	11	21	29	44	99 +										
B. FEMALE																				
0-12 YRS.																				
13-17	6	17.7	154	4	5	14	19	39	41	41										
18-20	4	9.5	54	4	4	7	14	20	20	20										
21-24	3	10.0	63	4	4	7	16	19	19	19										
25-34	9	14.2	149	4	5	9	20	34	42	42	2	21.0		21	21	21	21	21	21	21
35-54	17	9.5	59	1	1	8	12	19	27	31	1	28.0		28	28	28	28	28	28	28
55-74	1	21.0		21	21	21	21	21	21	21										
75 +																				
ALL AGES	40	12.1	94	1	3	9	18	22	36	42	3	23.3	19	21	21	21	26	28	28	28
SUBTOTAL	66	12.7	91	2	3	10	19	28	35	90	3	23.3	19	21	21	21	26	28	28	28
GRAND TOTAL	99	13.3	104	2	3	10	19	28	37	73	6	15.5	89	4	4	17	21	27	28	28

SCHIZOID PERSONALITY (301.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	33.5	1301	8	8	33	59	59	59	59										
13-17	9	38.2	142	15	20	41	48	49	49	49	1	56.0		56	56	56	56	56	56	56
18-20	8	15.0	160	3	3	12	24	35	36	36	1	33.0		33	33	33	33	33	33	33
21-24	5	17.8	99	10	10	16	27	35	35	35										
25-34	14	11.3	113	2	2	5	18	30	32	32										
35-54	5	12.2	148	1	1	8	23	28	28	28	1	28.0		28	28	28	28	28	28	28
55-74	3	16.0	175	6	6	11	26	31	31	31										
75 +																				
ALL AGES	46	19.3	251	2	3	15	31	46	49	59	3	39.0	223	28	28	33	50	56	56	56
B. FEMALE																				
0-12 YRS.	1	54.0		54	54	54	54	54	54	54										
13-17	3	19.7	140	6	6	25	27	28	28	28										
18-20	1	19.0		19	19	19	19	19	19	19										
21-24	2	13.5	145	5	5	13	22	22	22	22										
25-34	8	17.3	167	4	4	14	29	35	36	36	5	16.0	184	1	1	21	27	29	29	29
35-54	6	7.7	17	3	3	7	9	14	15	15										
55-74																				
75 +																				
ALL AGES	21	16.3	183	4	4	9	25	34	44	54	5	16.0	184	1	1	21	27	29	29	29
SUBTOTAL	67	18.4	227	2	3	15	29	40	49	58	8	24.6	312	1	1	27	31	49	56	56
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	6	30.5	386	5	5	40	43	48	49	49										
18-20																				
21-24	5	15.6	260	1	1	9	25	42	42	42										
25-34	5	11.8	58	4	4	11	19	21	21	21										
35-54	5	15.6	19	11	11	17	19	20	20	20										
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	22	18.3	221	2	4	14	21	42	45	49	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	57.0	1682	28	28	57	86	86	86	86										
18-20																				
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	2	8.5	25	5	5	8	12	12	12	12	1	20.0		20	20	20	20	20	20	20
35-54	5	10.8	30	5	5	8	16	18	18	18	1	6.0		6	6	6	6	6	6	6
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	11	17.7	565	5	5	8	17	51	83	86	2	13.0	98	6	6	13	20	20	20	20
SUBTOTAL	33	18.1	322	4	5	11	20	42	48	86	3	9.0	97	1	1	6	16	20	20	20
GRAND TOTAL	100	18.3	255	2	3	13	28	42	49	72	11	20.4	288	1	1	21	29	42	55	56

EXPLOSIVE PERSONALITY (301.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	8.0		8	8	8	8	8	8	8										
13-17	2	16.0	162	7	7	16	25	25	25	25										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	3	5.3	57	1	1	1	11	14	14	14	1	1.0		1	1	1	1	1	1	1
25-34	6	5.7	18	2	2	5	7	12	13	13										
35-54	1	9.0		9	9	9	9	9	9	9										
55-74	2	8.0	72	2	2	8	14	14	14	14										
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	17	7.2	41	1	1	7	10	14	21	25	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	1	22.0		22	22	22	22	22	22	22										
35-54																				
55-74																				
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	3	14.7	139	1	1	21	22	22	22	22	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	20	8.4	55	1	1	7	13	21	23	25	2	2.5	5	1	1	2	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17	5	25.4	457	4	4	22	47	49	49	49										
18-20	4	7.5	27	1	1	8	11	13	13	13										
21-24	4	17.8	683	4	4	5	31	57	57	57										
25-34	8	7.8	16	4	4	6	11	14	14	14										
35-54	4	4.3	7	1	1	4	6	7	7	7										
55-74	4	8.5	28	2	2	8	12	15	15	15										
75 +																				
ALL AGES	30	12.2	205	1	2	6	14	36	49	57										
B. FEMALE																				
0-12 YRS.																				
13-17	3	11.0	61	5	6	7	17	20	20	20										
18-20																				
21-24																				
25-34	2	13.0	50	8	8	13	18	18	18	18										
35-54	2	12.0	32	8	8	12	16	16	16	16										
55-74																				
75 +																				
ALL AGES	7	11.9	34	6	6	8	17	20	20	20										
SUBTOTAL	37	12.2	170	1	3	7	14	25	48	57										
GRAND TOTAL	57	10.8	133	1	2	7	14	22	39	56	2	2.5	5	1	1	2	4	4	4	4

COMPULSIVE PERSONALITY (301.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24																				
25-34	3	6.0	39	1	1	4	11	13	13	13	1	18.0		18	18	18	18	18	18	18
35-54	2	25.0	392	11	11	25	39	39	39	39										
55-74																				
75 +																				
ALL AGES	6	13.0	183	1	1	10	13	36	39	39	1	18.0		18	18	18	18	18	18	18
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	25.0	800	5	5	25	45	45	45	45										
55-74	1	14.0		14	14	14	14	14	14	14										
75 +																				
ALL AGES	4	18.0	338	5	5	11	29	45	45	45										
SUBTOTAL	10	15.0	221	1	2	10	14	42	45	45	1	18.0		18	18	18	18	18	18	18
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	3.0		3	3	3	3	3	3	3										
21-24	1	10.0		10	10	55	99+	99+	99+	99+										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	25	3	3	10	77	99+	99+	99+										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	3	8.3	57	1	1	8	14	16	16	16										
35-54	4	12.8	35	4	4	14	16	18	18	18										
55-74	2	19.0	8	17	17	19	21	21	21	21										
75 +																				
ALL AGES	9	12.7	45	1	2	15	17	20	21	21										
SUBTOTAL	11	11.5	47	1	2	14	17	45	92	99+										
GRAND TOTAL	21	13.2	125	1	2	12	17	41	67	99+	1	18.0		18	18	18	18	18	18	18

North Central Region January - December 1986

HISTRIONIC PERSONALITY (301.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	41.0		41	41	41	41	41	41	41										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	2	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
55-74											1	1.0		1	1	1	1	1	1	1
75 +																				
ALL AGES	5	9.4	313	1	1	1	12	41	41	41	4	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	3	42.0	19	37	37	44	45	45	45	45										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	10.2	93	1	1	6	20	22	22	22										
25-34	6	13.2	78	2	3	11	18	27	28	28	2	4.5	25	1	1	4	8	8	8	8
35-54	4	6.0	38	1	1	4	10	15	15	15	1	10.0		10	10	10	10	10	10	10
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	21	14.0	194	1	1	9	20	40	44	45	3	6.3	23	1	1	8	9	10	10	10
SUBTOTAL	26	13.1	209	1	1	7	19	41	44	45	7	3.3	15	1	1	1	6	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
35-54																				
55-74																				
75 +																				
ALL AGES	1	9.0		9	9	9	9	9	9	9	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	98	4	4	11	18	18	18	18										
18-20	2	11.0	98	4	4	11	18	18	18	18										
21-24	1	5.0		5	5	5	5	5	5	5	2	7.0	18	4	4	7	10	10	10	10
25-34	10	12.3	83	1	1	13	19	24	24	24	1	3.0		3	3	3	3	3	3	3
35-54	8	13.5	71	1	3	13	18	25	28	28										
55-74											1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	23	12.2	68	1	1	13	19	24	26	28	4	5.5	10	3	3	4	7	10	10	10
SUBTOTAL	24	12.0	67	1	1	11	18	24	25	28	5	4.6	11	1	1	4	6	10	10	10
GRAND TOTAL	50	12.6	138	1	1	9	19	28	41	45	12	3.8	13	1	1	2	6	10	10	10

DEPENDENT PERSONALITY (301.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20	2	9.0	50	4	4	9	14	14	14	14										
21-24	2	8.0	8	6	6	8	10	10	10	10										
25-34	4	11.3	229	3	3	4	19	34	34	34										
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	9	9.7	95	3	3	6	11	26	34	34	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	20.0		20	20	20	20	20	20	20										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	9.0	52	1	1	11	14	15	15	15										
25-34	6	15.8	123	1	2	15	23	31	32	32										
35-54	4	5.0	17	1	1	5	8	9	9	9	2	16.5	313	4	4	16	29	29	29	29
55-74	4	9.0	67	1	1	7	15	20	20	20										
75 +																				
ALL AGES	19	10.5	80	1	1	10	18	22	28	32	2	16.5	313	4	4	16	29	29	29	29
SUBTOTAL	28	10.2	83	1	1	9	14	22	32	34	3	12.0	217	3	3	4	23	29	29	29
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	2	6.5	25	3	3	6	10	10	10	10										
21-24	2	3.0		3	3	3	3	3	3	3										
25-34	9	6.6	29	1	1	5	11	15	16	16										
35-54	2	5.5	1	5	5	5	6	6	6	6	1	28.0		28	28	28	28	28	28	28
55-74																				
75 +																				
ALL AGES	15	5.9	21	1	1	5	9	13	15	16	1	28.0		28	28	28	28	28	28	28
B. FEMALE																				
0-12 YRS.																				
13-17	2	21.5	613	4	4	21	39	39	39	39										
18-20	1	2.0		2	2	2	2	2	2	2										
21-24	4	5.3	6	3	3	4	7	9	9	9										
25-34	8	8.5	60	1	1	6	12	21	24	24	1	1.0		1	1	1	1	1	1	1
35-54	8	12.4	82	2	3	11	16	27	30	30	1	28.0		28	28	28	28	28	28	28
55-74	4	8.8	20	4	4	8	12	15	15	15										
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	28	9.7	82	1	2	7	12	23	31	39	2	14.5	365	1	1	14	28	28	28	28
SUBTOTAL	43	8.4	63	1	2	6	11	17	26	39	3	19.0	243	1	1	28	28	28	28	28
GRAND TOTAL	71	9.1	71	1	1	6	11	21	30	38	6	15.5	199	1	1	16	28	29	29	29

ANTISOCIAL PERSONALITY (301.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	13.0	47	2	3	13	18	22	22	22										
18-20	6	5.3	19	2	2	4	7	12	13	13										
21-24	5	4.2	20	1	1	1	8	10	10	10	1	33.0		33	33	33	33	33	33	33
25-34	5	7.4	45	3	3	5	10	19	19	19										
35-54	5	3.2	3	2	2	2	4	6	6	6										
55-74	2	21.0	32	17	17	21	25	25	25	25										
75 +																				
ALL AGES	29	7.8	48	1	1	6	13	19	22	25	1	33.0		33	33	33	33	33	33	33
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	5	14.4	166	1	1	12	24	33	33	33										
35-54																				
55-74																				
75 +																				
ALL AGES	7	11.7	135	1	1	8	19	31	33	33										
SUBTOTAL	36	8.6	63	1	1	6	13	21	24	33	1	33.0		33	33	33	33	33	33	33
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	30.0		30	30	30	30	30	30	30										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	7	11.9	157	1	1	11	16	32	36	36										
21-24	12	5.5	16	1	1	5	8	12	14	14										
25-34	25	6.9	25	1	1	5	10	15	17	17	1	1.0		1	1	1	1	1	1	1
35-54	11	6.1	23	1	2	6	7	13	18	19										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +	1	15.0		15	15	15	15	15	15	15										
ALL AGES	59	7.5	48	1	1	5	10	16	18	35	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	4	13.8	354	3	3	5	24	42	42	42										
21-24	3	10.7	179	1	1	5	21	26	26	26										
25-34	2	3.5	5	2	2	3	5	5	5	5										
35-54	2	2.0	2	1	1	2	3	3	3	3										
55-74																				
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	12	8.5	156	1	1	4	5	31	40	42										
SUBTOTAL	71	7.6	65	1	1	5	10	16	26	41	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	107	8.0	63	1	1	5	11	18	25	39	2	17.0	512	1	1	17	33	33	33	33

OTHER PERSONALITY DIS (301.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	10.0		10	10	55	99+	99+	99+	99+										
13-17	14	29.2	226	2	8	30	43	50	87	99+										
18-20	11	17.5	280	3	3	11	29	41	53	54										
21-24	11	6.0	13	2	2	4	9	11	13	13										
25-34	28	8.0	60	1	1	6	11	15	26	35	1	1.0		1	1	1	1	1	1	1
35-54	25	13.8	165	1	1	10	23	32	40	47	2	8.5	13	6	6	8	11	11	11	11
55-74	2	10.0	8	8	8	10	12	12	12	12										
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	93	13.7	180	1	2	9	24	38	46	99+	3	6.0	25	1	1	6	10	11	11	11
B. FEMALE																				
0-12 YRS.																				
13-17	34	26.7	275	7	12	26	43	67	99+	99+										
18-20	22	13.8	366	1	2	9	17	25	54	92	1	1.0		1	1	1	1	1	1	1
21-24	53	11.9	125	1	2	8	18	26	39	45										
25-34	74	11.8	142	1	1	9	15	27	33	65	3	14.7	85	7	7	12	22	25	25	25
35-54	60	11.7	97	1	2	9	15	22	35	49										
55-74	4	10.3	53	3	3	10	16	18	18	18	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	247	14.0	187	1	2	10	18	32	45	99+	5	10.6	80	1	1	8	15	25	25	25
SUBTOTAL	340	13.9	185	1	2	10	18	35	45	99+	8	8.9	58	1	1	7	11	21	25	25
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	42.0	242	31	51	42	53	53	53	53										
13-17	11	26.6	323	3	6	22	40	54	59	59										
18-20	16	9.3	101	1	1	6	13	18	34	41										
21-24	15	9.9	120	2	3	6	11	18	38	45										
25-34	52	10.3	72	1	2	8	13	23	28	41	1	4.0		4	4	4	4	4	4	4
35-54	22	11.0	215	1	2	7	12	24	48	67	1	5.0		5	5	5	5	5	5	5
55-74	4	19.5	6	17	17	19	21	22	22	22	1	28.0		28	28	28	28	28	28	28
75 +	2	9.0		9	9	9	9	9	9	9										
ALL AGES	124	12.5	159	1	2	8	16	28	41	61	3	12.3	186	4	4	5	22	28	28	28
B. FEMALE																				
0-12 YRS.	3	47.3	682	22	22	46	67	74	74	74										
13-17	24	21.1	249	5	7	20	30	96	99+	99+										
18-20	10	8.0	55	1	1	7	12	19	25	25										
21-24	40	13.9	87	1	2	12	18	30	34	36										
25-34	94	13.1	178	1	2	9	17	29	50	59	3	7.7	54	2	2	5	13	16	16	16
35-54	49	12.8	102	1	2	10	22	28	36	99+	2	18.5	481	3	3	18	34	34	34	34
55-74	4	10.3	46	2	2	10	15	18	18	18										
75 +	2	8.0	98	1	1	8	15	15	15	15										
ALL AGES	226	14.1	170	1	2	11	19	32	49	99+	5	12.0	183	2	2	5	20	34	34	34
SUBTOTAL	350	13.6	164	1	2	10	18	31	45	99	8	12.1	158	2	2	5	22	32	34	34
GRAND TOTAL	690	13.7	176	1	2	10	18	33	45	99+	16	10.5	103	1	1	6	14	28	32	34

PERSONALITY DISORDER NOS (301.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	2	46.5	685	28	28	46	65	65	65	65										
18-20	5	4.6	29	1	1	3	6	14	14	14										
21-24	3	14.0	469	1	1	2	30	39	39	39	1	10.0		10	10	10	10	10	10	10
25-34	3	6.7	4	5	5	6	8	9	9	9	1	4.0		4	4	4	4	4	4	4
35-54	5	7.6	15	3	3	9	10	12	12	12										
55-74	5	17.8	437	1	1	10	31	51	51	51										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	25	13.0	279	1	1	6	15	39	54	65	2	7.0	18	4	4	7	10	10	10	10
B. FEMALE																				
0-12 YRS.																				
13-17	3	39.3	2370	5	5	18	76	95	95	95										
18-20	3	8.7	113	2	2	3	16	21	21	21	2	2.0	2	1	1	2	3	3	3	3
21-24	7	6.1	51	1	1	4	11	18	19	19	1	1.0		1	1	1	1	1	1	1
25-34	6	4.5	8	1	1	4	8	8	8	8	2	5.0		5	5	5	5	5	5	5
35-54	5	5.8	27	2	2	4	7	15	15	15	1	3.0		3	3	3	3	3	3	3
55-74	3	14.0		14	14	14	14	14	14	14										
75 +	1	4.0		4	4	4	4	4	4	4										
ALL AGES	28	10.3	314	1	1	4	14	19	28	95	6	3.0	3	1	1	3	5	5	5	5
SUBTOTAL	53	11.6	293	1	1	4	14	26	49	94	8	4.0	8	1	1	4	5	9	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	7.5	61	2	2	7	13	13	13	13	1	11.0		11	11	11	11	11	11	11
18-20	3	16.3	162	2	2	21	25	26	26	26	2	4.5	5	3	3	4	6	6	6	6
21-24	1	1.0		1	1	1	1	1	1	1	1	13.0		13	13	13	13	13	13	13
25-34	3	9.7	71	1	1	10	16	18	18	18										
35-54	8	17.3	251	4	5	13	17	44	55	55										
55-74	3	11.7	201	2	2	5	22	28	28	28										
75 +	1	7.0		7	7	7	7	7	7	7	1	24.0		24	24	24	24	24	24	24
ALL AGES	21	13.0	159	1	1	10	18	27	40	55	5	11.4	65	3	3	11	16	24	24	24
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.5	98	15	15	25	33	37	37	37										
18-20	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
21-24	3	5.0	4	3	3	5	6	7	7	7	2	3.0		3	3	3	3	3	3	3
25-34	6	9.3	133	1	1	6	9	30	32	32	2	15.5	421	1	1	15	30	30	30	30
35-54	9	9.4	54	4	4	6	12	22	25	25	1	2.0		2	2	2	2	2	2	2
55-74											1	4.0		4	4	4	4	4	4	4
75 +	1	38.0		38	38	38	38	38	38	38										
ALL AGES	24	12.5	134	2	3	7	18	32	37	38	7	6.7	107	1	1	3	4	25	30	30
SUBTOTAL	45	12.7	144	1	2	9	18	30	37	55	12	8.7	87	1	2	4	12	26	29	30
GRAND TOTAL	98	12.1	222	1	1	7	15	28	39	81	20	6.8	59	1	1	4	8	18	27	30

ZOOPHILIA (302.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	1	13.0		13	13	13	13	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	13.0		13	13	13	13	13	13	13										
GRAND TOTAL	1	13.0		13	13	13	13	13	13	13										

PEDOPHILIA (302.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	4.0		4	4	4	4	4	4	4										
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	4.0		4	4	4	4	4	4	4										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	21.0		21	21	21	21	21	21	21										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	12.0	162	3	3	12	21	21	21	21										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	2	12.0	162	3	3	12	21	21	21	21										
GRAND TOTAL	3	9.3	103	3	3	4	17	21	21	21										

EXHIBITIONISM (302.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	9.0		9	9	9	9	9	9	9										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	1	13.0		13	13	13	13	13	13	13										
55-74																				
75 +																				
ALL AGES	3	8.3	26	3	3	9	12	13	13	13										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	8.3	26	3	3	9	12	13	13	13										
GRAND TOTAL	3	8.3	26	3	3	9	12	13	13	13										

TRANS-SEXUALISM (302.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											9	7.2	23	1	1	9	10	13	14	14
25-34	3	10.7	65	5	5	7	17	20	20	20										
35-54	13	9.5	55	2	2	7	15	20	25	26	15	10.6	110	1	1	6	14	29	33	35
55-74																				
75 +																				
ALL AGES	16	9.8	52	2	2	7	16	20	24	26	24	9.3	78	1	1	8	12	23	31	35
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	20.0		20	20	20	20	20	20	20	1	8.0		8	8	8	8	8	8	8
25-34	10	12.1	57	4	4	9	20	21	21	21	1	10.0		10	10	10	10	10	10	10
35-54	2	12.5	61	7	7	12	18	18	18	18	2	15.0	98	8	8	15	22	22	22	22
55-74																				
75 +																				
ALL AGES	13	12.8	52	4	4	12	20	21	21	21	4	12.0	45	8	8	9	16	22	22	22
SUBTOTAL	29	11.1	53	2	3	7	19	21	21	26	28	9.7	72	1	1	8	12	22	30	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	29	11.1	53	2	3	7	19	21	21	26	28	9.7	72	1	1	8	12	22	30	35

PSYCHOSEX IDENTITY DIS (302.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	39.0		39	39	39	39	39	39	39										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	39.0		39	39	39	39	39	39	39										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	39.0		39	39	39	39	39	39	39										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	39.0		39	39	39	39	39	39	39										

PSYCHOSEXUAL DYSFUNCTION (302.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
25-34	2	5.0	8	3	3	5	7	7	7	7	1	5.0		5	5	5	5	5	5	5
35-54	9	4.9	22	2	2	3	6	13	14	14	6	3.8	1	3	3	4	5	5	5	5
55-74	17	2.8	2	1	1	2	4	5	5	5	18	3.4	3	1	1	3	4	6	7	8
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	30	3.5	9	1	1	3	4	6	12	14	26	3.5	2	1	1	3	5	5	6	8

North Central Region January - December 1986

PSYCHOSEXUAL DIS NEC (302.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	17.0	2	16	16	17	18	18	18	18										
18-20																				
21-24																				
25-34																				
35-54	2	17.0	450	2	2	17	32	32	32	32										
55-74																				
75 +																				
ALL AGES	4	17.0	151	2	2	17	25	32	32	32										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	4	17.0	151	2	2	17	25	32	32	32										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	8.0		8	8	8	8	8	8	8										
18-20																				
21-24																				
25-34	3	12.3	6	10	10	13	14	14	14	14										
35-54																				
55-74																				
75 +																				
ALL AGES	4	11.3	6	8	8	11	13	14	14	14										
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	15.0		15	15	15	15	15	15	15										
SUBTOTAL	5	12.0	9	8	8	13	14	15	15	15										
GRAND TOTAL	9	14.2	68	2	4	14	16	26	32	32										

North Central Region January - December 1986

PSYCHOSEXUAL DIS NOS (302.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	1	18.0		18	18	18	18	18	18	18										
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5										
SUBTOTAL	2	11.5	85	5	5	11	18	18	18	18										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	11.5	85	5	5	11	18	18	18	18										

AC ALCOHOL INTOXICATION (303.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	1.8	1	1	1	2	2	3	3	3	1	5.0		5	5	5	5	5	5	5
13-17	21	2.4	13	1	1	2	2	3	10	18	22	8.2	184	1	1	1	5	31	37	45
18-20	30	4.8	49	1	1	2	4	18	22	24	7	10.1	216	1	1	2	22	33	34	34
21-24	109	6.1	67	1	1	3	4	22	23	29	24	4.2	31	1	1	3	5	7	15	28
25-34	405	6.8	69	1	1	3	5	22	24	29	154	6.9	66	1	1	4	6	26	28	31
35-54	722	5.8	48	1	1	3	5	19	23	28	344	6.8	65	1	2	4	5	24	28	31
55-74	248	6.6	45	1	2	4	7	16	23	31	147	6.4	56	1	2	4	6	18	27	38
75 +	12	5.4	26	2	2	4	5	10	19	21	11	5.0	10	3	3	4	5	9	14	14
ALL AGES	1552	6.2	53	1	1	3	5	21	23	29	710	6.7	66	1	1	4	5	23	28	32
B. FEMALE																				
0-12 YRS.																				
13-17	13	6.5	270	1	1	1	3	16	53	61	14	6.7	185	1	1	1	2	36	41	42
18-20	14	5.9	65	1	1	2	8	21	24	25	3	2.3	3	1	1	2	3	4	4	4
21-24	15	5.1	63	1	1	2	3	21	25	27	5	4.6	35	1	1	3	6	15	15	15
25-34	109	5.7	42	1	1	3	5	16	22	30	35	5.6	58	1	1	3	5	10	29	33
35-54	176	5.9	45	1	1	3	5	20	23	27	86	6.6	68	1	1	3	5	23	28	30
55-74	66	5.4	44	1	1	3	5	12	23	32	30	4.5	16	1	1	4	5	9	10	22
75 +	4	11.3	318	1	1	3	21	38	38	38	3	4.3	7	2	2	4	6	7	7	7
ALL AGES	397	5.8	54	1	1	3	5	18	23	30	176	5.9	62	1	1	3	5	21	28	34
SUBTOTAL	1949	6.1	53	1	1	3	5	21	23	29	886	6.5	66	1	1	4	5	22	28	33
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											3	6.0	7	4	4	5	8	9	9	9
13-17	22	10.5	164	1	2	3	20	29	42	42	14	23.6	260	1	1	28	33	43	45	46
18-20	29	8.2	129	1	1	2	12	23	36	41	24	11.1	114	1	2	6	20	25	33	41
21-24	92	7.1	71	1	1	3	7	22	25	32	106	11.8	114	1	1	6	22	26	30	39
25-34	445	8.0	83	1	1	4	11	22	26	31	471	10.5	91	2	2	5	22	24	30	33
35-54	633	8.0	80	1	2	4	9	23	27	32	757	9.2	76	2	2	5	11	25	28	32
55-74	220	8.1	70	1	2	5	9	21	30	36	237	9.4	87	2	3	6	10	24	29	50
75 +	18	7.1	22	2	3	5	9	15	18	19	23	7.0	28	1	1	6	9	14	17	22
ALL AGES	1459	8.0	80	1	1	4	9	23	27	34	1635	9.9	88	2	2	5	14	25	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	16	12.7	509	1	1	3	15	34	73	89	12	18.2	288	1	1	15	31	40	47	48
18-20	10	10.8	170	1	1	5	20	33	35	35	8	10.3	90	2	3	7	13	27	31	31
21-24	39	8.5	87	1	1	4	17	22	26	33	23	9.2	103	1	1	5	9	30	31	32
25-34	128	8.0	85	1	2	4	9	24	28	37	134	8.4	79	1	1	5	10	25	30	35
35-54	186	6.6	59	1	1	3	6	21	25	31	182	8.8	77	2	2	5	10	23	30	34
55-74	78	9.1	94	2	2	5	10	25	32	42	68	9.4	76	2	3	6	10	24	30	38
75 +	6	4.2	12	1	1	3	4	10	11	11	2	5.0		5	5	5	5	5	5	5
ALL AGES	463	7.9	91	1	1	4	8	23	28	36	429	9.1	85	1	2	5	10	25	30	36
SUBTOTAL	1922	8.0	82	1	1	4	9	23	27	35	2064	9.7	88	1	2	5	13	25	30	34
GRAND TOTAL	3871	7.0	69	1	1	3	7	22	25	32	2950	8.7	84	1	2	5	10	24	29	34

ALCOHOL DEPEND NEC/NOS (303.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.0	338	2	2	15	28	28	28	28	2	15.0	288	3	3	15	27	27	27	27
13-17	53	24.2	181	3	3	22	35	42	47	52	47	27.2	200	2	7	29	36	45	47	54
18-20	73	20.4	120	1	2	22	28	33	34	38	51	16.5	126	1	2	20	27	29	32	40
21-24	166	18.0	110	2	3	21	28	30	31	34	142	17.1	99	2	3	21	27	29	30	32
25-34	818	17.2	109	2	3	21	27	29	30	34	703	14.7	110	2	2	13	25	28	30	32
35-54	1382	16.3	114	2	3	19	26	29	30	35	1241	14.8	118	2	3	11	26	29	30	35
55-74	508	15.8	121	2	3	17	26	29	32	37	399	15.0	120	2	3	11	27	30	32	36
75 +	33	15.9	119	2	3	14	25	29	33	44	29	15.1	150	2	3	9	27	34	35	40
ALL AGES	3035	16.8	116	2	3	20	27	29	31	37	2614	15.2	119	2	3	13	26	29	31	36
B. FEMALE																				
0-12 YRS.											2	14.5	145	6	6	14	23	23	23	23
13-17	30	27.3	395	1	1	25	40	55	62	67	28	26.8	195	3	5	29	36	45	48	52
18-20	17	17.7	104	1	2	19	27	29	30	30	14	15.8	146	1	1	15	28	30	34	35
21-24	47	14.5	113	2	2	15	24	29	30	35	27	13.9	122	2	3	9	26	29	30	31
25-34	228	15.6	110	1	2	18	25	28	30	34	191	12.6	108	1	2	8	23	28	29	32
35-54	338	15.9	114	2	3	18	26	29	30	33	270	14.8	128	1	3	11	26	29	30	37
55-74	148	17.4	107	2	4	20	25	29	31	40	100	14.9	121	2	2	11	27	30	31	37
75 +	9	14.1	79	4	4	14	21	25	27	27	5	9.8	159	2	2	4	14	32	32	32
ALL AGES	817	16.4	127	2	3	19	26	29	31	41	637	14.6	132	1	2	10	26	29	30	40
SUBTOTAL	3852	16.7	119	2	3	20	27	29	31	37	3251	15.1	121	2	3	12	26	29	31	36
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	19.5	1	19	19	19	20	20	20	20	4	20.0	105	5	5	24	26	27	27	27
13-17	336	29.9	206	4	9	31	42	45	49	57	132	27.2	179	3	7	30	35	43	47	55
18-20	153	21.8	126	4	5	22	29	35	38	52	98	20.3	154	1	2	23	29	35	35	49
21-24	248	19.9	110	2	3	23	28	30	32	40	200	17.1	126	1	2	21	28	30	31	36
25-34	1097	17.6	116	2	3	21	27	29	31	39	771	16.7	109	2	3	20	27	29	30	34
35-54	924	17.0	115	2	3	20	26	29	31	42	579	14.0	103	2	3	10	23	28	30	34
55-74	259	18.0	113	3	4	20	28	29	31	44	157	13.7	94	2	3	13	21	29	30	39
75 +	24	18.1	128	4	4	17	28	30	37	43	10	10.1	57	2	3	7	14	21	28	28
ALL AGES	3043	19.2	141	2	3	21	28	31	40	49	1951	16.6	124	2	3	16	27	30	33	42
B. FEMALE																				
0-12 YRS.											1	36.0		36	36	36	36	36	36	36
13-17	154	29.6	234	3	10	30	42	46	51	68	92	26.7	157	2	5	30	36	42	43	47
18-20	48	23.1	124	3	6	28	29	31	36	56	36	20.0	157	1	1	23	29	35	38	42
21-24	102	18.0	152	3	3	20	28	30	33	55	60	17.0	141	1	2	21	28	31	32	35
25-34	357	16.3	123	2	3	17	27	29	33	43	232	15.6	102	3	3	13	26	29	30	34
35-54	266	17.5	118	2	3	20	27	30	31	42	211	14.1	102	2	3	10	24	28	30	35
55-74	103	17.3	162	2	3	16	28	30	33	64	62	12.1	100	1	3	8	21	29	30	35
75 +	12	24.3	97	8	9	27	29	36	37	37	2	4.0		4	4	4	4	4	4	4
ALL AGES	1042	19.3	164	2	3	20	28	33	42	56	696	16.6	135	2	3	14	28	31	35	42
SUBTOTAL	4085	19.2	148	2	3	21	28	32	41	49	2647	16.6	127	2	3	15	28	30	34	42
GRAND TOTAL	7937	18.0	135	2	3	20	28	30	35	45	5898	15.7	126	2	3	14	27	30	32	40

OPIOID TYPE DEPENDENCE (304.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	26.0		26	26	26	26	26	26	26										
13-17											1	4.0		4	4	4	4	4	4	4
18-20											4	9.5	138	2	2	4	16	27	27	27
21-24	9	5.7	49	1	1	3	5	17	24	24	67	10.6	77	2	3	7	20	24	28	29
25-34	72	10.0	89	1	2	5	17	25	29	34	37	8.9	74	1	2	5	13	23	25	26
35-54	57	10.6	72	2	3	6	19	23	25	31	1	22.0		22	22	22	22	22	22	22
55-74	5	20.8	152	5	5	19	28	39	39	39	1	4.0		4	4	4	4	4	4	4
75 +											111	10.0	76	2	2	5	20	24	27	29
ALL AGES	144	10.5	85	2	2	5	19	24	28	34										
B. FEMALE																				
0-12 YRS.											1	35.0		35	35	35	35	35	35	35
13-17	1	7.0		7	7	7	7	7	7	7										
18-20	3	4.0		4	4	4	4	4	4	4										
21-24	3	4.3	1	4	4	4	5	5	5	5	8	9.4	70	1	1	6	17	22	22	22
25-34	76	9.6	81	2	2	5	19	23	29	33	44	9.9	108	1	3	5	8	28	30	46
35-54	34	8.6	50	2	3	6	9	21	23	24	18	11.9	103	3	3	7	22	29	31	32
55-74	4	8.8	90	3	3	4	14	23	23	23	3	19.7	163	5	5	25	28	29	29	29
75 +	1	2.0		2	2	2	2	2	2	2	2	6.5		1	6	6	7	7	7	7
ALL AGES	122	9.0	67	2	3	5	15	22	25	32	76	10.9	110	2	3	6	15	28	31	43
SUBTOTAL	266	9.8	77	2	2	5	18	24	28	33	187	10.4	89	2	3	6	18	26	28	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	2	6.0	50	1	1	6	11	11	11	11										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24	14	12.1	117	2	2	6	22	28	29	29	2	11.0	162	2	2	11	20	20	20	20
25-34	102	13.2	98	2	3	9	23	28	29	33	88	11.3	83	3	3	6	21	24	27	34
35-54	96	13.0	97	2	4	8	22	27	29	38	72	15.4	94	3	3	17	24	28	28	36
55-74	3	14.7	39	11	11	11	19	22	22	22	1	16.0		16	16	16	16	16	16	16
75 +											1	9.0		9	9	9	9	9	9	9
ALL AGES	218	12.9	98	2	3	8	22	27	29	37	164	13.1	91	3	3	10	23	26	28	36
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	7.5	1	7	7	7	8	8	8	8	1	8.0		8	8	8	8	8	8	8
21-24	6	5.2	4	2	2	5	7	7	7	7	17	10.1	56	2	3	8	16	22	23	23
25-34	99	11.6	73	3	4	7	18	24	28	37	59	12.3	104	3	3	8	20	28	33	38
35-54	42	11.2	88	2	3	7	20	25	30	36	31	10.8	88	3	4	6	12	28	28	35
55-74	4	19.0	181	7	7	18	30	33	33	33	4	10.5	72	4	4	7	15	23	23	23
75 +	3	29.7	5	28	28	28	32	33	33	33										
ALL AGES	156	11.7	84	2	4	7	19	28	29	36	112	11.5	88	3	3	8	18	28	28	36
SUBTOTAL	374	12.4	92	2	3	8	21	28	29	37	276	12.4	91	3	3	8	22	27	28	36
GRAND TOTAL	640	11.3	88	2	3	7	20	25	29	34	463	11.6	91	2	3	7	21	26	28	35

BARBITURATE DEPENDENCE (304.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	3.0		3	3	3	3	3	3	3
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	5.0	32	1	1	5	9	9	9	9	7	8.7	94	2	2	7	8	26	30	30
35-54	4	11.5	122	5	5	6	17	28	28	28	6	10.0	88	1	1	7	21	22	22	22
55-74	2	5.0	32	1	1	5	9	9	9	9	2	14.0	242	3	3	14	25	25	25	25
75 +																				
ALL AGES	9	7.4	71	1	1	6	9	20	28	28	16	9.5	89	1	1	7	15	25	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10	1	20.0		20	20	20	20	20	20	20
18-20											2	4.5	1	4	4	4	5	5	5	5
21-24											2	14.5	181	5	5	14	24	24	24	24
25-34	11	13.7	82	2	2	15	20	26	27	27	8	12.4	85	2	3	10	20	25	26	26
35-54	16	17.7	110	3	4	20	28	29	30	30	9	17.8	173	3	3	21	29	33	35	35
55-74	7	8.1	48	3	3	5	9	20	23	23	4	15.0	151	2	2	16	25	26	26	26
75 +	2	22.5	365	9	9	22	36	36	36	36										
ALL AGES	37	14.8	102	2	3	11	25	29	30	36	26	14.5	120	2	3	11	25	28	32	35
SUBTOTAL	46	13.3	104	1	2	9	23	28	29	36	42	12.6	111	1	2	7	22	27	30	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	35.0		35	35	35	35	35	35	35
18-20	1	5.0		5	5	5	5	5	5	5	2	4.5	1	4	4	4	5	5	5	5
21-24	6	17.2	229	1	1	16	29	35	36	36										
25-34	19	13.1	189	1	2	6	19	39	43	44	14	14.9	128	5	5	7	25	31	33	33
35-54	12	19.3	145	1	2	22	28	32	36	37	11	11.5	123	1	3	7	17	31	35	35
55-74	4	23.8	138	7	7	26	31	35	35	35	7	12.9	179	1	1	8	23	34	36	36
75 +	1	42.0		42	42	42	42	42	42	42										
ALL AGES	43	16.9	186	1	2	15	27	36	41	44	35	13.4	138	1	4	7	25	33	35	36
B. FEMALE																				
0-12 YRS.																				
13-17	2	33.5	13	31	31	33	36	36	36	36	1	6.0		6	6	6	6	6	6	6
18-20																				
21-24	3	25.0	301	6	6	29	37	40	40	40	4	12.0	117	5	5	7	18	28	28	28
25-34	26	20.1	93	4	5	20	28	30	35	37	18	20.7	113	3	5	22	30	33	35	35
35-54	39	23.7	96	7	7	25	30	36	38	38	20	17.2	151	2	3	12	30	33	35	35
55-74	21	19.9	129	3	4	20	28	35	38	39	10	19.3	120	5	6	18	28	34	35	35
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	92	22.1	108	4	6	24	30	36	37	40	53	18.2	127	3	5	19	29	33	35	35
SUBTOTAL	135	20.4	140	3	4	22	29	36	38	42	88	16.3	135	2	4	11	28	33	35	36
GRAND TOTAL	181	18.6	140	2	4	20	29	34	37	42	130	15.1	130	2	3	9	26	31	35	36

COCAINE DEPENDENCE (304.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	15.5	313	3	3	15	28	28	28	28										
13-17	2	5.0	2	4	4	5	6	6	6	6	1	2.0		2	2	2	2	2	2	2
18-20	6	7.2	32	2	2	5	12	16	16	16	10	15.1	83	3	3	20	22	24	24	24
21-24	42	13.7	115	1	2	15	23	27	29	33	24	14.8	97	2	3	14	24	28	29	30
25-34	204	15.5	113	2	3	16	25	29	31	41	182	14.0	89	2	3	11	23	27	29	31
35-54	86	15.1	99	2	3	17	23	28	29	34	55	15.7	101	2	3	20	24	27	29	39
55-74	2	12.5	85	6	6	12	19	19	19	19										
75 +																				
ALL AGES	344	15.0	108	2	3	16	24	28	30	38	272	14.4	92	2	3	13	23	27	29	31
B. FEMALE																				
0-12 YRS.	1	13.0		13	13	13	13	13	13	13										
13-17	1	1.0		1	1	1	1	1	1	1	1	5.0		5	5	5	5	5	5	5
18-20	15	15.7	36	5	7	19	20	21	22	23	7	6.1	13	1	1	7	9	11	11	11
21-24	57	12.8	74	2	3	15	20	22	26	31	31	8.6	64	1	2	6	8	25	26	28
25-34	141	14.5	69	2	3	19	20	24	27	31	85	9.8	57	2	3	8	15	22	23	30
35-54	20	14.3	67	3	3	19	20	21	25	28	9	8.0	29	3	3	8	9	17	21	21
55-74																				
75 +																				
ALL AGES	235	14.1	68	2	3	18	20	23	27	31	133	9.2	54	2	3	7	11	22	24	29
SUBTOTAL	579	14.6	93	2	3	17	22	28	29	33	405	12.7	85	2	3	8	22	24	28	31
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	3.0		3	3	3	3	3	3	3										
13-17	6	44.7	598	14	15	41	61	81	83	83	1	19.0		19	19	19	19	19	19	19
18-20	28	16.4	97	2	3	20	23	29	30	31	27	18.4	101	3	3	22	25	31	32	34
21-24	70	16.6	101	2	3	19	23	29	31	34	70	19.1	82	2	5	22	25	29	31	35
25-34	288	15.9	102	2	3	20	23	28	30	42	226	17.6	84	3	4	22	24	28	30	34
35-54	135	17.1	98	3	4	20	24	28	32	40	119	16.1	95	3	3	22	24	26	28	31
55-74	1	20.0		20	20	20	20	20	20	20	1	10.0		10	10	10	10	10	10	10
75 +																				
ALL AGES	529	16.6	115	2	3	20	23	28	30	44	444	17.4	90	3	3	22	24	28	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	7	25.7	621	4	4	18	36	66	73	73	5	22.8	362	3	3	22	42	42	42	42
18-20	21	13.7	79	2	3	13	22	26	29	30	9	16.0	129	2	3	19	28	29	29	29
21-24	51	12.7	101	2	3	7	21	27	30	45	33	11.2	93	2	3	5	21	25	28	29
25-34	160	12.8	85	2	3	8	20	23	28	36	78	13.4	85	2	3	9	22	25	28	33
35-54	43	14.0	70	3	5	14	21	23	26	31	23	14.1	90	3	4	11	22	27	32	34
55-74																				
75 +																				
ALL AGES	282	13.3	101	2	3	8	20	24	29	42	148	13.5	100	2	3	8	22	26	29	42
SUBTOTAL	811	15.5	111	2	3	18	23	28	30	44	592	16.4	96	3	3	21	24	28	30	34
GRAND TOTAL	1390	15.1	104	2	3	17	22	28	30	40	997	14.9	95	2	3	15	23	28	29	34

CANNABIS DEPENDENCE (304.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	57	28.7	190	7	9	28	40	43	47	58	31	29.8	153	7	12	30	37	45	48	60
18-20	7	16.9	150	5	5	11	24	36	39	39	7	18.0	157	3	3	21	28	34	35	35
21-24	4	15.3	101	7	7	12	21	30	30	30	4	22.8	16	19	19	21	25	29	29	29
25-34	15	19.9	69	4	8	19	28	28	29	29	7	23.7	129	2	6	22	31	37	38	38
35-54	3	26.7	110	17	17	25	35	38	38	38	2	3.0	8	1	1	3	5	5	5	5
55-74																				
75 +																				
ALL AGES	86	25.5	177	6	8	25	39	42	44	56	51	25.8	165	3	6	28	34	41	46	60
B. FEMALE																				
0-12 YRS.																				
13-17	15	22.7	244	1	1	17	40	42	43	43	7	23.0	138	3	5	28	30	36	38	38
18-20	2	29.5	5	28	28	29	31	31	31	31	3	31.3	11	28	28	33	33	33	33	33
21-24	2	4.0	2	3	3	4	5	5	5	5	1	3.0		3	3	3	3	3	3	3
25-34	3	28.3	4	27	27	29	29	29	29	29	4	23.3	38	15	15	24	28	30	30	30
35-54	4	11.8	129	2	2	9	21	26	26	26										
55-74																				
75 +																				
ALL AGES	26	20.8	201	1	2	22	30	40	42	43	15	23.4	112	3	3	28	30	33	37	38
SUBTOTAL	112	24.4	186	3	6	25	39	42	43	54	66	25.2	155	3	5	28	33	40	44	58
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	37.0		37	37	37	37	37	37	37	2	31.5	25	28	28	31	35	35	35	35
13-17	118	32.7	231	6	10	35	42	50	58	84	132	27.1	115	6	12	29	35	38	44	51
18-20	38	26.2	115	4	8	28	30	39	43	50	44	25.0	123	4	5	29	34	35	37	45
21-24	27	20.4	87	3	4	23	28	30	31	32	27	21.3	131	1	2	25	30	31	32	35
25-34	64	20.0	115	2	4	23	28	30	33	42	53	20.1	97	3	4	22	29	30	32	35
35-54	14	22.2	135	4	5	23	28	38	43	44	16	20.3	65	1	4	22	24	28	29	30
55-74																				
75 +																				
ALL AGES	262	26.9	193	3	5	28	37	43	50	74	274	24.5	117	3	5	27	32	35	39	48
B. FEMALE																				
0-12 YRS.	1	38.0		38	38	38	38	38	38	38										
13-17	39	35.7	374	6	16	37	42	55	84	87	39	30.4	153	8	13	30	35	46	55	62
18-20	4	15.8	215	2	2	16	28	29	29	29	11	26.3	112	5	6	30	33	35	35	35
21-24	8	22.6	140	4	4	27	30	34	35	35	5	23.2	121	5	5	28	30	32	32	32
25-34	11	21.5	86	2	8	23	29	32	33	33	13	18.0	113	1	3	21	28	30	30	30
35-54	6	16.7	77	2	3	19	23	26	26	26	3	19.3	107	8	8	22	26	28	28	28
55-74																				
75 +																				
ALL AGES	69	29.1	318	4	6	28	38	46	57	87	71	26.5	154	5	6	29	33	37	46	61
SUBTOTAL	331	27.3	222	3	5	28	37	43	51	82	345	24.9	126	3	6	28	32	35	41	52
GRAND TOTAL	443	26.6	212	3	5	28	37	43	49	77	411	25.0	128	3	6	28	32	35	42	52

AMPHETAMINE DEPENDENCE (304.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24											1	5.0		5	5	5	5	5	5	5
25-34	2	27.5	5	26	26	27	29	29	29	29	2	12.5	181	3	3	12	22	22	22	22
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	3	19.0	219	2	2	26	28	29	29	29	3	10.0	109	3	3	5	18	22	22	22
B. FEMALE																				
0-12 YRS.																				
13-17	1	42.0		42	42	42	42	42	42	42	1	8.0		8	8	8	8	8	8	8
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	2	18.5	221	8	8	18	29	29	29	29										
35-54											1	29.0		29	29	29	29	29	29	29
55-74	1	5.0		5	5	5	5	5	5	5										
75 +																				
ALL AGES	5	17.2	305	2	2	8	32	42	42	42	2	18.5	221	8	8	18	29	29	29	29
SUBTOTAL	8	17.9	237	2	2	17	29	38	42	42	5	13.4	131	3	3	8	24	29	29	29
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	18.6	166	2	2	19	24	38	38	38	1	35.0		35	35	35	35	35	35	35
18-20	2	30.0	18	27	27	30	33	33	33	33	1	25.0		25	25	25	25	25	25	25
21-24	4	21.0	113	6	6	24	28	29	29	29	2	17.5	365	4	4	17	31	31	31	31
25-34	15	18.6	111	1	3	21	28	29	30	30	12	24.2	94	2	5	28	29	31	31	31
35-54	4	26.3	13	21	21	27	29	30	30	30	5	16.2	158	3	3	17	28	30	30	30
55-74	1	10.0		10	10	10	10	10	10	10										
75 +																				
ALL AGES	31	20.4	102	2	3	21	29	30	33	38	21	22.2	124	3	3	28	30	31	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	37.0		37	37	37	37	37	37	37	5	28.4	151	12	12	30	34	46	46	46
18-20	1	30.0		30	30	30	30	30	30	30	1	4.0		4	4	4	4	4	4	4
21-24	5	6.8	54	1	1	4	11	19	19	19	4	20.3	136	4	4	22	28	32	32	32
25-34	8	18.6	78	5	6	18	27	29	29	29	6	21.5	184	3	3	30	30	31	31	31
35-54	2	18.0	32	14	14	18	22	22	22	22	2	16.5	265	5	5	16	28	28	28	28
55-74	1	36.0		36	36	36	36	36	36	36										
75 +																				
ALL AGES	18	17.9	132	1	3	18	28	34	37	37	18	21.6	166	3	4	26	30	32	40	46
SUBTOTAL	49	19.4	115	2	3	21	28	30	36	38	39	21.9	141	3	4	28	30	31	34	46
GRAND TOTAL	57	19.2	128	2	2	21	29	30	37	42	44	21.0	141	3	4	27	30	31	33	46

HALLUCINOGEN DEPENDENCE (304.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	12.0		12	12	12	12	12	12	12										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	12.0		12	12	12	12	12	12	12										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	18.0		18	18	18	18	18	18	18										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	18.0		18	18	18	18	18	18	18										
SUBTOTAL	2	15.0	18	12	12	15	18	18	18	18										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	3.0	3	2	2	2	4	5	5	5	3	26.0	133	13	13	30	34	35	35	35
18-20	1	7.0		7	7	7	7	7	7	7	1	28.0		28	28	28	28	28	28	28
21-24											1	31.0		31	31	31	31	31	31	31
25-34	1	23.0		23	23	23	23	23	23	23	2	13.0	72	7	7	13	19	19	19	19
35-54																				
55-74																				
75 +																				
ALL AGES	5	7.8	77	2	2	5	11	23	23	23	7	23.3	108	7	8	28	31	34	35	35
B. FEMALE																				
0-12 YRS.																				
13-17	1	47.0		47	47	47	47	47	47	47	1	35.0		35	35	35	35	35	35	35
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	25.5	925	4	4	25	47	47	47	47	1	35.0		35	35	35	35	35	35	35
SUBTOTAL	7	12.9	279	2	2	5	19	42	47	47	8	24.8	108	7	9	29	33	35	35	35
GRAND TOTAL	9	13.3	214	2	2	7	19	37	47	47	8	24.8	108	7	9	29	33	35	35	35

DRUG DEPENDENCE NEC (304.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	2	12.0	98	5	5	12	19	19	19	19
13-17																				
18-20																				
21-24	1	6.0		6	6	6	6	6	6	6										
25-34	3	11.0	100	1	1	11	18	21	21	21	2	16.5	421	2	2	16	31	31	31	31
35-54	2	4.5	1	4	4	4	5	5	5	5	2	12.0	162	3	3	12	21	21	21	21
55-74											2	7.0	50	2	2	7	12	12	12	12
75 +																				
ALL AGES	7	7.4	45	1	2	5	10	19	21	21	8	11.9	117	2	2	8	20	28	31	31
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	2	4.5	5	3	3	4	6	6	6	5	1	6.0		6	6	6	6	6	6	6
25-34	4	14.8	139	4	4	13	24	29	29	29	3	13.3	167	4	4	8	23	28	28	28
35-54	4	23.3	336	5	5	20	36	48	48	48	3	7.7	20	3	3	8	11	12	12	12
55-74	1	30.0		30	30	30	30	30	30	30										
75 +																				
ALL AGES	11	17.4	209	3	4	15	28	37	47	48	7	9.9	72	3	3	8	11	25	28	28
SUBTOTAL	18	13.5	164	2	3	6	21	30	41	48	15	10.9	92	2	2	8	17	28	30	31
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	27.0	817	4	4	18	49	59	59	59										
18-20	3	20.3	958	1	1	4	43	56	56	56										
21-24	4	18.8	292	4	4	16	33	39	39	39										
25-34	4	21.3	29	14	14	22	25	27	27	27	6	7.3	105	1	1	4	5	26	28	28
35-54	1	3.0		3	3	3	3	3	3	3	5	14.2	171	4	4	5	28	29	29	29
55-74	1	17.0		17	17	17	17	17	17	17	1	28.0		28	28	28	28	28	28	28
75 +																				
ALL AGES	16	20.1	333	2	3	17	27	54	58	59	12	11.9	147	1	2	5	28	29	29	29
B. FEMALE																				
0-12 YRS.																				
13-17											1	42.0		42	42	42	42	42	42	42
18-20																				
21-24	2	15.0	392	1	1	15	29	29	29	29	1	5.0		5	5	5	5	5	5	5
25-34	9	13.4	143	3	3	6	28	29	30	30	5	13.6	207	2	2	5	25	35	35	35
35-54	9	15.1	135	3	3	12	23	33	37	37	2	4.5	1	4	4	4	5	5	5	5
55-74	2	17.5	421	3	3	17	32	32	32	32	4	13.0	124	2	2	11	21	28	28	28
75 +	1	12.0		12	12	12	12	12	12	12	1	13.0		13	13	13	13	13	13	13
ALL AGES	23	14.5	140	2	3	12	28	30	34	37	14	13.5	173	2	2	7	22	36	41	42
SUBTOTAL	39	16.8	220	2	3	13	28	35	48	59	26	12.8	154	2	2	5	28	29	36	42
GRAND TOTAL	57	15.8	200	2	3	12	27	32	45	59	41	12.1	130	2	2	5	21	29	33	42

OPIOID/OTHER DRUG DEPEND (304.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	29.7	118	19	19	29	38	41	41	41										
18-20											1	1.0		1	1	1	1	1	1	1
21-24	4	22.3	200	3	3	26	33	34	34	34	1	1.0		1	1	1	1	1	1	1
25-34	34	11.6	97	2	3	6	21	27	31	33	24	7.2	79	2	2	4	5	23	28	38
35-54	22	10.6	101	1	2	7	19	28	31	34	7	11.0	155	1	1	5	19	32	34	34
55-74	1	29.0		29	29	29	29	29	29	29										
75 +																				
ALL AGES	64	13.0	125	2	2	7	21	29	33	40	33	7.6	92	1	1	4	6	23	32	38
B. FEMALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20										
13-17	3	32.7	1155	6	6	21	58	71	71	71	1	14.0		14	14	14	14	14	14	14
18-20	1	4.0		4	4	4	4	4	4	4	1	21.0		21	21	21	21	21	21	21
21-24	7	13.4	138	3	3	6	26	28	28	28	4	9.0	101	3	3	4	14	24	24	24
25-34	20	7.2	38	1	2	5	10	19	20	20	16	7.8	65	1	1	5	8	24	28	29
35-54	10	14.6	77	4	4	13	22	26	28	28	4	14.8	170	3	3	14	26	28	28	28
55-74	1	23.0		23	23	23	23	23	23	23	2	3.0	8	1	1	3	5	5	5	5
75 +	1	6.0		6	6	6	6	6	6	6										
ALL AGES	44	12.2	154	2	3	6	20	24	28	71	28	9.3	81	1	2	5	13	25	28	29
SUBTOTAL	108	12.7	135	2	3	7	21	28	32	54	61	8.4	86	1	1	4	8	24	28	38
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	63.0	529	40	40	63	80	86	86	86	1	10.0		10	10	10	10	10	10	10
18-20	4	20.0	326	2	2	20	35	37	37	37	1	20.0		20	20	20	20	20	20	20
21-24	5	11.2	128	2	2	4	23	25	25	25	4	14.8	220	1	1	14	27	30	30	30
25-34	48	17.1	101	3	3	19	25	29	32	36	21	9.1	102	1	2	5	10	26	30	32
35-54	37	13.3	73	3	4	11	21	25	27	29	11	6.7	85	3	3	3	5	18	33	34
55-74	1	31.0		31	31	31	31	31	31	31										
75 +																				
ALL AGES	98	17.0	178	2	3	18	23	30	36	75	38	9.3	105	1	2	4	10	27	31	34
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	2.0		2	2	2	2	2	2	2	2	16.0	288	4	4	16	28	28	28	28
21-24	5	12.4	60	2	2	14	19	20	20	20										
25-34	41	11.5	74	3	4	7	18	26	27	28	20	13.6	208	2	3	5	29	36	42	44
35-54	16	15.6	70	4	5	18	22	27	28	29	5	4.8		4	4	5	5	5	5	5
55-74	2	20.5	365	7	7	20	34	34	34	34										
75 +	1	32.0		32	32	32	32	32	32	32										
ALL AGES	67	12.9	82	2	4	8	20	27	28	34	27	12.1	177	2	3	5	23	33	41	44
SUBTOTAL	165	15.3	144	2	3	14	22	28	33	60	65	10.5	134	2	3	5	12	30	33	43
GRAND TOTAL	273	14.3	140	2	3	10	22	28	32	58	126	9.5	111	1		8		28	32	41

COMB DRUG DEPENDENCE NEC (304.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	21	29.7	576	6	6	28	47	74	98	99 +	37	35.2	200	5	15	41	46	46	53	59
18-20	8	20.8	88	8	9	22	29	31	31	31	6	16.7	297	1	1	13	25	44	46	46
21-24	11	12.3	118	1	2	5	22	28	29	29	3	11.0	108	5	5	5	19	23	23	23
25-34	29	17.0	138	2	4	18	27	32	35	39	22	18.0	102	2	3	22	27	28	30	32
35-54	3	13.7	120	1	1	19	20	21	21	21	5	12.2	98	2	2	10	22	24	24	24
55-74																				
75 +																				
ALL AGES	72	20.2	291	2	4	19	29	40	61	99	73	25.9	253	2	4	26	43	46	46	58
B. FEMALE																				
0-12 YRS.																				
13-17	11	35.8	481	6	10	35	46	63	84	86	15	31.9	164	4	11	33	40	46	47	47
18-20	4	11.0	197	3	3	4	18	32	32	32	2	2.5	5	1	1	2	4	4	4	4
21-24	5	19.6	137	2	2	27	28	28	28	28	3	13.0	333	1	1	4	26	34	34	34
25-34	15	14.5	108	3	3	11	26	27	28	28	8	13.8	146	4	4	6	27	30	31	31
35-54	11	21.9	122	4	6	25	29	34	38	38	5	19.0	153	5	5	27	28	29	29	29
55-74	3	29.0	523	3	3	38	44	46	46	46										
75 +																				
ALL AGES	49	22.1	276	3	3	25	29	44	47	86	33	22.1	238	1	3	28	33	41	46	47
SUBTOTAL	121	21.0	282	3	4	21	29	42	48	97	106	24.7	250	2	4	26	38	46	46	57
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	22	41.5	580	3	7	41	56	81	93	99 +	3	17.0	589	2	2	4	35	45	45	45
18-20	12	17.4	232	1	2	12	29	40	41	41	6	11.0	136	2	2	5	21	29	30	30
21-24	4	8.0	115	1	1	3	14	24	24	24	5	15.4	137	4	4	13	26	30	30	30
25-34	38	14.8	113	1	2	15	23	28	37	38	19	15.0	140	2	3	5	28	29	29	29
35-54	8	15.3	200	2	2	11	27	35	37	37	11	14.0	131	2	3	6	24	31	31	31
55-74	1	28.0		28	28	28	28	28	28	28	1	4.0		4	4	4	4	4	4	4
75 +	1	19.0		19	19	19	19	19	19	19										
ALL AGES	86	21.9	383	1	2	21	31	46	69	96	45	14.2	145	2	3	5	28	30	31	45
B. FEMALE																				
0-12 YRS.																				
13-17	11	35.0	533	4	5	39	43	69	76	77	2	4.0	2	3	3	4	5	5	5	5
18-20	4	16.5	60	9	9	15	22	27	27	27	2	18.0	338	5	5	18	31	31	31	31
21-24	6	20.0	218	2	2	24	30	36	37	37	10	10.9	132	4	4	6	9	32	34	34
25-34	19	15.6	126	2	4	11	26	30	35	38	17	7.4	62	1	2	5	6	23	28	29
35-54	6	23.0	148	1	2	26	31	35	35	35	8	11.1	152	2	3	5	18	31	32	32
55-74	3	10.7	65	5	5	7	17	20	20	20	1	30.0		30	30	30	30	30	30	30
75 +	1	28.0		28	28	28	28	28	28	28										
ALL AGES	50	21.3	264	2	4	20	30	39	44	77	40	9.9	112	2	3	5	7	30	32	34
SUBTOTAL	136	21.7	336	1	2	21	31	42	61	90	85	12.2	132	2	3	5	25	30	31	41
GRAND TOTAL	257	21.4	308	2	3	21	30	42	56	95	191	19.1	237	2	3	21	30	45	46	52

DRUG DEPENDENCE NOS (304.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	6	43.0	340	24	24	41	52	72	74	74	1	6.0		6	6	6	6	6	6	6
18-20	2	25.0		25	25	25	25	25	25	25	1	28.0		28	28	28	28	28	28	28
21-24	4	21.5	147	5	5	24	30	32	32	32	2	12.0	242	1	1	12	23	23	23	23
25-34	16	11.9	135	1	2	6	24	30	31	32	17	11.1	93	1	2	7	22	22	27	30
35-54	5	15.0	155	4	4	7	28	30	30	30	8	6.9	39	1	1	5	8	17	21	21
55-74	1	8.0		8	8	8	8	8	8	8	1	1.0		1	1	1	1	1	1	1
75 +	1										1	4.0		4	4	4	4	4	4	4
ALL AGES	34	19.6	284	2	2	20	29	40	50	74	31	9.9	85	1	1	6	21	23	28	30
B. FEMALE																				
0-12 YRS.																				
13-17	4	23.8	336	7	7	22	39	43	43	43	2	19.5	613	2	2	19	37	37	37	37
18-20	2	17.5	365	4	4	17	31	31	31	31	2	9.0	2	8	8	9	10	10	10	10
21-24	1	1.0		1	1	1	1	1	1	1	4	15.3	154	3	3	14	25	30	30	30
25-34	8	9.9	126	1	1	3	20	26	29	29	18	7.8	84	1	1	5	8	23	32	35
35-54	8	11.9	103	2	3	8	18	28	31	31	9	14.8	127	6	6	8	23	33	37	37
55-74	2	8.0	8	6	6	8	10	10	10	10	1	6.0		6	6	6	6	6	6	6
75 +																				
ALL AGES	25	12.8	159	1	1	7	20	31	38	43	36	11.1	115	1	2	7	11	30	36	37
SUBTOTAL	59	16.7	240	1	2	10	28	34	43	72	67	10.5	101	1	1	7	18	28	31	37
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	29.4	646	1	1	34	53	54	54	54										
18-20	5	19.6	56	7	7	21	23	27	27	27	1	8.0		8	8	8	8	8	8	8
21-24	8	20.0	172	1	2	21	25	39	44	44	5	8.0	76	1	1	5	15	21	21	21
25-34	19	14.7	142	1	1	12	22	30	39	44	15	15.5	126	3	4	10	24	34	35	35
35-54	7	17.3	157	1	1	16	29	32	33	33	9	9.2	13	4	4	10	11	14	14	14
55-74	1	5.0		5	5	5	5	5	5	5										
75 +											2	10.0		10	10	10	10	10	10	10
ALL AGES	45	18.0	195	1	1	20	26	34	46	54	32	12.0	81	2	3	10	14	25	33	35
B. FEMALE																				
0-12 YRS.																				
13-17	8	15.8	221	3	3	12	22	41	46	46	2	9.0	72	3	3	9	15	15	15	15
18-20	4	9.0	45	3	3	7	14	18	18	18	2	17.5	545	1	1	17	34	34	34	34
21-24	6	18.2	81	6	6	21	25	28	28	28										
25-34	19	10.1	108	1	2	5	17	28	32	34	16	14.8	96	2	3	10	24	28	31	33
35-54	8	15.0	204	2	3	9	23	38	44	44	6	12.5	82	5	5	10	13	28	30	30
55-74	1	19.0		19	19	19	19	19	19	19	1	7.0		7	7	7	7	7	7	7
75 +	1	46.0		46	46	46	46	46	46	46										
ALL AGES	47	13.8	153	2	3	8	22	30	44	46	27	13.7	102	2	3	10	22	30	33	34
SUBTOTAL	92	15.8	178	1	2	12	23	33	44	54	59	12.8	89	2	3	10	19	28	33	35
GRAND TOTAL	151	16.2	199	1	2	11	25	33	44	54	126	11.6	96	1	2	8	21	28	33	37

ALCOHOL ABUSE (305.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	2.0	2	1	1	1	3	4	4	4	2	2.0	2	1	1	2	3	3	3	3
13-17	75	3.1	68	1	1	1	2	4	15	52	89	1.6	1	1	1	2	3	4	7	
18-20	45	2.2	26	1	1	1	2	2	4	35	32	2.5	30	1	1	1	2	10	31	
21-24	62	4.9	74	1	1	1	3	17	25	40	22	1.5	1	1	1	2	3	4	4	
25-34	96	7.0	96	1	1	2	9	26	30	34	56	1.6	1	1	1	2	3	5	5	
35-54	114	7.0	83	1	1	2	9	20	31	35	65	3.3	21	1	1	2	6	11	27	
55-74	39	4.0	22	1	1	2	4	9	12	27	38	3.2	5	1	1	3	4	6	7	11
75 +	1	1.0		1	1	1	1	1	1	1	9	2.6	2	1	1	2	4	5	5	5
ALL AGES	436	5.2	73	1	1	1	4	18	28	35	313	2.3	9	1	1	1	3	4	6	18
B. FEMALE																				
0-12 YRS.	5	7.8	156	1	1	3	10	30	30	30	2	3.5	13	1	1	3	6	6	6	6
13-17	46	3.4	62	1	1	1	2	3	21	47	44	1.8	3	1	1	1	2	5	6	7
18-20	19	2.7	50	1	1	1	1	2	18	32	21	2.6	40	1	1	1	1	15	30	
21-24	14	7.2	119	1	1	1	10	29	31	32	16	2.9	25	1	1	1	2	6	16	21
25-34	41	5.6	71	1	1	2	7	16	23	41	26	1.8	2	1	1	1	2	4	5	6
35-54	30	6.6	120	1	1	3	5	17	20	57	30	3.0	21	1	1	1	4	6	9	25
55-74	20	7.9	101	1	1	2	13	26	30	32	19	3.0	6	1	1	2	4	7	9	9
75 +	1	5.0		5	5	5	5	5	5	5	3	1.0		1	1	1	1	1	1	1
ALL AGES	176	5.3	84	1	1	1	4	17	29	45	161	2.4	13	1	1	1	2	5	7	25
SUBTOTAL	612	5.2	76	1	1	1	4	18	28	36	474	2.3	11	1	1	1	2	5	6	21
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	22.5	841	2	2	22	43	43	43	43	3	3.0	7	1	1	2	5	6	6	6
13-17	45	14.0	376	1	1	5	21	42	45	97	29	10.6	200	1	1	6	10	39	46	49
18-20	23	4.7	48	1	1	2	5	15	23	28	4	1.3		1	1	1	1	2	2	2
21-24	30	7.9	104	1	1	2	14	27	27	27	12	4.9	38	1	1	2	7	14	20	21
25-34	78	5.3	46	1	1	3	7	12	23	31	27	4.8	32	1	1	3	4	10	22	23
35-54	59	5.3	53	1	1	3	4	15	25	33	37	5.2	81	1	1	3	4	9	25	48
55-74	17	6.6	48	1	2	4	8	18	24	26	11	8.1	88	2	2	5	7	26	30	30
75 +	2	5.0	2	4	4	5	6	6	6	6	1	4.0		4	4	4	4	4	4	4
ALL AGES	256	7.3	126	1	1	3	7	24	29	44	124	6.4	94	1	1	3	6	21	28	48
B. FEMALE																				
0-12 YRS.																				
13-17	45	9.7	264	1	1	3	6	43	47	69	24	7.1	131	1	1	4	7	11	37	53
18-20	12	2.6	3	1	1	2	4	5	6	6	4	1.5		1	1	1	2	2	2	2
21-24	18	5.4	74	1	1	2	5	20	29	31	6	1.7	1	1	1	2	4	4	4	4
25-34	40	8.6	114	1	1	3	16	28	30	33	18	2.7	2	1	1	3	3	4	5	6
35-54	37	4.8	40	1	1	3	5	9	20	32	21	3.5	37	1	1	2	3	6	17	29
55-74	11	14.5	211	2	2	7	23	36	49	50	12	5.1	50	1	1	3	5	12	25	27
75 +	2	3.0	2	2	2	3	4	4	4	4										
ALL AGES	165	7.6	136	1	1	3	6	26	32	50	85	4.4	55	1	1	2	4	7	13	45
SUBTOTAL	421	7.4	130	1	1	3	7	25	31	50	209	5.5	78	1	1	3	5	10	27	48
GRAND TOTAL	1033	6.1	99	1	1	2	5	20	29	44	683	2.3	34	1	1	1	3	6	9	30

TOBACCO USE DISORDER (305.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	50.0		50	50	50	50	50	50	50										
21-24																				
25-34																				
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	2	31.0	722	12	12	31	50	50	50	50										
B. FEMALE																				
0-12 YRS.																				
13-17	2	50.0	2	49	49	50	51	51	51	51										
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	34.3	741	3	3	49	50	51	51	51										
SUBTOTAL	5	33.0	553	3	3	49	50	51	51	51										
GRAND TOTAL	6	27.7	610	1	1	30	50	51	51	51										

CANNABIS ABUSE (305.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	5.5	41	1	1	5	10	10	10	10	2	14.0	338	1	1	14	27	27	27	27
18-20	1	2.0		2	2	2	2	2	2	2	1	1.0		1	1	1	1	1	1	1
21-24	1	1.0		1	1	1	1	1	1	1	1	11.0		11	11	11	11	11	11	11
25-34	3	10.3	87	4	4	6	17	21	21	21	3	2.3	1	2	2	2	3	3	3	3
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	7	6.4	52	1	1	4	9	19	21	21	8	6.1	82	1	1	2	7	22	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	4	25.0	402	7	7	22	41	49	49	49	1	13.0		13	13	13	13	13	13	13
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	1.0		1	1	1	1	1	1	1
25-34	1	31.0		31	31	31	31	31	31	31										
35-54																				
55-74																				
75 +																				
ALL AGES	6	22.3	338	3	3	20	34	47	49	49	2	7.0	72	1	1	6	13	13	13	13
SUBTOTAL	13	13.8	233	1	1	7	23	37	47	49	10	6.3	72	1	1	2	11	20	27	27
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	19	29.5	544	1	2	30	48	54	68	78	2	25.5	1013	3	3	25	48	48	48	48
18-20	7	19.9	207	3	3	19	28	41	44	44	1	4.0		4	4	4	4	4	4	4
21-24	7	8.9	102	2	2	3	18	24	25	25	3	31.0	1053	4	4	22	56	67	67	67
25-34	6	14.7	95	4	4	14	22	27	28	28	4	8.8	14	5	5	8	11	14	14	14
35-54	4	13.0	150	3	3	15	26	30	30	30	1	9.0		9	9	9	9	9	9	9
55-74																				
75 +																				
ALL AGES	43	21.3	363	2	2	19	30	49	53	78	11	17.5	438	3	3	9	20	56	66	67
B. FEMALE																				
0-12 YRS.																				
13-17	8	41.3	74	29	30	43	47	53	55	55										
18-20	2	29.5	365	16	16	29	43	43	43	43										
21-24	1	25.0		25	25	25	25	25	25	25	1	3.0		3	3	3	3	3	3	3
25-34	1	29.0		29	29	29	29	29	29	29										
35-54	2	22.5	761	3	3	22	42	42	42	42										
55-74																				
75 +																				
ALL AGES	14	34.9	189	6	15	38	43	50	54	55	1	3.0		3	3	3	3	3	3	3
SUBTOTAL	57	24.6	353	2	3	23	43	50	54	76	12	16.3	416	3	3	8	18	54	65	67
GRAND TOTAL	70	22.6	345	2	2	21	35	49	52	74	22	11.7	276	1	1	5	13	33	56	67

HALLUCINOGEN ABUSE (305.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	2.0	2	1	1	2	3	3	3	3	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	8.0		8	8	8	8	8	8	8
35-54	1	1.0		1	1	1	1	1	1	1										
55-74																				
75 +																				
ALL AGES	6	1.7	1	1	1	1	3	3	3	3	2	4.5	25	1	1	4	8	8	8	8
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	6	1.7	1	1	1	1	3	3	3	3	2	4.5	25	1	1	4	8	8	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	14.7	559	1	1	1	32	42	42	42										
18-20	1	29.0		29	29	29	29	29	29	29										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	18.3	422	1	1	15	35	42	42	42										
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20	2	29.0		29	29	29	29	29	29	29										
21-24	1	28.0		28	28	28	28	28	28	28										
25-34																				
35-54																				
55-74	1	9.0		9	9	9	9	9	9	9										
75 +																				
ALL AGES	5	19.2	176	1	1	28	29	29	29	29										
SUBTOTAL	9	18.8	247	1	1	28	29	37	42	42										
GRAND TOTAL	15	11.9	218	1	1	3	28	29	39	42	2	4.5	25	1	1	4	8	8	8	8

BARBITURATE ABUSE (305.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34	2	2.0		2	2	2	2	2	2	2										
35-54	1	5.0		5	5	5	5	5	5	5	3	6.3	7	4	4	6	8	9	9	9
55-74																				
75 +																				
ALL AGES	4	2.5	3	1	1	2	4	5	5	5	3	6.3	7	4	4	6	8	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											2	3.0	8	1	1	3	5	5	5	5
35-54	3	7.0	52	1	1	5	12	15	15	15										
55-74	1	5.0		5	5	5	5	5	5	5	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	4	6.5	36	1	1	5	10	15	15	15	3	3.0	4	1	1	3	4	5	5	5
SUBTOTAL	8	4.5	21	1	1	3	5	12	15	15	6	4.7	7	1	1	4	6	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	7.0		7	7	7	7	7	7	7										
25-34	2	8.0	18	5	5	8	11	11	11	11	5	2.2	1	1	1	3	3	3	3	3
35-54	4	4.5	7	1	1	5	6	7	7	7	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	7	5.9	9	1	1	6	7	10	11	11	6	2.8	4	1	1	3	3	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	1	18.0		18	18	18	18	18	18	18										
21-24																				
25-34	5	11.0	22	3	3	13	14	15	15	15	2	2.0	2	1	1	2	3	3	3	3
35-54	3	6.7	1	6	6	6	8	8	8	8	2	14.5	265	3	3	14	26	26	26	26
55-74											1	13.0		13	13	13	13	13	13	13
75 +																				
ALL AGES	9	10.3	25	3	4	11	14	17	18	18	5	9.2	110	1	1	3	16	26	26	26
SUBTOTAL	16	8.4	21	1	3	7	12	15	17	18	11	5.7	57	1	1	3	5	18	25	26
GRAND TOTAL	24	7.1	24	1	1	6	11	15	16	18	17	5.4	38	1	1	3	6	12	21	26

OPIOID ABUSE (305.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	5	4.0	13	1	1	3	5	10	10	10										
25-34	13	9.9	172	1	1	3	16	29	40	43	7	4.9	5	3	3	4	5	9	10	10
35-54	6	5.0	18	1	1	4	6	12	13	13	7	3.7	7	1	1	3	5	8	9	9
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	25	7.2	101	1	1	3	7	24	30	43	15	4.2	6	1	2	4	5	9	10	10
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	4	6.3	28	1	1	5	10	13	13	13										
25-34	7	9.9	129	3	3	4	12	30	34	34	4	5.0	5	3	3	4	6	8	8	8
35-54	3	2.7	4	1	1	2	4	5	5	5	1	3.0		3	3	3	3	3	3	3
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	15	7.3	70	1	1	4	8	15	29	34	5	4.6	4	3	3	4	6	8	8	8
SUBTOTAL	40	7.2	88	1	1	4	7	19	30	43	20	4.3	5	1	2	4	5	8	9	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	3	16.0	172	4	4	14	26	30	30	30										
25-34	14	13.5	67	3	3	15	22	22	24	24	22	6.1	24	3	3	4	8	11	17	24
35-54	9	8.8	126	1	1	4	11	29	29	29	9	5.4	13	1	2	4	8	11	12	12
55-74											2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	26	12.2	95	2	3	9	22	28	29	30	34	5.5	20	1	2	4	7	11	12	24
B. FEMALE																				
0-12 YRS.																				
13-17	2	10.5	61	5	5	10	16	16	16	16										
18-20											1	11.0		11	11	11	11	11	11	11
21-24	2	13.0	200	3	3	13	23	23	23	23	4	6.0	12	3	3	5	8	11	11	11
25-34	11	10.5	97	1	2	5	18	25	29	29	8	7.0	11	3	3	6	10	12	12	12
35-54	3	13.3	154	3	3	10	23	27	27	27										
55-74																				
75 +																				
ALL AGES	18	11.3	91	1	2	8	19	26	28	29	13	7.0	11	3	3	6	11	11	12	12
SUBTOTAL	44	11.8	92	2	3	8	21	27	29	30	47	5.9	18	2	3	4	9	11	12	24
GRAND TOTAL	84	9.6	94	1	1	4	15	24	29	40	67	5.4	15	2	3	4	7	11	12	22

COCAINE ABUSE (305.6)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	7.0		7	7	7	7	7	7	7
18-20	4	11.0	122	1	1	10	20	22	22	22	3	17.7	141	4	4	23	25	26	26	26
21-24	15	13.0	117	2	2	10	21	24	34	38	29	18.8	77	3	4	21	25	28	28	30
25-34	44	11.8	108	1	1	6	22	25	28	30	96	17.2	105	2	3	21	26	28	32	35
35-54	10	8.0	89	1	1	4	13	23	31	31	32	15.3	115	3	3	18	26	27	32	33
55-74																				
75 +																				
ALL AGES	73	11.5	105	1	1	5	22	24	28	36	161	17.1	100	2	3	21	26	28	31	33
B. FEMALE																				
0-12 YRS.																				
13-17	1	15.0		15	15	15	15	15	15	15										
18-20	3	9.0	91	3	3	4	16	20	20	20	5	13.2	197	2	2	4	28	30	30	30
21-24	7	11.4	125	1	1	3	23	24	24	24	13	12.8	105	2	3	8	25	27	28	28
25-34	17	14.6	111	2	2	21	23	26	27	27	36	16.6	116	2	3	19	25	32	33	39
35-54	7	6.9	90	1	1	3	6	24	28	28	9	10.9	57	1	3	9	16	23	24	24
55-74																				
75 +																				
ALL AGES	35	12.0	104	1	2	4	23	24	27	28	63	14.7	112	2	3	11	25	28	33	38
SUBTOTAL	108	11.7	103	1	1	5	22	24	28	34	224	16.4	105	2	3	20	25	28	32	34
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20	10	12.4	122	1	1	9	23	28	28	28	5	11.4	152	3	3	6	16	33	33	33
21-24	16	13.4	92	2	3	12	22	25	28	29	15	21.5	63	3	5	25	26	27	28	28
25-34	61	14.0	136	1	2	14	25	29	30	47	117	14.2	116	2	2	10	25	28	29	36
35-54	20	14.7	115	2	3	14	22	29	34	38	31	15.7	109	3	3	19	25	28	30	33
55-74																				
75 +																				
ALL AGES	108	13.8	121	2	2	12	22	29	29	43	168	15.1	112	2	3	17	25	28	29	34
B. FEMALE																				
0-12 YRS.																				
13-17	2	11.0	72	5	5	11	17	17	17	17										
18-20											4	3.8	6	1	1	3	5	7	7	7
21-24	8	4.0	6	1	1	3	5	8	9	9	11	17.1	120	3	3	21	26	30	33	33
25-34	19	11.4	109	1	2	8	18	29	30	30	25	11.0	85	1	2	7	21	25	26	26
35-54	2	2.5	1	2	2	2	3	3	3	3	7	6.9	81	1	1	4	6	23	27	27
55-74																				
75 +																				
ALL AGES	31	8.9	83	1	2	5	11	28	29	30	47	11.2	97	1	2	7	21	26	27	33
SUBTOTAL	139	12.7	116	1	2	8	22	29	29	39	215	14.2	112	2	3	10	25	28	28	34
GRAND TOTAL	247	12.2	112	1	2	8	22	28	29	38	439	15.3	110	2	3	19	25	28	30	34

AMPHETAMINE ABUSE (305.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
25-34	1	9.0		9	9	9	9	9	9	9	1	25.0		25	25	25	25	25	25	25
35-54																				
55-74																				
75 +																				
ALL AGES	2	5.0	32	1	1	5	9	9	9	9	3	10.7	155	2	2	5	20	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17	2	13.0	128	5	5	13	21	21	21	21										
18-20	1	4.0		4	4	4	4	4	4	4										
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3	2	3.0	2	2	2	3	4	4	4	4
35-54																				
55-74																				
75 +																				
ALL AGES	4	8.3	72	3	3	4	13	21	21	21	2	3.0	2	2	2	3	4	4	4	4
SUBTOTAL	6	7.2	52	1	1	4	9	20	21	21	5	7.6	96	2	2	4	10	25	25	25
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	45.0		45	45	45	45	45	45	45
18-20																				
21-24	2	3.5	5	2	2	3	5	5	5	5										
25-34	6	10.0	122	1	1	4	22	26	26	26										
35-54																				
55-74																				
75 +																				
ALL AGES	8	8.4	96	1	1	4	14	25	26	26	1	45.0		45	45	45	45	45	45	45
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	28.0		28	28	28	28	28	28	28										
25-34	3	8.3	103	2	2	3	16	20	20	20										
35-54	2	13.5	113	6	6	13	21	21	21	21										
55-74																				
75 +																				
ALL AGES	6	13.3	123	2	2	13	21	27	28	28										
SUBTOTAL	14	10.5	105	1	2	5	21	26	28	28	1	45.0		45	45	45	45	45	45	45
GRAND TOTAL	20	9.5	88	1	1	5	20	24	27	28	6	13.8	311	2	2	4	25	43	45	45

ANTIDEPRESSANT ABUSE (305.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											3	3.0	7	1	1	2	5	6	6	6
55-74																				
75 +																				
ALL AGES											3	3.0	7	1	1	2	5	6	6	6
SUBTOTAL											3	3.0	7	1	1	2	5	6	6	6
GRAND TOTAL											3	3.0	7	1	1	2	5	6	6	6

North Central Region January - December 1986

DRUG ABUSE NEC/NOS (305.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	16	11.4	209	1	1	5	13	41	47	49	3	5.0	48	1	1	1	10	13	13	13
18-20	8	11.4	101	1	1	10	22	23	23	23	3	14.3	126	6	6	10	23	27	27	27
21-24	17	7.6	78	1	1	4	9	25	29	30	6	13.5	213	1	1	8	28	34	35	35
25-34	49	10.5	120	1	1	5	22	29	31	32	17	9.2	76	2	2	5	12	24	28	30
35-54	11	7.8	67	1	1	5	10	21	28	29	2	3.5	1	3	3	3	4	4	4	4
55-74	1	3.0		3	3	3	3	3	3	3	4	7.0	6	4	4	7	9	9	9	9
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	103	9.9	117	1	1	5	16	29	31	46	35	9.5	86	1	1	6	11	27	29	35
B. FEMALE																				
0-12 YRS.	2	45.5	421	31	31	45	60	60	60	60										
13-17	4	30.8	587	2	2	30	47	61	61	61										
18-20	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
21-24	7	11.9	141	1	1	4	22	28	29	29	4	16.8	253	1	1	17	30	31	31	31
25-34	25	11.4	122	1	2	5	25	29	29	29	13	6.0	59	1	1	4	5	15	27	30
35-54	12	14.7	164	2	2	9	28	30	31	31	5	14.4	216	3	3	4	30	31	31	31
55-74	1	4.0		4	4	4	4	4	4	4	3	3.7	2	2	2	4	5	5	5	5
75 +																				
ALL AGES	52	14.7	222	1	2	5	28	30	34	61	26	8.8	120	1	1	4	6	30	31	31
SUBTOTAL	155	11.5	156	1	1	5	22	29	31	59	61	9.2	99	1	1	5	11	30	31	35
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9	1	18.0		18	18	18	18	18	18	18
13-17	35	32.7	470	2	3	42	50	58	60	75	2	1.5	1	1	1	1	2	2	2	2
18-20	14	15.4	354	1	1	8	20	45	58	62	6	7.2	126	1	1	3	4	27	30	30
21-24	17	9.5	96	1	1	4	16	23	29	33	10	11.1	105	2	2	7	21	27	28	28
25-34	36	9.5	89	1	2	5	14	27	31	34	22	10.0	73	1	2	9	13	23	31	34
35-54	25	7.8	64	1	2	4	10	21	28	29	11	7.9	86	1	1	5	9	22	32	33
55-74																				
75 +																				
ALL AGES	128	16.1	321	1	2	8	23	48	54	65	52	9.3	83	1	1	6	11	27	30	34
B. FEMALE																				
0-12 YRS.																				
13-17	20	35.2	464	2	7	42	52	68	88	99+	6	12.0	325	1	1	2	19	43	46	46
18-20	4	13.0	303	2	2	5	22	39	39	39	3	7.3	9	4	4	9	9	9	9	9
21-24	7	5.9	45	1	1	2	9	17	19	19	7	5.0	9	1	1	5	7	9	10	10
25-34	26	12.5	209	2	2	6	19	34	47	57	17	7.6	44	1	2	6	9	14	24	29
35-54	11	8.7	104	1	1	6	9	25	35	36	7	6.7	33	1	1	5	11	15	16	16
55-74	3	13.0	79	6	6	10	20	23	23	23	1	8.0		8	8	8	8	8	8	8
75 +																				
ALL AGES	71	17.7	361	2	2	10	30	50	60	95	41	7.7	68	1	1	5	9	15	23	46
SUBTOTAL	199	16.7	333	1	2	9	24	49	56	76	93	8.5	78	1	1	5	10	21	29	41
GRAND TOTAL	354	14.4	262	1	2	6	23	42	51	62	154	8.8	85	1	1	5	10	27	30	35

PSYCHOGEN MUSCULSKEL DIS (306.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	4	1.5		1	1	1	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
55-74	2	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	7	1.9		1	1	2	2	3	3	3	2	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	1	3.0		3	3	3	3	3	3	3										
21-24																				
25-34	2	8.5	113	1	1	8	16	16	16	16										
35-54	3	4.0	7	2	2	3	6	7	7	7	3	3.3	11	1	1	2	6	7	7	7
55-74	2	11.5	1	11	11	11	12	12	12	12										
75 +	1	3.0		3	3	3	3	3	3	3	1	5.0		5	5	5	5	5	5	5
ALL AGES	10	6.1	27	1	1	3	11	14	16	16	4	3.8	7	1	1	3	6	7	7	7
SUBTOTAL	17	4.4	19	1	1	3	4	12	15	16	6	2.8	7	1	1	2	5	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	2	3.5	13	1	1	3	6	6	6	6	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	2.0		2	2	2	2	2	2	2
21-24	1	3.0		3	3	3	3	3	3	3										
25-34											1	19.0		19	19	19	19	19	19	19
35-54	3	19.0	199	4	4	21	29	32	32	32	2	4.5	1	4	4	4	5	5	5	5
55-74	1	12.0		12	12	12	12	12	12	12	1	11.0		11	11	11	11	11	11	11
75 +																				
ALL AGES	5	14.4	149	3	3	12	24	32	32	32	5	8.2	48	2	2	5	13	19	19	19
SUBTOTAL	7	11.3	130	1	1	6	19	30	32	32	6	7.5	41	2	2	5	11	18	19	19
GRAND TOTAL	24	6.4	58	1	1	3	9	16	24	32	12	5.2	27	1	1	4	6	13	18	19

North Central Region January - December 1986

PSYCHOGENIC RESPIR DIS (306.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	2	4.5	25	1	1	4	8	8	8	8										
13-17	1	1.0		1	1	1	1	1	1	1	3	3.3	5	1	1	4	5	5	5	5
18-20	1	2.0		2	2	2	2	2	2	2	2	2.5	5	1	1	2	4	4	4	4
21-24	1	1.0		1	1	1	1	1	1	1	2	2.5	1	2	2	2	3	3	3	3
25-34	4	1.5	1	1	1	1	2	3	3	3	3	2.7		2	2	3	3	3	3	3
35-54	15	2.5	4	1	1	2	4	5	7	7	15	2.1	2	1	1	2	3	3	5	6
55-74	7	2.6	5	1	1	2	4	6	7	7	6	2.0	1	1	1	2	2	4	4	4
75 +	4	3.3		2	2	3	4	4	4	4	3	7.3	31	1	1	10	11	11	11	11
ALL AGES	35	2.5	4	1	1	2	4	5	7	8	34	2.7	6	1	1	2	3	5	9	11
B. FEMALE																				
0-12 YRS.	2	3.0		3	3	3	3	3	3	3	2	1.0		1	1	1	1	1	1	1
13-17	1	2.0		2	2	2	2	2	2	2	3	2.7	1	2	2	2	4	4	4	4
18-20	3	1.7		1	1	2	2	2	2	2	4	3.0	1	2	2	3	4	4	4	4
21-24																				
25-34	3	5.7	41	1	1	3	10	13	13	13	13	3.6	12	1	1	3	4	10	12	12
35-54	20	2.6	1	1	1	2	3	4	5	6	11	2.8	4	1	1	3	4	6	7	7
55-74	13	2.6	3	1	1	2	4	5	6	6	13	3.0	3	1	1	3	4	6	6	6
75 +	8	1.8	1	1	1	1	3	3	3	3	11	3.5	3	2	2	3	5	6	7	7
ALL AGES	50	2.6	4	1	1	2	3	4	6	13	57	3.1	5	1	1	3	4	6	7	12
SUBTOTAL	85	2.6	4	1	1	2	3	4	6	11	91	3.0	5	1	1	2	4	6	7	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24	2	2.0	2	1	1	1	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	5	2.4	5	1	1	1	4	6	6	6	2	3.0		3	3	3	3	3	3	3
35-54	4	3.8	17	1	1	2	6	10	10	10										
55-74	5	4.4	6	1	1	5	6	7	7	7	2	2.0		2	2	2	2	2	2	2
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	17	3.4	7	1	1	3	5	7	9	10	7	2.6		2	2	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1	1	2.0		2	2	2	2	2	2	2
18-20	2	5.0	8	3	3	5	7	7	7	7	2	1.5	1	1	1	1	2	2	2	2
21-24											2	1.5	1	1	1	1	2	2	2	2
25-34	2	3.0	2	2	2	3	4	4	4	4	4	2.3	1	1	1	2	3	4	4	4
35-54	16	3.6	7	1	1	3	4	7	10	11	13	2.2	2	1	1	2	3	4	5	5
55-74	13	6.1	22	1	2	4	8	14	16	16	11	3.0	1	1	1	3	4	4	4	4
75 +	6	3.8	4	2	2	3	6	6	6	6	5	4.2	12	1	1	4	6	10	10	10
ALL AGES	40	4.4	12	1	1	3	6	9	13	16	38	2.6	3	1	1	2	4	4	5	10
SUBTOTAL	57	4.1	11	1	1	3	6	7	11	16	45	2.6	3	1	1	2	4	4	5	10
GRAND TOTAL	142	3.2	7	1	1	2	4	6	8	14	136	2.9	4	1	1	2	4	5	7	11

PSYCHOGEN CARDIOVASC DIS (306.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	2	2.5	1	2	2	2	3	3	3	3	2	2.5	1	2	2	2	3	3	3	3
35-54	10	5.2	11	2	2	4	6	11	11	11	3	3.0	3	1	1	4	4	4	4	4
55-74	10	3.0	4	1	1	2	5	6	6	6	3	4.7	14	2	2	3	7	9	9	9
75 +	3	6.7	6	4	4	7	8	9	9	9	3	4.7	14	2	2	3	7	9	9	9
ALL AGES	25	4.3	8	1	1	4	6	9	11	11	12	3.6	7	1	1	3	4	9	9	9
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	3.5	1	3	3	3	4	4	4	4	2	2.5	1	2	2	2	3	3	3	3
35-54	2	9.5	85	3	3	9	16	16	16	16	5	3.4	1	2	2	3	4	5	5	5
55-74	5	3.8	4	2	2	3	5	7	7	7	1	4.0		4	4	4	4	4	4	4
75 +	3	2.7	2	1	1	3	4	4	4	4	3	3.0	1	2	2	3	4	4	4	4
ALL AGES	12	4.4	16	1	2	3	4	10	15	16	11	3.2	1	2	2	3	4	5	5	5
SUBTOTAL	37	4.3	10	1	1	3	5	9	11	16	23	3.4	4	1	1	3	4	6	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20	2	4.0		4	4	4	4	4	4	4										
21-24																				
25-34											1	2.0		2	2	2	2	2	2	2
35-54											3	3.7	6	1	1	4	5	6	6	6
55-74	1	1.0		1	1	1	1	1	1	1	2	4.0	2	3	3	4	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	4	2.5	3	1	1	2	4	4	4	4	7	3.7	3	1	1	4	5	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	3.0		3	3	3	3	3	3	3										
35-54	3	3.0	3	2	2	2	4	5	5	5	3	3.0	1	2	2	3	4	4	4	4
55-74	1	2.0		2	2	2	2	2	2	2										
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	5	2.8	2	2	2	2	3	5	5	5	4	3.3		2	2	3	4	4	4	4
SUBTOTAL	9	2.7	2	1	1	2	4	5	5	5	11	3.5	3	1	1	4	5	6	6	6
GRAND TOTAL	46	4.0	9	1	1	3	5	7	11	16	34	3.4	4	1	2	3	4	5	8	9

PSYCHOGENIC SKIN DISEASE (306.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	10.0		10	10	10	10	10	10	10
75 +											1	10.0		10	10	10	10	10	10	10
ALL AGES											1	10.0		10	10	10	10	10	10	10
SUBTOTAL											1	10.0		10	10	10	10	10	10	10
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	10.0		10	10	10	10	10	10	10

PSYCHOGENIC GI DISEASE (306.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	6	3.2	1	2	2	3	4	5	5	5	2	3.0		3	3	3	3	3	3	3
13-17	1	3.0		3	3	3	3	3	3	3	1	4.0		4	4	4	4	4	4	4
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	4	3.8	4	2	2	3	5	7	7	7	1	3.0		3	3	3	3	3	3	3
35-54	3	3.3	6	2	2	2	5	6	6	6										
55-74	1	10.0		10	10	10	10	10	10	10	2	2.0		2	2	2	2	2	2	2
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	16	3.7	5	2	2	3	4	7	9	10	7	3.1	1	2	2	3	4	5	5	5
B. FEMALE																				
0-12 YRS.	2	3.5	5	2	2	3	5	5	5	5	3	3.3	2	2	2	4	4	4	4	4
13-17	3	4.7	2	3	3	5	6	6	6	6	3	15.0	363	4	4	4	29	37	37	37
18-20																				
21-24	2	4.0	8	2	2	4	6	6	6	6	6	10.3	222	1	1	3	14	36	39	39
25-34	1	8.0		8	8	8	8	8	8	8	4	4.5	2	3	3	4	5	6	6	6
35-54	8	4.6	3	2	2	5	6	7	7	7	5	6.8	7	4	4	6	8	11	11	11
55-74	6	4.5	12	2	2	3	5	10	11	11	3	4.3	2	3	3	5	5	5	5	5
75 +	4	4.0	5	2	2	3	5	7	7	7	3	3.3	2	2	2	4	4	4	4	4
ALL AGES	26	4.5	5	2	2	4	6	7	9	11	27	7.1	87	1	2	4	6	13	37	39
SUBTOTAL	42	4.2	5	2	2	4	6	7	9	11	34	6.3	71	1	2	4	5	11	32	39
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	2.5	1	2	2	2	3	3	3	3										
13-17																				
18-20																				
21-24	3	5.3	11	3	3	4	8	9	9	9										
25-34	1	6.0		6	6	6	6	6	6	6	1	3.0		3	3	3	3	3	3	3
35-54	2	6.5	5	5	5	6	8	8	8	8	2	4.0	8	2	2	4	6	6	6	6
55-74	5	7.6	13	3	3	8	10	12	12	12	2	2.0	2	1	1	2	3	3	3	3
75 +																				
ALL AGES	13	6.0	10	2	3	5	8	10	12	12	5	3.0	4	1	1	3	4	6	6	6
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
13-17	2	3.5	1	3	3	3	4	4	4	4										
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9	3	16.0	196	6	6	10	26	32	32	32
25-34	8	5.3	6	1	2	5	7	8	8	8	2	6.0	50	1	1	6	11	11	11	11
35-54	10	6.3	25	2	2	5	7	14	19	19	6	5.5	13	2	2	5	8	11	11	11
55-74	9	9.9	34	4	4	8	12	20	21	21	6	6.3	5	3	3	6	8	9	9	9
75 +	4	5.3	2	4	4	5	6	7	7	7	1	4.0		4	4	4	4	4	4	4
ALL AGES	35	6.6	22	1	3	6	8	10	19	21	20	7.0	44	1	1	6	9	11	22	32
SUBTOTAL	48	6.5	18	2	3	5	8	10	18	21	25	6.2	38	1	1	5	8	11	16	32
GRAND TOTAL	90	5.4	13	2	2	5	7	10	11	20	59	6.2	57	1	2	4	6	11	24	39

PSYCHOGENIC GU DISEASE (306.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34											1	4.0		4	4	4	4	4	4	4
35-54																				
55-74																				
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4	1	2.0		2	2	2	2	2	2	2
13-17											1	5.0		5	5	5	5	5	5	5
18-20																				
21-24											1	2.0		2	2	2	2	2	2	2
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	3.0		3	3	3	3	3	3	3										
55-74																				
75 +	1	9.0		9	9	9	9	9	9	9										
ALL AGES	4	4.5	10	2	2	3	6	9	9	9	3	3.0	3	2	2	2	4	5	5	5
SUBTOTAL	5	4.0	9	2	2	3	5	9	9	9	4	3.3	2	2	2	3	4	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74	2	4.0	8	2	2	4	6	6	6	6										
75 +																				
ALL AGES	3	5.3	10	2	2	6	7	8	8	8										
B. FEMALE																				
0-12 YRS.																				
13-17	2	6.5	1	6	6	6	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.5	1	6	6	6	7	7	7	7										
SUBTOTAL	5	5.8	5	2	2	6	7	8	8	8										
GRAND TOTAL	10	4.9	7	2	2	5	7	8	9	9	4	3.3	2	2	2	3	4	5	5	5

PSYCHOGENIC SENSORY DIS (306.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	4.0		4	4	4	4	4	4	4
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4

North Central Region January - December 1986

PSYCHOGENIC DISORDER NEC (306.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20											2	5.5	5	4	4	5	7	7	7	7
21-24																				
25-34																				
35-54	2	2.5	5	1	1	2	4	4	4	4	1	4.0		4	4	4	4	4	4	4
55-74																				
75 +																				
ALL AGES	2	2.5	5	1	1	2	4	4	4	4	3	5.0	3	4	4	4	6	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											2	2.0	2	1	1	2	3	3	3	3
21-24	1	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
25-34	1	9.0		9	9	9	9	9	9	9										
35-54																				
55-74																				
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	3	5.0	12	3	3	3	8	9	9	9	3	2.3	2	1	1	3	3	3	3	3
SUBTOTAL	5	4.0	9	1	1	3	5	9	9	9	6	3.7	4	1	1	3	4	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	6.0		6	6	6	6	6	6	6										
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	2	5.5	5	4	4	5	7	7	7	7										
55-74	1	25.0		25	25	25	25	25	25	25										
75 +																				
ALL AGES	4	9.5	111	2	2	5	16	25	25	25										
SUBTOTAL	5	8.8	86	2	2	6	11	25	25	25										
GRAND TOTAL	10	6.4	48	1	1	4	7	17	25	25	6	3.7	4	1	1	3	4	7	7	7

PSYCHOGENIC DISORDER NOS (306.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34	1	23.0		23	23	23	23	23	23	23										
35-54	1	6.0		6	6	6	6	6	6	6	1	2.0		2	2	2	2	2	2	2
55-74	1	6.0		6	6	6	6	6	6	6										
75 +																				
ALL AGES	4	10.0	75	5	5	6	15	23	23	23	3	2.3	1	2	2	2	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17											3	3.3	17	1	1	1	6	8	8	8
18-20																				
21-24																				
25-34	2	13.0	72	7	7	13	19	19	19	19	1	4.0		4	4	4	4	4	4	4
35-54	9	6.3	46	3	3	4	6	17	24	24	3	2.7	4	1	1	2	4	5	5	5
55-74	1	19.0		19	19	19	19	19	19	19	2	2.5	1	2	2	2	3	3	3	3
75 +																				
ALL AGES	12	8.5	57	3	3	5	13	21	24	24	9	3.0	6	1	1	2	4	7	8	8
SUBTOTAL	16	8.9	57	3	3	6	13	23	24	24	12	2.8	4	1	1	2	4	6	8	8
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	4.0		4	4	4	4	4	4	4										
25-34																				
35-54	3	11.0	25	6	6	11	15	16	16	16										
55-74																				
75 +																				
ALL AGES	4	9.3	28	4	4	8	13	16	16	16										
B. FEMALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	2	16.5	25	13	13	16	20	20	20	20	2	3.0	2	2	2	3	4	4	4	4
35-54	4	17.8	251	3	3	18	31	32	32	32	1	12.0		12	12	12	12	12	12	12
55-74	2	4.0	2	3	3	4	5	5	5	5	3	9.7	24	5	5	9	13	15	15	15
75 +	2	4.0	2	3	3	4	5	5	5	5										
ALL AGES	10	12.0	135	3	3	5	20	31	32	32	7	6.9	27	1	1	5	11	14	15	15
SUBTOTAL	14	11.2	102	3	3	6	16	31	32	32	7	6.9	27	1	1	5	11	14	15	15
GRAND TOTAL	30	10.0	76	3	3	6	16	23	31	32	19	4.3	16	1	1	3	5	11	14	15

North Central Region January - December 1986

STAMMERING & STUTTERING (307.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
SUBTOTAL											1	1.0		1	1	1	1	1	1	1
GRAND TOTAL											1	1.0		1	1	1	1	1	1	1

ANOREXIA NERVOSA (307.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	81.0		81	81	81	81	81	81	81	1	2.0		2	2	2	2	2	2	2
18-20											1	21.0		21	21	21	21	21	21	21
21-24																				
25-34	2	10.5	113	3	3	10	18	18	18	18										
35-54	1	6.0		6	6	53	99+	99+	99+	99+										
55-74																				
75 +																				
ALL AGES	4	27.0	1338	3	3	18	86	99+	99+	99+	2	11.5	181	2	2	11	21	21	21	21
B. FEMALE																				
0-12 YRS.	1	40.0		40	40	99+	99+	99+	99+	99+	2	13.5	145	5	5	13	22	22	22	22
13-17	25	23.2	418	2	3	21	38	61	80	99+	9	15.8	458	1	1	6	23	51	68	68
18-20	17	30.6	655	4	5	27	49	61	81	91	5	54.2	1025	3	3	63	72	89	89	89
21-24	7	31.4	563	11	11	28	77	99+	99+	99+	6	6.3	24	3	3	5	6	15	16	16
25-34	11	26.1	286	3	4	28	42	48	49	49	3	5.3	11	3	3	4	8	9	9	9
35-54	10	22.7	270	4	5	16	38	45	48	48	5	15.6	97	9	9	12	18	33	33	33
55-74	2	5.0		5	5	5	5	5	5	5	1	6.0		6	6	6	6	6	6	6
75 +											1	4.0		4	4	4	4	4	4	4
ALL AGES	73	25.8	433	3	5	26	46	67	99+	99+	32	18.2	540	3	3	6	22	64	68	89
SUBTOTAL	77	25.9	461	3	5	26	47	76	99+	99+	34	17.8	515	2	3	6	22	63	68	89
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	30.0		30	30	30	30	30	30	30	1	61.0		61	61	61	61	61	61	61
18-20	2	56.0	288	44	44	56	68	68	68	68										
21-24																				
25-34	1	10.0		10	10	10	10	10	10	10										
35-54											1	41.0		41	41	41	41	41	41	41
55-74																				
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	4	38.0	595	10	10	37	56	68	68	68	3	35.0	868	3	3	41	56	61	61	61
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	29	34.5	677	3	4	42	71	99+	99+	99+	8	32.5	927	2	2	29	61	70	71	71
18-20	22	32.1	563	3	4	28	41	73	77	81	5	43.8	1060	8	8	38	59	96	96	96
21-24	18	34.4	425	11	13	29	53	76	91	99+	5	22.2	426	5	5	12	43	47	47	47
25-34	38	29.0	380	3	4	28	41	49	70	83	7	12.4	266	1	2	7	32	84	99+	99+
35-54	18	26.1	424	3	4	28	39	52	68	77	4	13.8	130	3	3	12	23	28	28	28
55-74	2	12.0	98	5	5	12	19	19	19	19	3	2.7		2	2	3	3	3	3	3
75 +	1	8.0		8	8	8	8	8	8	8	1	10.0		10	10	10	10	10	10	10
ALL AGES	129	30.5	488	3	4	29	44	75	91	99+	33	22.7	621	2	3	11	47	68	91	99+
SUBTOTAL	133	30.7	490	3	4	29	44	75	89	99+	36	23.8	626	2	3	11	47	67	87	99+
GRAND TOTAL	210	28.9	485	3	4	28	45	75	99+	99+	70	20.9	572	2	3	9	37	65	71	99

TICS (307.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	13.0	301	2	2	4	26	33	33	33										
13-17	1	3.0		3	3	3	3	3	3	3										
18-20	2	13.0	2	12	12	13	14	14	14	14										
21-24																				
25-34																				
35-54											1	2.0		2	2	2	2	2	2	2
55-74																				
75 +																				
ALL AGES	6	11.3	138	2	2	8	14	31	33	33	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54											1	5.0		5	5	5	5	5	5	5
55-74																				
75 +																				
ALL AGES	1	6.0		6	6	6	6	6	6	6	1	5.0		5	5	5	5	5	5	5
SUBTOTAL	7	10.6	118	2	2	6	13	29	33	33	2	3.5	5	2	2	3	5	5	5	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	8	24.8	257	3	5	23	39	46	48	48										
13-17	3	26.3	1252	3	3	9	52	67	67	67										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	11	25.2	431	3	3	23	40	56	66	67										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	1.0		1	1	1	1	1	1	1										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	12	23.2	440	1	2	18	39	54	65	67										
GRAND TOTAL	19	18.5	349	1	2	12	31	45	58	67	2	3.5	5	2	2	3	5	5	5	5

STEREOTYPED MOVEMENTS (307.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	1	2.0		2	2	2	2	2	2	2	1	3.0		3	3	3	3	3	3	3

North Central Region January - December 1986

NONORGANIC SLEEP DISORD (307.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	3.7	14	1	1	2	6	8	8	8										
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	7.0		7	7	7	7	7	7	7
75 +																				
ALL AGES	4	3.3	10	1	1	2	5	8	8	8	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	2.0		2	2	2	2	2	2	2										
55-74											1	9.0		9	9	9	9	9	9	9
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2	1	9.0		9	9	9	9	9	9	9
SUBTOTAL	5	3.0	8	1	1	2	4	8	8	8	2	8.0	2	7	7	8	9	9	9	9
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	2.0		2	2	2	2	2	2	2										
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
SUBTOTAL	2	1.5	1	1	1	1	2	2	2	2										
GRAND TOTAL	7	2.6	6	1	1	2	2	7	8	8	2	8.0	2	7	7	8	9	9	9	9

EATING DISORDERS NEC/NOS (307.5)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	19.6	1037	3	3	4	27	77	77	77	1	5.0		5	5	5	5	5	5	5
13-17	3	23.3	757	6	6	9	43	55	55	55	1	33.0		33	33	33	33	33	33	33
18-20																				
21-24	2	22.5	841	2	2	22	43	43	43	43	2	5.0	18	2	2	5	8	8	8	8
25-34																				
35-54	2	14.0	72	8	8	14	20	20	20	20	1	3.0		3	3	3	3	3	3	3
55-74											1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	12	20.1	607	2	3	8	31	62	75	77	6	9.0	143	2	2	4	8	30	33	33
B. FEMALE																				
0-12 YRS.	6	4.0	6	1	1	3	7	7	7	7	2	1.5	1	1	1	2	2	2	2	2
13-17	30	26.4	290	2	2	28	37	49	50	67	3	28.0	1669	1	1	8	58	75	75	75
18-20	37	23.5	384	1	2	24	32	41	61	97	5	13.0	182	1	1	9	25	31	31	31
21-24	23	32.1	209	13	14	32	38	58	60	62	2	23.5	61	18	18	23	29	29	29	29
25-34	21	24.2	454	1	1	25	32	52	66	82	3	26.3	173	14	14	25	36	40	40	40
35-54	10	19.0	273	3	4	12	30	43	55	55	1	3.0		3	3	3	3	3	3	3
55-74	3	9.0	28	5	5	7	13	15	15	15	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	130	24.2	338	1	2	25	33	49	58	85	17	16.8	381	1	1	9	26	38	63	75
SUBTOTAL	142	23.9	356	2	3	24	33	49	58	83	23	14.8	320	1	1	8	24	34	52	75
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	2	26.0	2	25	25	26	27	27	27	27	1	6.0		6	6	6	6	6	6	6
13-17											1	40.0		40	40	40	40	40	40	40
18-20																				
21-24	2	29.0	450	14	14	29	44	44	44	44	2	17.5	145	9	9	17	26	26	26	26
25-34	2	15.0	200	5	5	15	25	25	25	25										
35-54	1	33.0		33	33	33	33	33	33	33										
55-74											1	5.0		5	5	5	5	5	5	5
75 +											1	5.0		5	5	5	5	5	5	5
ALL AGES	7	24.7	159	5	7	25	31	42	44	44	6	15.2	211	5	5	7	26	39	40	40
B. FEMALE																				
0-12 YRS.	3	26.7	990	7	7	10	50	63	63	63	1	2.0		2	2	2	2	2	2	2
13-17	29	29.8	338	2	6	29	43	65	98	99+	4	29.0	277	8	8	30	41	47	47	47
18-20	36	23.6	298	1	2	24	35	51	54	66	7	27.1	268	3	5	33	40	46	47	47
21-24	23	28.4	457	4	5	26	39	57	74	86	3	16.7	201	7	7	10	27	33	33	33
25-34	40	23.6	345	1	1	25	31	47	57	75	9	32.1	180	14	16	32	42	51	53	53
35-54	20	23.8	630	2	3	14	40	55	79	97	8	13.4	118	3	3	9	24	28	29	29
55-74	2	10.0	2	9	9	10	11	11	11	11	1	7.0		7	7	7	7	7	7	7
75 +	1	4.0		4	4	4	4	4	4	4	3	17.7	225	8	8	10	29	35	35	35
ALL AGES	154	25.3	386	1	4	25	38	53	65	99+	36	22.6	235	3	4	23	34	46	47	53
SUBTOTAL	161	25.2	379	2	4	25	38	53	65	99	42	21.5	235	3	4	21	34	43	47	53
GRAND TOTAL	303	24.6	367	2	3	25	35	51	62	97	65	19.2	268	1	2	14	32	40	47	72

ENCOPRESIS (307.7)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21										
SUBTOTAL	2	11.5	181	2	2	11	21	21	21	21										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	5	26.2	1442	3	3	8	39	93	93	93	1	2.0		2	2	2	2	2	2	2
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	5	26.2	1442	3	3	8	39	93	93	93	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	5.0		5	5	5	5	5	5	5	1	1.0		1	1	1	1	1	1	1
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	6.0	2	5	5	6	7	7	7	7	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	7	20.4	1060	3	3	7	18	79	93	93	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	9	18.4	834	2	2	7	21	64	93	93	2	1.5	1	1	1	1	2	2	2	2

PSYCHALGIA (307.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1	3	2.0	1	1	1	2	3	3	3	3
13-17	7	3.1	4	1	1	3	4	6	7	7										
18-20	3	3.7	6	1	1	4	5	6	6	6	2	6.0	2	5	5	6	7	7	7	7
21-24	5	2.6	4	1	1	2	4	6	6	6	3	7.3	5	5	5	8	9	9	9	9
25-34	15	2.9	2	1	1	3	4	5	6	7	11	2.8	3	1	1	2	4	5	7	7
35-54	25	3.6	3	1	1	4	5	6	7	8	16	2.6	2	1	1	2	3	5	6	6
55-74	5	4.0	5	1	1	4	5	7	7	7	5	6.6	9	3	3	7	8	11	11	11
75 +											1	3.0		3	3	3	3	3	3	3
ALL AGES	61	3.3	3	1	1	3	4	6	7	8	41	3.6	6	1	1	3	5	7	8	11
B. FEMALE																				
0-12 YRS.	6	9.0	262	2	2	3	3	38	42	42	5	2.0	1	1	1	2	2	3	3	3
13-17	12	3.3		2	2	3	4	4	4	4	6	1.8	1	1	1	2	2	3	3	3
18-20	5	3.4	8	1	1	3	5	8	8	8	6	2.5	2	1	1	2	4	4	4	4
21-24	12	3.8	4	1	1	4	5	6	7	7	9	3.8	2	2	2	4	5	5	5	5
25-34	39	4.1	10	1	1	3	5	8	12	16	34	3.4	5	1	1	3	4	6	8	9
35-54	54	3.8	6	1	1	3	5	8	8	13	34	4.2	10	1	2	3	6	9	12	14
55-74	27	4.3	6	1	1	4	6	8	9	11	22	4.6	7	1	1	4	6	8	9	11
75 +	11	4.3	7	1	1	4	6	9	9	9	4	4.5	3	3	3	4	6	7	7	7
ALL AGES	166	4.1	15	1	1	3	5	8	9	16	120	3.8	6	1	1	3	5	7	9	13
SUBTOTAL	227	3.9	12	1	1	3	5	7	8	14	161	3.7	6	1	1	3	5	7	9	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	5	7.4	146	1	1	2	9	29	29	29										
18-20	3	3.0	7	1	1	2	5	6	6	6										
21-24	1	1.0		1	1	1	1	1	1	1	1	6.0		6	6	6	6	6	6	6
25-34	5	5.4	16	1	1	6	8	11	11	11	1	2.0		2	2	2	2	2	2	2
35-54	7	3.6	5	1	1	3	5	7	7	7	3	3.0	1	2	2	3	4	4	4	4
55-74	5	7.0	40	2	2	5	9	18	18	18	2	10.0	50	5	5	10	15	15	15	15
75 +	2	4.0	8	2	2	4	6	6	6	6										
ALL AGES	28	5.1	35	1	1	3	6	10	19	29	7	5.3	20	2	2	4	6	13	15	15
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	4	4.3	4	2	2	4	6	7	7	7										
18-20	4	4.0	3	2	2	4	5	6	6	6	3	2.0		2	2	2	2	2	2	2
21-24	4	5.5	14	2	2	5	8	10	10	10	3	3.0	7	1	1	2	5	6	6	6
25-34	17	7.4	26	2	3	6	9	14	20	23	17	4.8	30	1	1	4	5	7	19	25
35-54	43	5.8	18	1	2	5	8	11	16	18	21	3.6	3	1	1	4	5	6	7	7
55-74	13	6.8	13	3	3	6	10	12	14	14	6	6.5	20	3	3	5	7	14	15	15
75 +	1	17.0		17	17	17	17	17	17	17	2	5.5	13	3	3	5	8	8	8	8
ALL AGES	87	6.2	18	2	2	5	8	12	15	21	52	4.3	14	1	1	4	5	7	8	25
SUBTOTAL	115	5.9	23	1	2	5	7	12	16	25	59	4.4	15	1	1	4	5	7	12	24
GRAND TOTAL	342	4.6	16	1	1	4	6	9	11	19	220	3.9	8	1	1	3	5	7	9	15

SPECIAL SYMPTOM NEC/NOS (307.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	3	8.0	21	4	4	7	11	13	13	13	3	2.0	1	1	1	2	3	3	3	3
13-17																				
18-20	1	5.0		5	5	5	5	5	5	5				9	9	9	9	9	9	9
21-24	3	5.7	65	1	1	1	11	15	15	15	1	9.0								
25-34	1	8.0		8	8	8	8	8	8	8										
35-54	2	3.0		3	3	3	3	3	3	3	1	3.0		3	3	3	3	3	3	3
55-74	4	9.5	22	4	4	9	13	15	15	15	2	2.0	2	1	1	2	3	3	3	3
75 +	1	2.0		2	2	2	2	2	2	2	1	12.0		12	12	12	12	12	12	12
ALL AGES	15	6.7	23	1	1	5	10	15	15	15	8	4.3	16	1	1	3	6	11	12	12
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20											1	1.0		1	1	1	1	1	1	1
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	5	8.6	235	1	1	2	11	36	36	36										
55-74	2	4.5	5	3	3	4	6	6	6	6	1	5.0		5	5	5	5	5	5	5
75 +																				
ALL AGES	9	6.1	128	1	1	2	4	24	36	36	2	3.0	8	1	1	3	5	5	5	5
SUBTOTAL	24	6.5	58	1	1	4	8	15	21	36	10	4.0	14	1	1	3	5	10	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54	2	1.5	1	1	1	1	2	2	2	2	1	2.0		2	2	2	2	2	2	2
55-74	2	3.5	1	3	3	3	4	4	4	4										
75 +	4	9.5	27	2	2	11	13	13	13	13										
ALL AGES	9	5.9	23	1	1	4	11	13	13	13	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	1	13.0		13	13	13	13	13	13	13										
18-20																				
21-24																				
25-34											1	6.0		6	6	6	6	6	6	6
35-54	1	1.0		1	1	1	1	1	1	1	1	8.0		8	8	8	8	8	8	8
55-74	3	4.3	5	2	2	5	6	6	6	6	5	2.8	2	1	1	3	4	4	4	4
75 +	1	8.0		8	8	8	8	8	8	8	2	5.5	5	4	4	5	7	7	7	7
ALL AGES	7	5.6	16	1	1	5	7	12	13	13	9	4.3	6	1	1	4	6	8	8	8
SUBTOTAL	16	5.8	18	1	1	4	9	13	13	13	10	4.1	5	1	1	4	6	7	8	8
GRAND TOTAL	40	6.2	42	1	1	4	8	13	15	36	20	4.1	9	1	1	3	5	8	10	12

STRESS REACT, EMOTIONAL (308.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24											1	1.0		1	1	1	1	1	1	1
25-34	2	1.5	1	1	1	1	2	2	2	2	2	2.0	2	1	1	2	3	3	3	3
35-54	4	3.0	5	1	1	2	4	6	6	6										
55-74	3	4.3	7	2	2	4	6	7	7	7	5	2.0	2	1	1	2	3	4	4	4
75 +	1	1.0		1	1	1	1	1	1	1	1	1.0		1	1	1	1	1	1	1
ALL AGES	11	3.3	5	1	1	2	5	7	7	7	9	1.8	1	1	1	1	2	4	4	4
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17	2	5.5	5	4	4	5	7	7	7	7										
18-20	2	9.5	41	5	5	9	14	14	14	14										
21-24											1	4.0		4	4	4	4	4	4	4
25-34	3	11.7	159	2	2	7	21	26	26	26	2	1.5	1	1	1	1	2	2	2	2
35-54	11	4.5	5	1	2	4	7	7	7	7	8	1.9	3	1	1	1	3	5	5	5
55-74	8	3.6	8	1	1	3	5	8	9	9	6	2.5	1	1	1	2	3	4	4	4
75 +	4	5.5	28	1	1	4	9	13	13	13	1	3.0		3	3	3	3	3	3	3
ALL AGES	31	5.5	24	1	1	4	7	11	14	26	18	2.2	2	1	1	2	3	4	5	5
SUBTOTAL	42	4.9	20	1	1	4	7	8	13	26	27	2.1	1	1	1	2	3	4	4	5
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.											1	1.0		1	1	1	1	1	1	1
13-17																				
18-20																				
21-24																				
25-34	3	1.7	1	1	1	1	3	3	3	3	2	1.5	1	1	1	1	2	2	2	2
35-54	5	2.4	2	1	1	3	3	4	4	4	1	5.0		5	5	5	5	5	5	5
55-74	1	2.0		2	2	2	2	2	2	2	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	9	2.1	1	1	1	2	3	4	4	4	5	2.6	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.																				
13-17	2	7.0	32	3	3	7	11	11	11	11	1	1.0		1	1	1	1	1	1	1
18-20	3	1.7	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	4	7.5	4	5	5	8	9	9	9	9										
25-34	3	8.7	21	5	5	7	12	14	14	14	2	2.5	1	2	2	2	3	3	3	3
35-54	10	7.1	35	1	1	6	8	17	19	19	10	2.3	3	1	1	2	3	5	7	7
55-74	2	4.5	1	4	4	4	5	5	5	5	7	3.3	2	1	1	3	4	6	6	6
75 +	1	4.0		4	4	4	4	4	4	4	2	5.0	8	3	3	5	7	7	7	7
ALL AGES	25	6.4	21	1	1	5	8	14	16	19	23	2.7	4	1	1	2	3	6	7	7
SUBTOTAL	34	5.2	20	1	1	4	7	11	15	19	28	2.7	3	1	1	2	4	6	7	7
GRAND TOTAL	76	5.1	19	1	1	4	7	9	14	24	55	2.4	3	1	1	2	3	4	6	7

North Central Region January - December 1986

132

STRESS REACTION, FUGUE (308.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
55-74																				
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	7.0		7	7	7	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20	2	1.0		1	1	1	1	1	1	1										
21-24																				
25-34	1	2.0		2	2	2	2	2	2	2										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	5	1.6	1	1	1	1	2	3	3	3										
SUBTOTAL	6	2.2	2	1	1	2	3	5	5	5	1	7.0		7	7	7	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	1.0		1	1	1	1	1	1	1
55-74																				
75 +																				
ALL AGES											1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	1	7.0		7	7	7	7	7	7	7										
SUBTOTAL	1	7.0		7	7	7	7	7	7	7	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	7	2.9	5	1	1	2	4	7	7	7	2	4.0	18	1	1	4	7	7	7	7

STRESS REACT, PSYCHOMOT (308.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54											1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES											1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL											1	6.0		6	6	6	6	6	6	6
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL											1	6.0		6	6	6	6	6	6	6

ACUTE STRESS REACT NEC (308.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	3	18.3	502	3	3	8	35	44	44	44										
18-20																				
21-24	7	4.1	11	1	1	3	7	9	9	9	1	1.0		1	1	1	1	1	1	1
25-34	7	4.4	9	1	1	4	6	9	10	10	2	2.0	2	1	1	2	3	3	3	3
35-54	6	4.0	15	1	1	2	6	10	11	11	2	1.5	1	1	1	2	2	2	2	2
55-74	2	2.5	5	1	1	2	4	4	4	4	3	3.0	3	2	2	2	4	5	5	5
75 +	1	5.0		5	5	5	5	5	5	5										
ALL AGES	26	5.7	70	1	1	4	6	10	18	44	8	2.1	2	1	1	2	3	4	5	5
B. FEMALE																				
0-12 YRS.	1	39.0		39	39	39	39	39	39	39										
13-17	7	25.0	828	2	2	6	56	64	64	64	1	3.0		3	3	3	3	3	3	3
18-20	2	20.5	145	12	12	20	29	29	29	29	1	1.0		1	1	1	1	1	1	1
21-24	6	4.5	7	2	2	4	6	9	9	9	1	4.0		4	4	4	4	4	4	4
25-34	12	5.8	113	1	1	2	4	17	36	39	2	3.0	2	2	2	3	4	4	4	4
35-54	7	5.9	40	1	1	3	8	17	19	19	3	4.7	6	2	2	5	6	7	7	7
55-74	3	3.7		3	3	4	4	4	4	4	3	6.7	54	1	1	4	12	15	15	15
75 +	1	13.0		13	13	13	13	13	13	13	2	3.5	13	1	1	3	6	6	6	6
ALL AGES	39	10.7	260	1	2	4	9	37	52	64	13	4.2	14	1	1	4	5	9	14	15
SUBTOTAL	65	8.7	188	1	1	4	8	29	40	64	21	3.4	10	1	1	2	4	6	11	15
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	7.3	71	2	2	10	58	99+	99+	99+										
18-20	4	6.3	14	2	2	6	9	10	10	10										
21-24	2	8.5	13	6	6	8	11	11	11	11										
25-34	13	11.3	64	1	2	8	18	21	23	23	2	12.5	221	2	2	12	23	23	23	23
35-54	11	8.1	73	1	1	6	13	23	24	24										
55-74	2	10.5	5	9	9	10	12	12	12	12	1	22.0		22	22	22	22	22	22	22
75 +											1	2.0		2	2	2	2	2	2	2
ALL AGES	35	9.2	53	1	1	8	17	22	24	99+	4	12.3	139	2	2	12	22	23	23	23
B. FEMALE																				
0-12 YRS.																				
13-17	8	33.0	216	17	18	31	45	86	99+	99+										
18-20	3	11.3	83	1	1	15	17	18	18	18										
21-24	3	18.7	342	1	1	17	33	38	38	38	2	2.0	2	1	1	2	3	3	3	3
25-34	14	10.4	153	1	1	5	15	25	41	46	2	2.5	5	1	1	2	4	4	4	4
35-54	15	9.5	121	1	1	5	16	21	36	41	5	3.0	4	1	1	3	4	6	6	6
55-74	5	9.2	31	3	3	9	13	17	17	17	2	6.5	1	6	6	6	7	7	7	7
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	49	14.1	206	1	1	10	20	38	46	99+	11	3.4	4	1	1	3	5	7	7	7
SUBTOTAL	84	12.0	148	1	1	8	18	31	42	99+	15	5.7	50	1	1	3	6	22	23	23
GRAND TOTAL	149	10.6	166	1	1	5	16	31	41	99	36	4.4	27	1	1	3	5	7	20	23

STRESS REACT, MIXED DIS (308.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3	1	2.0		2	2	2	2	2	2	2
25-34											1	7.0		7	7	7	7	7	7	7
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3	2	4.5	13	2	2	4	7	7	7	7
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	1.0		1	1	1	1	1	1	1										
35-54	1	1.0		1	1	1	1	1	1	1										
55-74	1	1.0		1	1	1	1	1	1	1										
75 +																				
ALL AGES	3	1.0		1	1	1	1	1	1	1										
SUBTOTAL	4	1.5	1	1	1	1	2	3	3	3	2	4.5	13	2	2	4	7	7	7	7
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	9.0		9	9	9	9	9	9	9	1	4.0		4	4	4	4	4	4	4
55-74	1	15.0		15	15	15	15	15	15	15										
75 +																				
ALL AGES	2	12.0	18	9	9	12	15	15	15	15	1	4.0		4	4	4	4	4	4	4
SUBTOTAL	2	12.0	18	9	9	12	15	15	15	15	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	6	5.0	34	1	1	2	9	14	15	15	3	4.3	7	2	2	4	6	7	7	7

ACUTE STRESS REACT NOS (308.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	2	3.0	8	1	1	3	5	5	5	5										
18-20	3	1.7	1	1	1	1	2	3	3	3	1	1.0		1	1	1	1	1	1	1
21-24	1	2.0		2	2	2	2	2	2	2										
25-34	3	4.7	1	4	4	4	6	6	6	6	1	1.0		1	1	1	1	1	1	1
35-54	5	1.6	1	1	1	1	2	3	3	3	2	1.0		1	1	1	1	1	1	1
55-74	2	5.5	25	2	2	5	9	9	9	9	1	2.0		2	2	2	2	2	2	2
75 +	1	8.0		8	8	8	8	8	8	8										
ALL AGES	17	3.2	6	1	1	2	4	8	9	9	5	1.2		1	1	1	1	2	2	2
B. FEMALE																				
0-12 YRS.											1	3.0		3	3	3	3	3	3	3
13-17	1	2.0		2	2	2	2	2	2	2										
18-20	1	9.0		9	9	9	9	9	9	9	2	2.0	2	1	1	2	3	3	3	3
21-24	6	7.3	47	2	2	5	9	19	20	20	1	2.0		2	2	2	2	2	2	2
25-34	7	2.0	1	1	1	2	3	3	3	3	1	2.0		2	2	2	2	2	2	2
35-54	5	2.4	3	1	1	2	3	5	5	5	2	2.0	2	1	1	2	3	3	3	3
55-74	6	1.7	1	1	1	1	2	4	4	4	1	2.0		2	2	2	2	2	2	2
75 +	1	7.0		7	7	7	7	7	7	7										
ALL AGES	27	3.6	17	1	1	2	4	8	11	20	8	2.1	1	1	1	2	3	3	3	3
SUBTOTAL	44	3.5	12	1	1	2	4	8	9	20	13	1.8	1	1	1	2	2	3	3	3
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	10.0		10	10	10	10	10	10	10										
18-20																				
21-24	3	2.3	1	2	2	2	3	3	3	3										
25-34	1	2.0		2	2	2	2	2	2	2	1	5.0		5	5	5	5	5	5	5
35-54	2	16.5	265	5	5	16	28	28	28	28	1	2.0		2	2	2	2	2	2	2
55-74	2	1.5	1	1	1	1	2	2	2	2	2	1.5	1	1	1	1	2	2	2	2
75 +																				
ALL AGES	9	6.1	75	1	1	2	6	21	28	28	4	2.5	3	1	1	2	4	5	5	5
B. FEMALE																				
0-12 YRS.	1	4.0		4	4	4	4	4	4	4										
13-17																				
18-20																				
21-24	4	4.0	9	1	1	4	6	7	7	7	1	3.0		3	3	3	3	3	3	3
25-34	5	7.0	20	3	3	6	11	13	13	13										
35-54	8	9.4	112	1	1	3	19	25	27	27	2	4.5	13	2	2	4	7	7	7	7
55-74																				
75 +	2	9.0	98	2	2	9	16	16	16	16										
ALL AGES	20	7.4	57	1	1	4	11	19	24	27	3	4.0	7	2	2	3	6	7	7	7
SUBTOTAL	29	7.0	61	1	1	3	10	20	27	28	7	3.1	5	1	1	2	4	7	7	7
GRAND TOTAL	73	4.9	34	1	1	3	6	11	19	28	20	2.3	2	1	1	2	3	4	6	7

BRIEF DEPRESSIVE REACT (309.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	14	20.6	292	2	4	14	35	45	53	55										
13-17	77	14.3	192	2	3	10	18	31	42	75	2	15.5	41	11	11	15	20	20	20	20
18-20	59	6.1	37	1	1	4	8	16	20	28	3	13.7	443	1	1	2	29	38	38	38
21-24	51	5.5	25	1	1	4	8	13	14	24	5	15.8	678	2	2	3	23	62	62	62
25-34	143	7.1	49	1	1	4	10	15	22	38	7	2.7	5	1	1	2	4	6	7	7
35-54	152	7.4	43	1	1	6	10	15	22	29	6	5.3	35	2	2	3	5	16	17	17
55-74	45	8.5	48	1	2	6	11	19	23	28	9	10.1	181	2	2	6	9	31	45	45
75 +	17	7.0	23	2	3	5	9	15	19	20	2	3.0		3	3	3	3	3	3	3
ALL AGES	558	8.4	78	1	1	6	11	19	26	43	34	8.8	185	1	2	3	9	22	44	62
B. FEMALE																				
0-12 YRS.	11	17.3	207	2	4	11	22	43	44	44	1	2.0		2	2	2	2	2	2	2
13-17	217	14.0	166	2	2	9	21	34	42	60	8	10.9	180	1	1	2	22	32	34	34
18-20	69	8.1	93	1	1	4	11	22	29	43	4	8.8	50	1	1	8	14	18	18	18
21-24	99	6.9	43	1	1	5	10	15	18	36	1	7.0		7	7	7	7	7	7	7
25-34	221	7.4	52	1	1	5	10	15	23	38	13	5.2	30	1	1	3	7	16	17	17
35-54	220	7.9	52	1	1	6	11	17	22	38	28	4.8	18	1	1	4	6	11	13	20
55-74	66	12.3	93	1	2	10	18	24	37	39	15	3.9	6	1	1	3	5	8	9	9
75 +	30	13.1	114	5	5	9	14	26	28	56	7	5.4	10	1	1	5	8	9	9	9
ALL AGES	933	9.7	95	1	1	7	13	22	31	44	77	5.6	36	1	1	3	7	12	18	32
SUBTOTAL	1491	9.2	89	1	1	6	12	21	29	44	111	6.6	82	1	1	3	7	16	20	52
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	19.2	221	7	7	16	21	44	47	47	1	2.0		2	2	2	2	2	2	2
13-17	90	21.3	426	3	4	15	28	50	87	99+	2	24.0	968	2	2	24	46	46	46	46
18-20	54	8.8	64	1	1	7	13	17	27	39	1	21.0		21	21	21	21	21	21	21
21-24	70	8.5	82	1	1	6	10	20	26	49	1	30.0		30	30	30	30	30	30	30
25-34	206	8.0	48	1	1	6	12	17	21	32	8	8.8	72	1	1	5	17	21	21	21
35-54	168	8.4	42	1	2	7	11	18	20	32	8	6.5	73	1	1	3	8	21	26	26
55-74	30	12.0	87	1	2	10	18	27	31	32	3	3.7	6	1	1	4	5	6	6	6
75 +	8	14.0	72	3	4	13	17	27	31	31										
ALL AGES	632	10.5	129	1	2	7	14	23	31	71	24	9.8	139	1	1	4	17	26	35	46
B. FEMALE																				
0-12 YRS.	4	35.0	127	25	25	32	42	51	51	51	1	4.0		4	4	4	4	4	4	4
13-17	146	20.1	269	2	4	15	28	49	59	99+	5	7.2	55	1	1	7	19	92	99+	99+
18-20	83	10.2	95	1	1	8	12	24	36	45	7	5.9	52	1	1	4	5	19	22	22
21-24	93	9.8	117	1	2	6	11	23	33	56	3	15.7	181	2	2	16	26	29	29	29
25-34	217	10.1	101	1	2	8	13	20	27	55	13	7.8	48	3	4	5	8	14	27	30
35-54	186	9.3	87	1	2	7	12	17	23	51	16	6.6	54	1	2	4	8	15	25	30
55-74	46	13.4	119	2	3	10	18	26	39	49	5	4.2	10	1	1	4	6	9	9	9
75 +	16	11.1	44	3	6	8	16	20	24	26										
ALL AGES	791	12.1	147	1	2	8	15	26	37	63	50	7.1	54	1	2	5	9	20	30	99
SUBTOTAL	1423	11.4	139	1	2	8	15	25	35	64	74	8.0	81	1	1	4	10	22	30	86
GRAND TOTAL	2914	10.3	114	1	2	7	13	23	32	56	185	7.1	83	1	1	4	8	19	29	56

PROLONG DEPRESSIVE REACT (309.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	7.0		7	7	7	7	7	7	7										
18-20																				
21-24	1	44.0		44	44	44	44	44	44	44										
25-34	7	8.4	17	2	3	8	11	14	14	14										
35-54	13	16.5	233	1	1	10	29	41	42	42	2	3.5	5	2	2	3	5	5	5	5
55-74	2	5.5	13	3	3	5	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +	1	3.0		3	3	3	3	3	3	3										
ALL AGES	26	13.1	182	1	2	9	14	41	42	44	3	3.7	2	2	2	4	5	5	5	5
B. FEMALE																				
0-12 YRS.	1	61.0		61	61	61	61	61	61	61										
13-17	4	14.5	142	1	1	13	22	30	30	30	1	15.0		15	15	15	15	15	15	15
18-20	5	26.8	691	1	1	27	45	64	64	64										
21-24	4	13.8	411	1	1	5	25	44	44	44										
25-34	13	16.8	225	3	4	10	27	45	45	45	1	30.0		30	30	30	30	30	30	30
35-54	20	15.5	268	2	3	11	16	38	57	69	5	7.6	108	1	1	3	10	26	26	26
55-74	9	9.4	29	3	4	9	14	17	18	18	2	4.5	1	4	4	4	5	5	5	5
75 +	1	8.0		8	8	8	8	8	8	8	2	12.5	5	11	11	12	14	14	14	14
ALL AGES	57	16.3	278	1	3	11	20	45	56	69	11	10.6	97	1	2	5	15	28	30	30
SUBTOTAL	83	15.3	247	1	2	10	18	42	45	67	14	9.1	84	1	2	5	14	26	29	30
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	4	14.5	167	2	2	14	25	28	28	28										
18-20	2	14.5	265	3	3	14	26	26	26	26										
21-24	2	15.5	61	10	10	15	21	21	21	21	1	2.0		2	2	2	2	2	2	2
25-34	14	15.0	174	1	2	11	25	33	42	45	1	27.0		27	27	27	27	27	27	27
35-54	8	7.3	17	1	1	8	10	13	14	14										
55-74	4	16.8	7	14	14	16	19	21	21	21	1	3.0		3	3	3	3	3	3	3
75 +																				
ALL AGES	34	13.3	111	1	2	11	21	26	31	45	3	10.7	199	2	2	3	21	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17	5	10.4	5	8	8	10	12	14	14	14										
18-20	2	10.5	1	10	10	10	11	11	11	11										
21-24	1	38.0		38	38	38	38	38	38	38	1	2.0		2	2	2	2	2	2	2
25-34	11	27.5	462	1	2	30	45	56	61	61	2	19.5	221	9	9	19	30	30	30	30
35-54	16	8.8	58	1	2	6	10	23	27	28	3	16.0	147	5	5	14	25	29	29	29
55-74	3	15.3	331	2	2	8	29	36	36	36	3	15.3	164	7	7	9	25	30	30	30
75 +	2	6.5	13	4	4	6	9	9	9	9										
ALL AGES	40	15.3	240	1	2	9	22	41	49	61	9	15.0	132	2	3	9	29	30	30	30
SUBTOTAL	74	14.4	179	1	2	10	21	32	45	59	12	13.9	136	2	2	9	28	30	30	30
GRAND TOTAL	157	14.9	213	1	2	10	20	40	45	64	26	11.3	110	2	2	6	15	30	30	30

ADJUST REACT/OTH EMOTION (309.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	24.8	433	1	2	24	33	48	72	85	2	23.0	882	2	2	23	44	44	44	44
13-17	62	16.5	180	1	3	13	22	39	44	46	4	24.0	533	1	1	20	41	54	54	54
18-20	29	5.4	20	1	1	4	10	13	13	15	1	1.0		1	1	1	1	1	1	1
21-24	22	8.0	51	1	2	7	10	16	24	32										
25-34	69	7.0	40	1	1	6	9	14	19	37	2	17.0	392	3	3	31	83	99+	99+	99+
35-54	65	7.7	50	1	1	5	10	18	22	34	5	14.0	215	2	2	5	30	30	30	30
55-74	20	11.7	36	1	4	11	14	18	23	28	3	13.3	179	2	2	10	23	28	28	28
75 +	6	9.8	44	1	2	9	12	20	21	21	2	3.0	2	2	2	3	4	4	4	4
ALL AGES	291	10.6	120	1	1	7	14	24	35	45	19	15.4	281	1	1	7	30	49	77	99+
B. FEMALE																				
0-12 YRS.	14	12.2	136	2	2	10	15	38	84	99+	1	62.0		62	62	62	62	62	62	62
13-17	88	18.7	189	1	3	17	30	40	42	45	6	20.8	619	1	1	22	56	93	99+	99+
18-20	26	9.9	77	2	2	7	11	26	29	31										
21-24	31	7.8	35	1	1	7	12	16	18	23	1	2.0		2	2	2	2	2	2	2
25-34	87	6.4	38	1	1	5	8	15	17	33	13	16.2	186	1	2	9	30	32	32	32
35-54	104	8.7	83	1	2	6	11	18	24	51	31	22.6	134	2	3	29	31	32	32	39
55-74	37	10.1	56	1	1	8	17	23	25	99+	7	19.0	137	1	3	17	30	32	32	32
75 +	11	9.4	30	3	3	10	15	16	16	16	4	4.0	8	2	2	3	6	8	8	8
ALL AGES	398	10.7	109	1	1	7	15	26	36	45	63	19.9	218	1	2	27	30	32	46	95
SUBTOTAL	689	10.6	115	1	1	7	14	25	35	45	82	18.8	235	1	2	24	30	32	56	99+
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	28.5	339	2	4	35	42	50	52	53										
13-17	43	23.9	404	1	3	22	37	49	57	91	1	7.0		7	7	7	7	7	7	7
18-20	31	9.2	89	1	2	7	11	20	30	45	1	35.0		35	35	35	35	35	35	35
21-24	32	7.3	31	1	1	6	10	17	19	20										
25-34	89	8.4	81	1	1	6	11	20	27	48	10	13.1	172	1	1	8	30	32	34	34
35-54	84	9.5	68	1	2	7	12	24	29	33	13	22.2	99	2	4	26	30	31	31	31
55-74	17	11.1	46	4	5	7	18	22	25	26	3	28.7	2	26	26	30	30	30	30	30
75 +																				
ALL AGES	309	11.8	164	1	2	7	15	30	40	56	28	19.5	147	1	2	25	30	31	34	35
B. FEMALE																				
0-12 YRS.	8	21.8	316	1	3	23	42	79	99+	99+										
13-17	54	15.9	131	2	3	13	24	34	37	41	3	18.3	852	1	1	2	39	52	52	52
18-20	26	9.9	54	1	1	10	16	20	40	99+	1	32.0		32	32	32	32	32	32	32
21-24	44	13.5	189	1	3	9	18	28	52	56	3	11.3	263	1	1	3	23	30	30	30
25-34	113	9.8	91	1	2	7	13	21	28	47	13	24.6	299	3	3	28	30	38	63	69
35-54	105	10.8	59	1	2	10	14	21	24	36	27	25.1	83	2	7	29	30	31	31	31
55-74	31	11.1	66	1	1	9	14	22	24	38	2	16.5	365	3	3	16	30	30	30	30
75 +	8	11.6	40	3	4	12	15	20	22	22										
ALL AGES	389	11.7	103	1	2	9	16	25	34	56	49	23.5	190	1	2	28	30	31	33	69
SUBTOTAL	698	11.8	129	1	2	8	15	27	36	56	77	22.1	173	1	2	28	30	31	33	64
GRAND TOTAL	1387	11.2	122	1	2	8	15	26	35	54	159	20.4	207	1	2	28	30	32	41	96

ADJUST REACT-CONDUCT DIS (309.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	10	25.0	276	1	3	24	38	49	53	53	1	26.0		26	26	26	26	26	26	26
13-17	22	14.8	169	1	2	11	20	31	46	50	4	19.5	98	9	9	24	48	99 +	99 +	99 +
18-20	4	6.0	39	1	1	4	11	14	14	14										
21-24	3	3.0	4	1	1	3	4	5	5	5										
25-34	7	10.6	124	1	1	10	11	29	34	34	1	23.0		23	23	23	23	23	23	23
35-54	4	8.3	46	3	3	6	13	18	18	18	1	25.0		25	25	25	25	25	25	25
55-74																				
75 +																				
ALL AGES	50	14.3	186	1	1	10	20	36	46	53	7	21.7	58	9	10	24	28	79	99 +	99 +
B. FEMALE																				
0-12 YRS.	4	15.5	94	3	3	16	22	26	26	26										
13-17	10	25.1	548	1	4	17	37	63	76	76	3	6.7	52	2	2	3	12	15	15	15
18-20																				
21-24	1	9.0		9	9	9	9	9	9	9										
25-34	4	9.5	15	5	5	9	12	14	14	14										
35-54	6	2.8	4	1	1	2	4	6	6	6	1	13.0		13	13	13	13	13	13	13
55-74	1	7.0		7	7	7	7	7	7	7										
75 +																				
ALL AGES	26	14.8	295	1	2	9	19	36	55	76	4	8.3	44	2	2	8	14	15	15	15
SUBTOTAL	76	14.5	219	1	1	9	20	37	49	70	11	16.8	95	2	3	19	25	52	93	99 +
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	26.0	192	9	9	31	37	43	43	43	1	53.0		53	53	53	53	53	53	53
13-17	18	12.1	196	2	2	7	16	46	76	99 +										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	13.7	228	3	3	7	25	31	31	31										
25-34	4	4.5	22	1	1	3	8	11	11	11										
35-54	1	15.0		15	15	15	15	15	15	15										
55-74	3	7.3	33	1	1	9	11	12	12	12										
75 +																				
ALL AGES	39	14.1	196	1	1	9	23	42	46	99 +	1	53.0		53	53	53	53	53	53	53
B. FEMALE																				
0-12 YRS.																				
13-17	11	14.5	82	5	5	11	19	30	32	32	1	40.0		40	40	40	40	40	40	40
18-20	2	9.5	41	5	5	9	14	14	14	14										
21-24																				
25-34	4	8.5	76	1	1	8	16	17	17	17										
35-54	2	8.0	72	2	2	8	14	14	14	14	1	18.0		18	18	18	18	18	18	18
55-74	2	8.5	25	5	5	8	12	12	12	12										
75 +																				
ALL AGES	21	11.7	68	1	2	11	16	23	30	32	2	29.0	242	18	18	29	40	40	40	40
SUBTOTAL	60	13.2	152	1	2	9	17	34	44	94	3	37.0	313	18	18	40	50	53	53	53
GRAND TOTAL	136	13.9	189	1	1	9	19	35	46	79	14	21.1	196	2	3	23	30	53	88	99 +

ADJ REACT-EMOTION/CONDOC (309.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	18	20.4	164	1	3	24	31	40	73	99+	2	22.0	882	1	1	22	43	43	43	43
13-17	42	17.8	234	1	1	16	29	53	99+	99+										
18-20	9	6.4	40	1	1	5	10	17	18	18	1	97.0		97	97	97	97	97	97	97
21-24	12	7.8	25	1	1	8	12	14	16	16	1	21.0		21	21	21	21	21	21	21
25-34	32	11.1	191	1	1	4	13	39	44	45	4	10.8	80	3	3	10	18	20	20	20
35-54	23	8.4	93	1	2	5	10	23	31	42										
55-74	3	10.3	91	1	1	10	17	20	20	20										
75 +																				
ALL AGES	139	13.3	176	1	1	9	22	40	46	99+	8	25.6	1023	1	2	18	32	81	97	99
B. FEMALE																				
0-12 YRS.	13	25.0	257	6	7	26	35	44	58	61	2	18.0	18	15	15	18	21	21	21	21
13-17	81	21.2	232	2	3	18	35	41	46	89	4	18.3	358	1	1	17	34	38	38	38
18-20	10	5.7	37	1	1	3	8	15	20	20	1	1.0		1	1	1	1	1	1	1
21-24	18	7.2	79	1	1	4	8	19	29	35	1	2.0		2	2	2	2	2	2	2
25-34	30	8.8	116	1	1	4	12	20	23	53	1	2.0		2	2	2	2	2	2	2
35-54	39	9.9	86	1	2	6	14	20	26	48	1	12.0		12	12	12	12	12	12	12
55-74	9	7.3	34	1	1	8	12	15	16	16										
75 +	2	28.0	450	13	13	28	43	43	43	43										
ALL AGES	202	14.9	198	1	1	10	23	38	43	63	10	12.6	183	1	1	7	21	34	38	38
SUBTOTAL	341	14.2	190	1	1	10	23	39	44	99+	18	18.4	562	1	1	13	21	41	75	97
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	13	30.3	447	7	7	24	49	59	70	73	2	46.5	2813	9	9	46	84	84	84	84
13-17	39	20.8	432	2	3	13	30	60	65	71	1	61.0		61	61	61	61	61	61	61
18-20	12	9.9	133	1	1	5	12	29	38	39										
21-24	16	5.1	18	1	1	3	8	13	14	14	1	9.0		9	9	9	9	9	9	9
25-34	58	8.3	47	1	2	6	11	18	24	30	3	12.7	64	4	4	14	18	20	20	20
35-54	30	8.9	35	1	2	8	15	16	20	21	2	6.0	2	5	5	6	7	7	7	7
55-74	6	13.2	66	2	3	13	19	23	24	24										
75 +	2	8.0	50	3	3	8	13	13	13	13										
ALL AGES	176	12.8	210	1	2	7	16	29	48	70	9	23.7	821	4	4	9	30	75	84	84
B. FEMALE																				
0-12 YRS.	5	33.0	21	26	26	33	36	38	38	38	1	71.0		71	71	71	71	71	71	71
13-17	69	19.5	318	2	3	15	30	42	55	84										
18-20	7	10.6	94	1	1	10	19	23	24	24	2	15.5	113	8	8	15	23	23	23	23
21-24	15	9.8	46	1	3	7	17	18	22	23	1	7.0		7	7	7	7	7	7	7
25-34	47	6.6	57	1	1	4	8	16	21	39	3	15.7	443	3	3	4	31	40	40	40
35-54	42	10.1	85	2	3	7	13	19	29	48	1	4.0		4	4	4	4	4	4	4
55-74	12	8.8	59	2	3	7	11	19	28	30										
75 +	1	31.0		31	31	31	31	31	31	31	1	27.0		27	27	27	27	27	27	27
ALL AGES	198	13.1	192	1	2	7	18	33	39	58	9	20.8	520	3	3	8	30	59	71	71
SUBTOTAL	374	13.0	199	1	2	7	17	31	42	66	18	22.2	636	3	4	9	27	68	79	84
GRAND TOTAL	715	13.6	194	1	2	8	19	36	43	72	36	20.3	585	1	2	11	25	59	80	97

OTHER ADJUST REACTION (309.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	15.3	403	2	2	7	27	45	45	45										
13-17	11	9.6	57	1	2	6	16	20	24	24	2	30.0	8	28	28	30	32	32	32	32
18-20	2	2.0	2	1	1	2	3	3	3	3										
21-24	2	6.0	50	1	1	6	11	11	11	11	1	1.0		1	1	1	1	1	1	1
25-34	4	3.0	5	1	1	3	5	5	5	5										
35-54	8	13.1	78	3	4	12	25	71	99+	99+	2	12.5	221	2	2	12	23	23	23	23
55-74	1	3.0		3	3	3	3	3	3	3										
75 +																				
ALL AGES	32	9.5	95	1	1	5	14	25	42	99+	5	17.2	216	1	1	23	29	32	32	32
B. FEMALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	20	12.9	153	1	1	7	24	33	36	37	5	11.8	437	1	1	2	17	49	49	49
18-20	4	5.0	18	1	1	4	8	10	10	10										
21-24	1	5.0		5	5	5	5	5	5	5										
25-34	14	11.9	106	1	1	10	17	29	31	31	2	2.5	5	1	1	2	4	4	4	4
35-54	18	16.3	140	4	4	13	28	33	39	43	4	7.8	20	3	3	7	11	14	14	14
55-74	1	1.0		1	1	1	1	1	1	1	2	2.5	5	1	1	2	4	4	4	4
75 +	2	3.5	5	2	2	3	5	5	5	5										
ALL AGES	61	12.3	129	1	1	9	16	31	34	42	13	7.7	167	1	1	4	7	21	44	49
SUBTOTAL	93	11.3	119	1	1	7	15	30	35	76	18	10.3	189	1	1	4	14	31	42	49
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	4	9.8	137	1	1	5	17	27	27	27										
13-17	5	29.2	266	5	7	37	45	94	99+	99+	1	1.0		1	1	1	1	1	1	1
18-20	4	13.0	131	1	1	12	22	27	27	27										
21-24	2	5.0	32	1	1	5	9	9	9	9										
25-34	13	18.0	139	2	6	17	23	31	46	49										
35-54	23	14.7	123	2	3	11	21	30	39	44										
55-74	5	18.4	384	7	7	9	24	53	53	53										
75 +																				
ALL AGES	56	16.3	167	1	2	13	23	40	48	97	1	1.0		1	1	1	1	1	1	1
B. FEMALE																				
0-12 YRS.	1	10.0		10	10	10	10	10	10	10										
13-17	15	15.7	220	2	3	11	29	50	85	99+										
18-20	1	15.0		15	15	15	15	15	15	15										
21-24	4	17.8	392	4	4	10	30	47	47	47										
25-34	12	12.1	182	1	2	9	16	30	46	49	2	6.5	13	4	4	6	9	9	9	9
35-54	26	17.7	376	2	2	13	22	36	52	98										
55-74	5	21.8	595	3	3	10	38	61	61	61										
75 +	1	16.0		16	16	16	16	16	16	16										
ALL AGES	65	16.3	291	2	2	11	22	41	53	99+	2	6.5	13	4	4	6	9	9	9	9
SUBTOTAL	121	16.3	232	1	2	12	23	41	50	99+	3	4.7	16	1	1	4	8	9	9	9
GRAND TOTAL	214	14.1	189	1	2	10	21	34	45	99+	21	9.5	166	1	1	4	10	30	40	49

ADJUSTMENT REACTION NOS (309.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	4	4.0	17	1	1	2	6	10	10	10										
13-17	26	11.1	157	1	1	6	13	24	44	51	12	30.9	419	3	9	27	43	58	75	78
18-20	12	10.3	191	1	1	5	10	33	46	48	4	9.5	227	1	1	3	18	32	32	32
21-24	6	5.3	20	1	1	4	9	12	12	12										
25-34	10	4.2	13	1	1	3	5	10	12	12	1	32.0		32	32	32	32	32	32	32
35-54	11	8.3	98	1	1	6	9	22	35	36	1	3.0		3	3	3	3	3	3	3
55-74	3	10.7	199	2	2	3	21	27	27	27										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	73	8.6	115	1	1	4	11	24	35	50	18	24.7	421	1	1	24	32	49	67	78
B. FEMALE																				
0-12 YRS.	8	3.9	15	1	1	2	6	10	11	11	1	1.0		1	1	1	1	1	1	1
13-17	34	8.7	92	1	1	4	14	19	31	39	16	7.3	61	1	1	3	14	21	22	22
18-20	14	4.5	14	1	1	3	8	11	12	12	5	5.0	71	1	1	1	6	20	20	20
21-24	4	3.3	2	1	1	3	4	5	5	5	2	1.0		1	1	1	1	1	1	1
25-34	20	5.5	35	1	1	4	7	15	20	23	3	4.3	5	2	2	5	6	6	6	6
35-54	20	5.0	15	1	1	4	6	10	14	17	5	8.0	77	1	1	4	12	23	23	23
55-74	4	9.0	35	4	4	7	13	17	17	17										
75 +	1	2.0		2	2	2	2	2	2	2										
ALL AGES	105	6.2	46	1	1	4	8	17	18	36	32	6.2	53	1	1	3	7	21	22	23
SUBTOTAL	178	7.2	75	1	1	4	9	17	24	46	50	12.8	262	1	1	5	22	32	47	78
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	6	19.7	75	10	10	16	30	31	31	31										
13-17	27	16.4	189	1	1	16	22	41	42	47	2	2.0	2	1	1	1	3	3	3	3
18-20	15	10.5	113	1	1	7	16	26	33	35	2	1.0		1	1	1	1	1	1	1
21-24	15	8.7	38	1	1	8	13	14	21	23										
25-34	22	8.6	123	1	1	6	9	28	38	40	5	5.4	58	1	1	2	7	19	19	19
35-54	20	8.0	100	1	1	2	12	23	32	36	4	3.0	2	1	1	3	4	4	4	4
55-74	2	5.5	25	2	2	5	9	9	9	9										
75 +	1	1.0		1	1	1	1	1	1	1										
ALL AGES	108	11.2	128	1	1	8	16	30	37	44	13	3.5	23	1	1	2	3	7	17	19
B. FEMALE																				
0-12 YRS.	6	12.8	116	4	4	7	25	28	28	28										
13-17	33	10.5	102	2	3	6	15	23	34	45	5	10.6	146	2	2	3	20	29	29	29
18-20	8	3.6	7	1	1	3	5	7	8	8	1	2.0		2	2	2	2	2	2	2
21-24	11	5.7	29	1	1	5	9	13	18	18	3	15.7	224	1	1	15	27	31	31	31
25-34	28	5.6	25	1	1	4	8	11	19	20	1	2.0		2	2	2	2	2	2	2
35-54	30	8.8	73	1	1	6	12	23	30	32	9	7.3	68	1	1	5	10	21	27	27
55-74	3	10.7	75	1	1	13	17	18	18	18	3	6.3	23	1	1	8	9	10	10	10
75 +	2	9.5	61	4	4	9	15	15	15	15	1	8.0		8	8	8	8	8	8	8
ALL AGES	121	8.2	65	1	1	5	10	20	26	38	23	8.6	86	1	1	5	11	27	30	31
SUBTOTAL	229	9.6	97	1	1	6	14	24	31	42	36	6.7	69	1	1	3	9	19	28	31
GRAND TOTAL	407	8.5	90	1	1	5	11	21	30	43	86	10.3	187	1	1	4	16	29	34	68

FRONTAL LOBE SYNDROME (310.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	5.0		5	5	5	5	5	5	5										
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	1	12.0		12	12	12	12	12	12	12
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	12.0		12	12	12	12	12	12	12
75 +																				
ALL AGES											1	12.0		12	12	12	12	12	12	12
SUBTOTAL	1	5.0		5	5	5	5	5	5	5	2	12.0		12	12	12	12	12	12	12
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	1	20.0		20	20	20	20	20	20	20										
35-54																				
55-74	2	25.5	613	8	8	25	43	43	43	43										
75 +	2	9.0	2	8	8	9	10	10	10	10										
ALL AGES	5	17.8	223	8	8	10	26	43	43	43										
SUBTOTAL	5	17.8	223	8	8	10	26	43	43	43										
GF AND TOTAL	6	15.7	205	5	5	9	20	41	43	43	2	12.0		12	12	12	12	12	12	12

ORGANIC PERSONALITY SYND (310.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	43.0		43	43	43	43	43	43	43										
13-17	3	35.7	846	3	3	45	55	59	59	59										
18-20	1	1.0		1	1	1	1	1	1	1										
21-24	3	20.0	1	19	19	20	21	21	21	21										
25-34	7	22.9	356	4	4	16	32	53	58	58										
35-54	6	17.7	200	1	1	18	29	34	35	35										
55-74	13	14.0	117	2	2	11	23	28	33	34										
75 +	8	5.4	7	2	2	5	7	9	10	10	6	7.0	32	2	2	4	12	16	16	16
ALL AGES	42	16.7	238	1	2	11	26	37	50	59	6	7.0	32	2	2	4	12	16	16	16
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	74.0		74	74	74	74	74	74	74										
25-34	3	19.3	294	8	8	11	32	39	39	39	1	64.0		64	64	64	64	64	64	64
35-54	4	9.5	4	7	7	9	11	12	12	12										
55-74	11	15.2	79	5	5	15	23	27	29	29	2	2.5	1	2	2	2	3	3	3	3
75 +	13	6.2	8	2	3	6	6	9	14	15	3	3.7	6	1	1	4	5	6	6	6
ALL AGES	32	13.0	196	4	5	8	15	26	38	74	6	13.3	620	1	1	3	6	58	64	64
SUBTOTAL	74	15.1	221	2	3	9	22	34	45	70	12	10.2	306	1	2	4	9	30	59	64
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	3	47.7	1022	12	12	57	70	74	74	74										
18-20																				
21-24	2	35.5	1625	7	7	35	64	64	64	64										
25-34	1	13.0		13	13	13	13	13	13	13	1	40.0		40	40	40	40	40	40	40
35-54	7	15.4	162	3	3	12	20	36	40	40	1	13.0		13	13	13	13	13	13	13
55-74	10	15.6	183	3	3	11	22	36	48	48	1	2.0		2	2	2	2	2	2	2
75 +	5	10.8	59	2	2	13	20	92	99+	99+	1	4.0		4	4	4	4	4	4	4
ALL AGES	28	19.5	373	3	3	12	23	61	75	99+	4	14.8	304	2	2	8	26	40	40	40
B. FEMALE																				
0-12 YRS.	1	11.0		11	11	11	11	11	11	11										
13-17																				
18-20																				
21-24																				
25-34	2	13.0	128	5	5	13	21	21	21	21										
35-54	2	22.5	25	19	19	22	26	26	26	26										
55-74	4	28.5	278	17	17	22	39	53	53	53										
75 +	6	12.0	64	2	3	11	16	24	25	25										
ALL AGES	15	17.9	149	3	5	17	24	26	46	53										
SUBTOTAL	43	18.9	291	3	3	14	23	53	67	99+	4	14.8	304	2	2	8	26	40	40	40
GRAND TOTAL	117	16.5	248	2	3	11	22	40	58	82	16	11.3	291	1	2	4	12	38	57	64

North Central Region January - December 1986

POSTCONCUSSION SYNDROME (310.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	36	1.6	1	1	1	1	2	3	4	5	27	1.4	1	1	1	1	2	3	3	3
13-17	24	2.0	2	1	1	1	3	4	5	6	16	2.1	3	1	1	2	3	4	6	7
18-20	3	2.0	3	1	1	1	3	4	4	4	9	6.2	71	1	1	3	6	21	26	26
21-24	12	7.4	118	1	1	3	7	25	36	38	10	2.8	2	1	1	3	4	5	6	6
25-34	33	3.6	6	1	1	3	5	7	8	12	44	3.7	9	1	1	3	5	7	12	14
35-54	27	8.1	271	1	1	3	6	13	49	79	42	4.9	18	1	1	4	6	10	16	20
55-74	15	6.3	80	1	1	3	8	12	30	36	10	12.2	565	1	1	4	10	46	79	79
75 +	6	3.2	2	2	2	3	4	5	5	5	5	3.4	4	2	2	3	4	7	7	7
ALL AGES	156	4.2	69	1	1	2	4	7	12	44	163	4.1	49	1	1	3	4	7	13	25
B. FEMALE																				
0-12 YRS.	15	1.3		1	1	1	2	2	2	2	19	1.8	5	1	1	1	2	3	7	11
13-17	14	2.1	1	1	1	2	3	4	4	4	16	2.3	2	1	1	2	3	4	5	6
18-20	6	3.3	11	1	1	2	5	9	9	9	9	2.9	5	1	1	2	4	7	8	8
21-24	13	3.3	10	1	1	2	5	7	11	12	13	5.2	84	1	1	3	5	12	31	35
25-34	32	4.4	10	1	1	4	6	8	13	14	30	3.9	13	1	1	3	5	7	8	20
35-54	34	4.9	8	1	1	4	7	9	10	11	35	4.6	10	1	1	4	7	9	11	15
55-74	16	4.7	6	2	2	4	6	8	9	10	10	3.2	4	1	1	3	4	6	6	6
75 +	8	4.6	9	1	1	4	7	8	9	9	7	6.6	21	2	2	5	11	13	13	13
ALL AGES	138	3.8	9	1	1	3	5	8	10	13	139	3.7	17	1	1	2	5	7	10	22
SUBTOTAL	294	4.0	41	1	1	2	5	8	10	37	302	3.9	34	1	1	3	4	7	11	23
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	1.0		1	1	1	1	1	1	1										
13-17	3	6.0	37	2	2	3	10	13	13	13										
18-20	3	3.0	1	2	2	3	4	4	4	4	1	3.0		3	3	3	3	3	3	3
21-24	1	12.0		12	12	12	12	12	12	12	3	2.7	2	1	1	3	4	4	4	4
25-34	3	7.7	25	3	3	7	11	13	13	13	2	3.5	1	3	3	3	4	4	4	4
35-54	7	7.0	21	2	2	6	10	14	15	15	2	2.0	2	1	1	2	3	3	3	3
55-74	3	3.7		3	3	4	4	4	4	4	1	27.0		27	27	27	27	27	27	27
75 +											1	8.0		8	8	8	8	8	8	8
ALL AGES	21	5.9	18	1	2	4	8	13	14	15	10	5.7	60	1	1	3	4	17	27	27
B. FEMALE																				
0-12 YRS.											1	4.0		4	4	4	4	4	4	4
13-17											1	2.0		2	2	2	2	2	2	2
18-20	2	3.0	8	1	1	3	5	5	5	5	1	12.0		12	12	12	12	12	12	12
21-24	4	6.5	4	4	4	6	8	9	9	9				4	4	4	4	4	4	4
25-34	8	4.8	5	2	2	4	6	8	9	9	1	4.0		4	4	4	4	4	4	4
35-54	5	5.6	21	1	1	4	10	11	11	11	4	8.3	31	2	2	8	13	14	14	14
55-74	1	8.0		8	8	8	8	8	8	8	1	3.0		3	3	3	3	3	3	3
75 +	2	5.0	18	2	2	5	8	8	8	8	2	8.5	1	8	8	8	9	9	9	9
ALL AGES	22	5.3	9	1	2	5	8	9	10	11	11	6.8	19	2	2	5	11	13	14	14
SUBTOTAL	43	5.6	13	1	2	4	8	11	13	15	21	6.3	37	1	1	4	8	13	20	27
GRAND TOTAL	337	4.2	37	1	1	3	5	8	11	36	323	4.1	34	1	1	3	4	8	12	26

NONPSYCHOT BRAIN SYN NEC (310.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17											1	2.0		2	2	2	2	2	2	2
18-20																				
21-24																				
25-34																				
35-54											1	4.0		4	4	4	4	4	4	4
55-74	3	13.0	133	4	4	9	22	26	26	26										
75 +	1	2.0		2	2	2	2	2	2	2	2	16.0	242	5	5	16	27	27	27	27
ALL AGES	4	10.3	118	2	2	6	17	26	26	26	4	9.5	138	2	2	4	16	27	27	27
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	3.0		3	3	3	3	3	3	3										
25-34																				
35-54																				
55-74	7	20.4	567	4	4	15	18	62	73	73										
75 +	3	8.3	31	2	2	11	12	12	12	12	2	7.5	25	4	4	7	11	11	11	11
ALL AGES	11	15.5	395	2	3	11	15	41	70	73	2	7.5	25	4	4	7	11	11	11	11
SUBTOTAL	15	14.1	313	2	2	11	15	26	61	73	6	8.2	89	2	2	5	11	25	27	27
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17											1	99.0		99	99	99	99	99	99+	99+
18-20																				
21-24																				
25-34	2	48.0	2888	10	10	48	86	86	86	86										
35-54																				
55-74																				
75 +	2	30.5	41	26	26	30	35	35	35	35										
ALL AGES	4	39.3	1073	10	10	30	60	86	86	86	1	99.0		99	99	99	99	99	99+	99+
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34	2	10.0	18	7	7	10	13	13	13	13										
35-54																				
55-74																				
75 +	2	6.0	18	3	3	6	9	9	9	9										
ALL AGES	4	8.0	17	3	3	8	11	13	13	13										
SUBTOTAL	8	23.6	750	3	4	11	30	71	86	86	1	99.0		99	99	99	99	99	99+	99+
GRAND TOTAL	23	17.4	460	2	3	11	18	43	78	86	7	21.7	1236	2	2	5	23	85	99	99+

North Central Region January - December 1986

NONPSYCHOT BRAIN SYN NOS (310.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24	1	8.0		8	8	8	8	8	8	8	1	57.0		57	57	57	57	57	57	57
25-34	8	14.8	565	1	1	7	14	55	72	72	1	12.0		12	12	12	12	12	12	12
35-54	9	7.4	70	1	1	5	9	22	27	27	3	6.7	12	3	3	7	9	10	10	10
55-74	45	11.1	100	1	2	9	13	24	35	46	4	10.5	46	3	3	10	16	18	18	18
75 +	79	10.6	81	2	3	8	13	21	32	42	27	7.8	42	2	3	6	9	13	17	36
ALL AGES	142	10.7	111	1	2	8	13	22	33	48	47	6.6	30	2	2	5	8	13	19	27
B. FEMALE											83	7.9	63	2	2	6	9	14	20	50
0-12 YRS.	2	2.0	2	1	1	2	3	3	3	3	1	8.0		8	8	8	8	8	8	8
13-17	2	35.0	2312	1	1	34	69	69	69	69	2	6.5	41	2	2	6	11	11	11	11
18-20																				
21-24																				
25-34	2	12.0	98	5	5	12	19	19	19	19	3	14.7	104	6	6	12	22	26	26	26
35-54	10	5.7	12	2	2	5	7	11	14	14	1	1.0		1	1	1	1	1	1	1
55-74	48	10.1	47	2	3	9	12	22	24	30	19	6.0	18	1	2	5	8	15	58	99+
75 +	116	7.4	31	1	2	6	9	13	16	31	85	7.6	28	2	2	6	10	15	17	27
ALL AGES	180	8.3	57	1	2	7	10	16	21	37	111	7.4	30	1	2	6	10	15	21	99+
SUBTOTAL	322	9.4	81	1	2	7	12	17	26	43	194	7.6	44	2	2	6	9	15	20	80
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17	1	22.0		22	22	22	22	22	22	22	2	7.0	72	1	1	7	13	13	13	13
18-20	2	23.0	392	9	9	23	37	37	37	37										
21-24	5	7.6	58	2	2	5	10	21	21	21	1	9.0		9	9	9	9	9	9	9
25-34	6	21.5	222	5	5	22	30	42	43	43										
35-54	24	14.2	136	1	3	13	18	23	34	59	6	4.5	11	2	2	3	4	10	11	11
55-74	39	16.1	273	3	3	10	21	30	50	86	9	7.6	42	2	2	6	8	18	24	24
75 +	32	9.8	41	3	4	9	13	16	17	36	9	8.3	33	2	2	8	13	17	19	19
ALL AGES	109	13.9	167	3	4	10	17	28	36	72	27	7.1	31	2	2	5	9	13	20	24
B. FEMALE																				
0-12 YRS.	1	36.0		36	36	36	36	36	36	36	1	17.0		17	17	58	99+	99+	99+	99+
13-17																				
18-20																				
21-24	2	3.0	8	1	1	3	5	5	5	5	1	1.0		1	1	1	1	1	1	1
25-34	2	6.5	41	2	2	6	11	11	11	11										
35-54	13	13.8	88	3	3	11	19	26	34	36	1	8.0		8	8	8	8	8	8	8
55-74	39	15.9	134	3	3	15	22	28	42	51	17	10.2	91	2	3	8	11	22	35	41
75 +	45	10.7	50	3	3	10	13	18	27	34	20	6.4	16	1	2	6	8	12	15	16
ALL AGES	102	13.1	97	3	3	10	17	26	35	48	40	8.2	51	1	2	7	10	16	32	99+
SUBTOTAL	211	13.5	133	3	3	10	17	27	36	60	67	7.8	42	2	2	6	10	16	24	89
GRAND TOTAL	533	11.0	106	2	3	8	14	22	30	52	261	7.7	42	2	2	6	10	15	21	94

DEPRESSIVE DISORDER NEC (311.)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.2	1	1	1	3	3	3	3	3										
13-17	22	11.7	171	1	1	6	21	23	37	58	3	3.7	4	2	2	3	5	6	6	6
18-20	12	6.1	28	1	1	4	9	15	16	16	6	2.0	1	1	1	2	2	4	4	4
21-24	9	10.2	73	1	1	9	12	23	30	30	2	1.5	1	1	1	2	2	2	2	2
25-34	46	8.0	59	1	1	5	10	21	23	33	6	11.5	78	1	1	10	22	22	22	22
35-54	64	9.0	64	1	1	7	12	18	25	40	15	7.5	209	1	1	3	7	9	46	59
55-74	51	10.7	73	2	2	8	15	21	28	42	22	5.9	18	1	2	5	7	11	16	18
75 +	18	5.7	11	1	1	6	7	10	12	13	17	7.5	43	3	3	6	8	14	25	30
ALL AGES	227	8.9	71	1	1	6	12	21	23	42	71	6.5	69	1	1	4	8	12	22	53
B. FEMALE																				
0-12 YRS.	6	12.7	144	5	5	7	15	34	36	36										
13-17	29	16.2	329	1	1	8	26	34	47	83	10	3.6	13	1	1	2	5	9	13	13
18-20	19	10.7	226	1	1	4	15	23	46	65	7	6.6	63	1	1	3	9	21	23	23
21-24	33	7.6	40	1	1	5	13	16	20	23	14	2.7	3	1	1	2	4	5	6	6
25-34	120	9.7	100	1	2	6	11	22	32	46	23	3.4	11	1	1	3	4	7	11	16
35-54	141	10.1	96	1	2	7	14	22	29	55	66	5.0	50	1	2	3	5	8	12	42
55-74	110	11.4	84	2	3	8	15	27	32	37	47	6.3	26	1	2	5	9	14	18	21
75 +	60	9.9	52	2	3	7	15	21	24	33	28	8.3	100	3	3	6	9	14	22	55
ALL AGES	518	10.5	105	1	2	7	14	23	31	46	195	5.4	44	1	1	4	6	11	16	42
SUBTOTAL	745	10.0	95	1	2	7	14	23	29	45	266	5.7	50	1	1	4	6	11	17	42
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	9	18.3	494	2	2	10	21	56	71	71										
13-17	40	19.7	248	2	4	17	27	34	59	67	1	1.0		1	1	1	1	1	1	1
18-20	20	14.5	115	2	3	11	20	25	37	44										
21-24	24	8.7	162	1	1	5	11	15	30	64	1	2.0		2	2	2	2	2	2	2
25-34	71	10.1	93	1	1	7	13	23	34	39	12	5.7	21	1	1	5	9	13	13	13
35-54	82	13.0	103	1	2	11	21	26	33	43	11	8.7	68	1	1	6	13	23	26	26
55-74	36	11.5	106	2	2	8	17	22	35	45	8	5.4	11	1	2	5	8	10	11	11
75 +	4	8.8	10	4	4	9	11	12	12	12	6	4.0	18	1	1	2	9	10	10	10
ALL AGES	286	12.9	145	1	2	9	19	28	36	63	39	6.0	32	1	1	4	9	13	18	26
B. FEMALE																				
0-12 YRS.	2	21.0	392	7	7	21	35	35	35	35										
13-17	55	22.8	300	1	4	21	36	52	56	98	5	2.2	2	1	1	2	3	4	4	4
18-20	23	13.7	215	2	3	8	14	41	46	53	5	3.4	4	2	2	3	4	7	7	7
21-24	41	9.1	74	1	1	6	12	22	25	39	8	5.5	39	1	1	3	6	16	20	20
25-34	119	11.5	112	1	2	9	16	25	29	52	19	4.3	18	1	1	3	6	10	14	18
35-54	119	13.1	139	1	2	10	20	27	37	53	21	4.2	5	1	2	4	5	6	9	12
55-74	61	13.8	171	2	3	10	18	30	35	66	20	4.3	16	1	2	3	5	7	13	20
75 +	30	13.4	116	2	3	11	17	31	38	42	13	7.3	23	2	3	7	9	16	16	16
ALL AGES	450	13.7	164	1	2	10	20	30	42	64	91	4.6	17	1	1	3	6	9	16	20
SUBTOTAL	736	13.4	156	1	2	10	19	29	39	64	130	5.0	22	1	1	3	6	10	16	22
GRAND TOTAL	1481	11.7	128	1	2	8	16	26	34	56	396	5.5	41	1	1	4	6	11	16	36

UNSOCIALIZED AGGRESSION (312.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	42	31.4	519	5	9	26	40	75	99	99+	3	43.3	10	42	42	42	45	46	46	46
13-17	81	25.6	484	4	5	20	39	72	98	99+	1	82.0		82	82	82	82	82	82	82
18-20	3	9.7	1	8	8	10	11	11	11	11										
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21										
55-74																				
75 +																				
ALL AGES	127	27.1	492	4	5	22	39	72	98	99+	4	53.0	377	42	42	44	64	82	82	82
B. FEMALE																				
0-12 YRS.	9	32.2	854	1	4	30	48	78	80	80										
13-17	30	22.8	428	4	4	18	34	57	63	79										
18-20	1	23.0		23	23	23	23	23	23	23										
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54																				
55-74																				
75 +	1	12.0		12	12	12	12	12	12	12										
ALL AGES	42	24.2	494	3	4	18	36	61	77	80										
SUBTOTAL	169	26.4	490	4	5	21	37	72	96	99+	4	53.0	377	42	42	44	64	82	82	82
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	55	33.1	578	4	6	33	61	90	99+	99+	4	12.3	186	3	3	11	49	99+	99+	99+
13-17	100	27.8	550	4	6	23	47	83	99+	99+	2	15.0	128	7	7	15	23	23	23	23
18-20											1	29.0		29	29	29	29	29	29	29
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	7.0		7	7	7	7	7	7	7										
55-74																				
75 +																				
ALL AGES	157	29.4	561	4	6	25	53	84	99+	99+	7	15.4	154	3	3	17	30	80	99+	99+
B. FEMALE																				
0-12 YRS.	10	29.6	217	14	14	27	45	49	53	53										
13-17	31	36.2	644	4	6	28	52	72	80	97	1	55.0		55	55	55	55	55	55	55
18-20	2	26.0	1152	2	2	26	50	50	50	50										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	43	34.2	545	4	6	28	49	70	76	97	1	55.0		55	55	77	99+	99+	99+	99+
SUBTOTAL	200	30.5	555	4	6	26	53	78	99+	99+	8	20.4	325	3	3	26	55	99+	99+	99+
GRAND TOTAL	369	28.6	529	4	5	23	44	76	99+	99+	12	31.3	565	3	3	37	55	99+	99+	99+

UNSOCIALIZED, UNAGGRESSIVE (312.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	41.0	757	6	9	40	83	98	99+	99+	1	11.0		11	11	11	11	11	11	11
13-17	23	33.4	694	4	5	39	58	99	99+	99+	2	29.5	113	22	22	29	37	37	37	37
18-20																				
21-24																				
25-34	1	7.0		7	7	7	7	7	7	7										
35-54																				
55-74																				
75 +																				
ALL AGES	29	33.8	688	4	6	39	61	99+	99+	99+	3	23.3	173	11	11	22	33	37	37	37
B. FEMALE																				
0-12 YRS.	2	27.0	648	9	9	27	45	45	45	45	1	1.0		1	1	1	1	1	1	1
13-17	25	36.4	473	5	11	38	59	74	99+	99+										
18-20	1	20.0		20	20	20	20	20	20	20										
21-24																				
25-34																				
35-54	1	8.0		8	8	8	8	8	8	8										
55-74																				
75 +																				
ALL AGES	29	34.2	468	5	9	34	59	71	99	99+	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	58	34.0	568	5	6	38	58	93	99+	99+	4	17.8	236	1	1	16	29	37	37	37
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	14	32.9	578	3	4	38	61	97	99+	99+	1	88.0		88	88	88	88	88	88	88
13-17	30	33.5	1041	3	4	22	68	90	94	99+	1	30.0		30	30	30	30	30	30	30
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	44	33.3	877	3	4	26	65	91	99+	99+	2	59.0	1682	30	30	59	88	88	88	88
B. FEMALE																				
0-12 YRS.	2	56.5	1	56	56	56	57	57	57	57										
13-17	33	35.7	698	4	5	29	50	81	85	91	1	30.0		30	30	30	30	30	30	30
18-20	1	7.0		7	7	7	7	7	7	7										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	36	36.1	684	4	5	29	54	81	84	91	1	30.0		30	30	30	30	30	30	30
SUBTOTAL	80	34.5	787	3	4	29	59	85	92	99+	3	49.3	1126	30	30	30	74	88	88	88
GRAND TOTAL	138	34.3	689	4	5	30	59	86	99+	99+	7	31.3	777	1	3	30	35	78	88	88

SOCIALIZED CONDUCT DIS (312.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	38.5	762	5	7	44	67	94	99+	99+	3	36.0	2187	9	9	9	70	90	90	90
13-17	106	26.0	474	2	4	22	43	87	99+	99+	2	23.5	613	6	6	23	41	41	41	41
18-20	2	24.5	1105	1	1	24	48	48	48	48	1	24.0		24	24	24	24	24	24	24
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	127	27.9	530	2	4	23	47	89	99+	99+	7	25.9	977	2	3	9	37	80	90	90
B. FEMALE																				
0-12 YRS.	9	28.3	498	4	4	28	38	63	64	64	1	1.0		1	1	1	1	1	1	1
13-17	100	26.9	445	3	6	21	42	67	77	99+										
18-20	3	22.7	320	9	9	16	36	43	43	43										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	112	26.9	439	3	6	22	42	64	76	99+	1	1.0		1	1	1	1	1	1	1
SUBTOTAL	239	27.4	487	3	5	22	44	73	99+	99+	8	22.8	914	1	1	9	32	75	90	90
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	28	33.6	484	6	9	32	48	60	65	98	1	28.0		28	28	28	28	28	28	28
13-17	113	23.9	391	2	4	18	34	46	65	88	2	24.0	1058	1	1	47	87	99+	99+	99+
18-20	4	15.5	130	2	2	15	24	29	29	29										
21-24	1	16.0		16	16	16	16	16	16	16										
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	146	25.5	412	3	5	20	36	54	64	94	3	25.3	537	1	1	37	73	99+	99+	99+
B. FEMALE																				
0-12 YRS.	8	25.5	992	1	2	26	88	99+	99+	99+	1	31.0		31	31	31	31	31	31	31
13-17	95	24.9	571	2	4	18	40	74	89	99+	1	31.0		31	31	31	31	31	31	31
18-20																				
21-24	1	2.0		2	2	2	2	2	2	2										
25-34																				
35-54	1	10.0		10	10	10	10	10	10	10										
55-74	1	11.0		11	11	11	11	11	11	11										
75 +																				
ALL AGES	106	24.5	584	2	3	17	42	76	97	99+	2	31.0		31	31	31	31	31	31	31
SUBTOTAL	252	25.0	486	2	4	18	38	60	81	99+	5	27.6	277	1	4	31	47	95	99+	99+
GRAND TOTAL	491	26.2	486	3	4	20	42	69	92	99+	13	24.0	634	1	1	26	41	91	98	99+

IMPULSE CONTROL DIS NEC (312.3)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	44.0		44	44	44	44	44	44	44										
13-17	9	32.2	241	1	8	31	41	52	56	56	1	26.0		26	26	26	26	26	26	26
18-20	7	19.0	67	10	10	18	27	29	29	29										
21-24	3	10.7	85	3	3	8	18	21	21	21	1	4.0		4	4	4	4	4	4	4
25-34	14	12.1	76	1	2	12	19	24	28	29										
35-54	7	13.4	382	1	1	7	19	48	54	54										
55-74	2	10.5	181	1	1	10	20	20	20	20										
75 +	1	17.0		17	17	17	17	17	17	17										
ALL AGES	44	18.2	217	1	1	16	29	40	48	56	2	15.0	242	4	4	15	26	26	26	26
B. FEMALE																				
0-12 YRS.																				
13-17	3	22.0	379	7	7	15	37	44	44	44										
18-20	4	22.0	194	8	8	21	33	38	38	38										
21-24	3	5.3	21	1	1	5	9	10	10	10										
25-34	3	19.7	42	14	14	18	25	27	27	27										
35-54	3	21.3	958	2	2	5	44	57	57	57										
55-74																				
75 +																				
ALL AGES	16	18.3	268	1	2	13	28	43	53	57										
SUBTOTAL	60	18.2	228	1	1	14	29	42	49	57	2	15.0	242	4	4	15	26	26	26	26
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	3	18.3	84	8	8	22	24	25	25	25										
13-17	12	23.0	343	2	4	16	42	49	52	53	3	34.3	965	3	3	35	57	65	65	65
18-20	11	14.8	39	7	8	14	18	23	28	29										
21-24	4	6.5	14	3	3	6	9	11	11	11										
25-34	10	13.2	94	2	2	10	22	27	28	28										
35-54	7	7.3	15	2	2	7	10	12	13	13										
55-74	8	14.3	169	3	3	9	23	35	39	39										
75 +	1	33.0		33	33	33	33	33	33	33										
ALL AGES	56	15.2	151	2	3	11	22	33	43	53	3	34.3	965	3	3	35	57	65	65	65
B. FEMALE																				
0-12 YRS.																				
13-17	1	62.0		62	62	62	62	62	62	62										
18-20	2	19.5	25	16	16	19	23	23	23	23										
21-24	2	21.0	162	12	12	21	30	30	30	30										
25-34	3	9.0	13	6	6	8	12	13	13	13										
35-54	3	13.7	64	9	9	9	20	23	23	23										
55-74	1	8.0		8	8	8	8	8	8	8										
75 +	1	18.0		18	18	18	18	18	18	18										
ALL AGES	13	18.2	226	6	7	13	23	36	57	62										
SUBTOTAL	69	15.8	163	3	3	11	22	32	45	60	3	34.3	965	3	3	35	57	65	65	65
GRAND TOTAL	129	16.9	193	1	3	13	23	39	45	58	5	26.6	653	3	3	26	42	65	65	65

MIX DIS CONDUCT/EMOTION (312.4)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	4.0		4	4	4	4	4	4	4										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	4.0		4	4	4	4	4	4	4										
B. FEMALE																				
0-12 YRS.																				
13-17	4	17.5	190	9	9	11	25	38	38	38										
18-20																				
21-24																				
25-34																				
35-54																				
55-74											1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	4	17.5	190	9	9	11	25	38	38	38	1	2.0		2	2	2	2	2	2	2
SUBTOTAL	5	14.8	179	4	4	10	19	38	38	38	1	2.0		2	2	2	2	2	2	2
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	20.0		20	20	20	20	20	20	20	1	2.0		2	2	2	2	2	2	2
13-17	1	50.0		50	50	50	50	50	50	50										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	35.0	450	20	20	35	50	50	50	50	1	2.0		2	2	2	2	2	2	2
B. FEMALE																				
0-12 YRS.																				
13-17	1	3.0		3	3	3	3	3	3	3										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	3.0		3	3	3	3	3	3	3										
SUBTOTAL	3	24.3	569	3	3	20	42	50	50	50	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	8	18.4	287	3	3	11	29	46	50	50	2	2.0		2	2	2	2	2	2	2

OTHER CONDUCT DISTURB (312.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	5	2.4	7	1	1	1	3	7	7	7	1	2.0		2	2	2	2	2	2	2
13-17	1	47.0		47	47	47	47	47	47	47	1	1.0		1	1	1	1	1	1	1
18-20	2	1.0		1	1	1	1	1	1	1										
21-24	2	21.5	181	12	12	21	31	31	31	31										
25-34	4	6.8	50	1	1	4	11	17	17	17										
35-54	1	16.0		16	16	16	16	16	16	16										
55-74																				
75 +																				
ALL AGES	15	9.8	180	1	1	3	15	31	43	47	2	1.5	1	1	1	1	2	2	2	2
B. FEMALE																				
0-12 YRS.	5	8.0	71	1	1	7	11	22	22	22	2	10.5	181	1	1	10	20	20	20	20
13-17	3	9.3	47	4	4	7	14	17	17	17										
18-20	1	12.0		12	12	12	12	12	12	12	1	22.0		22	22	22	22	22	22	22
21-24																				
25-34	2	12.0	8	10	10	12	14	14	14	14										
35-54	1	7.0		7	7	7	7	7	7	7	1	3.0		3	3	3	3	3	3	3
55-74																				
75 +																				
ALL AGES	12	9.3	37	1	1	8	13	18	21	22	4	11.5	122	1	1	11	21	22	22	22
SUBTOTAL	27	9.6	112	1	1	7	14	21	33	47	6	8.2	99	1	1	2	20	22	22	22
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	62.0		62	62	62	62	62	62	62										
13-17	2	45.5	2665	9	9	45	82	82	82	82										
18-20																				
21-24																				
25-34	2	8.0	32	4	4	8	12	12	12	12										
35-54	1	2.0		2	2	2	2	2	2	2										
55-74																				
75 +																				
ALL AGES	6	28.5	1188	2	2	10	62	80	82	82										
B. FEMALE																				
0-12 YRS.																				
13-17	4	30.5	1204	1	1	22	57	76	76	76										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	4	30.5	1204	1	1	22	57	76	76	76										
SUBTOTAL	10	29.3	1062	1	1	10	62	79	82	82										
GRAND TOTAL	37	14.9	426	1	1	7	16	45	71	82	6	8.2	99	1	1	2	20	22	22	22

CONDUCT DISTURBANCE NOS (312.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	12	7.9	57	1	3	5	9	18	27	29	4	8.5	71	3	3	5	13	21	21	21
13-17	36	19.0	337	1	3	16	27	44	79	99+	4	6.3	44	1	1	5	11	15	15	15
18-20	3	3.3	7	1	1	3	5	6	6	6										
21-24	8	12.5	377	3	3	5	10	46	60	60										
25-34	2	6.5	61	1	1	6	12	12	12	12	3	6.0	75	1	1	1	12	16	16	16
35-54																				
55-74																				
75 +																				
ALL AGES	61	14.8	282	1	2	8	22	36	52	99+	11	7.0	51	1	1	4	13	18	21	21
B. FEMALE																				
0-12 YRS.	5	10.0	185	1	1	5	14	34	34	34	2	2.5	5	1	1	2	4	4	4	4
13-17	43	17.2	289	1	2	11	30	40	50	66	6	13.0	93	1	1	14	20	25	26	26
18-20	2	22.0		22	22	22	22	22	22	22	1	65.0		65	65	65	65	65	65	65
21-24	2	5.0	18	2	2	5	8	8	8	8										
25-34	2	9.5	1	9	9	9	10	10	10	10										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74																				
75 +																				
ALL AGES	55	15.8	252	1	2	10	27	38	44	66	9	16.4	413	1	1	13	21	49	65	65
SUBTOTAL	116	15.3	265	1	2	9	25	38	46	98	20	11.3	222	1	1	5	16	23	45	65
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	12	10.7	96	1	2	8	14	23	36	38										
13-17	30	19.0	260	1	2	17	28	45	69	99+										
18-20	2	4.5	1	4	4	4	5	5	5	5										
21-24	1	24.0		24	24	24	24	24	24	24										
25-34	2	10.0	162	1	1	10	19	19	19	19										
35-54	1	5.0		5	5	5	5	5	5	5										
55-74	1	8.0		8	8	8	8	8	8	8	1	4.0		4	4	4	4	4	4	4
75 +																				
ALL AGES	49	15.6	207	1	2	12	24	37	52	99+	1	4.0		4	4	4	4	4	4	4
B. FEMALE																				
0-12 YRS.	2	45.0	3200	5	5	45	85	85	85	85										
13-17	28	15.5	152	2	2	13	24	35	39	44	2	11.0	72	5	5	11	17	17	17	17
18-20	2	6.0	8	4	4	6	8	8	8	8										
21-24																				
25-34	1	36.0		36	36	36	36	36	36	36										
35-54	4	4.3	4	2	2	4	6	7	7	7										
55-74																				
75 +																				
ALL AGES	37	15.9	283	2	2	9	23	37	42	85	2	11.0	72	5	5	11	17	17	17	17
SUBTOTAL	86	15.7	238	1	2	12	24	37	45	94	3	8.7	51	4	4	5	14	17	17	17
GRAND TOTAL	202	15.5	251	1	2	9	24	37	45	98	23	10.9	199	1	1	5	16	22	40	65

OVERANXIOUS DISORDER (313.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	8	27.6	97	12	16	29	45	99 +	99 +	99 +										
13-17	8	38.0	164	20	23	37	43	57	63	63										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	16	32.8	151	15	20	32	44	89	99 +	99 +										
B. FEMALE																				
0-12 YRS.	3	46.0	421	25	25	47	61	66	66	66										
13-17	7	36.9	305	16	18	33	46	64	68	68										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	10	39.6	319	16	20	39	47	67	68	68										
SUBTOTAL	26	35.4	218	16	20	33	46	67	99 +	99 +										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	21	45.4	417	11	26	45	69	99 +	99 +	99 +										
13-17	20	32.6	323	7	10	29	43	54	67	80										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	41	39.1	408	8	13	40	53	81	99 +	99 +										
B. FEMALE																				
0-12 YRS.	5	50.0	586	31	32	45	92	99	99 +	99 +										
13-17	23	34.6	524	3	9	30	46	63	84	98										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	28	37.3	554	3	12	33	48	86	98	99 +										
SUBTOTAL	69	38.4	459	8	13	38	52	82	99	99 +										
GRAND TOTAL	95	37.6	390	10	14	37	49	79	99 +	99 +										

MISERY & UNHAPPINESS DIS (313.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	9.0		9	9	9	9	9	9	9										
13-17	1	25.0		25	25	25	25	25	25	25										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	17.0	128	9	9	17	25	25	25	25										
B. FEMALE																				
0-12 YRS.																				
13-17	2	34.5	2113	2	2	34	67	67	67	67										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	34.5	2113	2	2	34	67	67	67	67										
SUBTOTAL	4	25.8	845	2	2	17	46	67	67	67										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	4	25.8	845	2	2	17	46	67	67	67										

SENSITIVITY & WITHDRAWAL (313.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42										
13-17	1	42.0		42	42	42	42	42	42	42										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	42.0		42	42	42	42	42	42	42										
B. FEMALE																				
0-12 YRS.	1	49.0		49	49	49	49	49	49	49										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	49.0		49	49	49	49	49	49	49										
SUBTOTAL	3	44.3	21	42	42	42	47	49	49	49										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17	1	28.0		28	28	28	28	28	28	28										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	28.0		28	28	28	28	28	28	28										
SUBTOTAL	1	28.0		28	28	28	28	28	28	28										
GRAND TOTAL	4	40.3	72	28	28	42	46	49	49	49										

OTH EMOTIONAL DIS CHILD (313.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	19	27.0	225	8	12	23	43	54	82	99+	1	38.0		38	38	38	38	38	38	38
13-17	26	27.1	530	3	5	25	42	86	99+	99+	2	35.5	1625	7	7	35	64	64	64	64
18-20	2	5.5	5	4	4	5	7	7	7	7	1	43.0		43	43	43	43	43	43	43
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	47	26.1	398	4	5	23	43	71	99+	99+	4	38.0	554	7	7	40	53	64	64	64
B. FEMALE																				
0-12 YRS.	15	29.7	425	2	4	33	48	65	90	99+	2	30.0	18	27	27	30	33	33	33	33
13-17	50	23.2	276	3	4	21	36	45	58	99+	3	24.0	273	13	13	16	36	43	43	43
18-20	1	5.0		5	5	5	5	5	5	5										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	66	24.4	313	3	4	21	41	48	67	99+	5	26.4	152	13	13	27	35	43	43	43
SUBTOTAL	113	25.1	346	3	5	22	41	59	85	99+	9	31.6	318	7	9	33	43	56	64	64
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	19	35.3	483	7	12	30	46	63	83	97	6	44.7	482	28	28	35	57	81	84	84
13-17	33	29.9	466	4	7	30	48	93	99+	99+	1	58.0		58	58	79	99+	99+	99+	99+
18-20	3	12.0	148	4	4	6	21	26	26	26										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	55	30.8	469	5	7	29	44	71	99	99+	7	46.6	427	28	28	47	71	95	99+	99+
B. FEMALE																				
0-12 YRS.	4	31.3	137	16	18	39	99+	99+	99+	99+	3	64.7	418	43	43	75	92	99+	99+	99+
13-17	56	28.7	389	4	5	28	42	55	62	86	2	31.5	481	16	16	31	47	47	47	47
18-20	3	28.3	435	13	13	20	44	52	52	52										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	63	28.8	369	4	7	28	44	56	80	99+	5	51.4	662	16	19	57	84	98	99+	99+
SUBTOTAL	118	29.8	409	4	7	29	44	64	96	99+	12	48.6	480	18	27	52	84	99+	99+	99+
GRAND TOTAL	231	27.5	382	4	6	26	42	61	92	99+	21	41.3	467	11	15	43	62	87	99+	99+

EMOTIONAL DIS CHILD NOS (313.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS											
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES								TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)	5TH (5)				10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)		
1. PSYCH PRIN, NO 2ND PSYCH DX																						
A. MALE																						
0-12 YRS.	1	43.0		43	43	43	43	43	43	43												
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	1	43.0		43	43	43	43	43	43	43												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	1	43.0		43	43	43	43	43	43	43												
2. PSYCH PRIN, 2ND PSYCH DX(S)																						
A. MALE																						
0-12 YRS.	1	12.0		12	12	12	12	12	12	12												
13-17	1	10.0		10	10	10	10	10	10	10												
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES	2	11.0	2	10	10	11	12	12	12	12												
B. FEMALE																						
0-12 YRS.																						
13-17																						
18-20																						
21-24																						
25-34																						
35-54																						
55-74																						
75 +																						
ALL AGES																						
SUBTOTAL	2	11.0	2	10	10	11	12	12	12	12												
GRAND TOTAL	3	21.7	340	10	10	12	35	43	43	43												

North Central Region January - December 1986

ATTENTION DEFICIT DIS (314.0)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	54	14.3	280	2	2	4	28	41	45	65	4	22.5	594	1	1	19	43	50	50	50
13-17	14	26.2	531	2	3	20	35	61	77	81	1	19.0		19	19	19	19	19	19	19
18-20	1	49.0		49	49	49	49	49	49	49										
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	69	17.2	359	2	2	5	30	43	51	78	5	21.8	448	1	1	19	39	50	50	50
B. FEMALE																				
0-12 YRS.	9	7.7	83	2	2	4	9	24	29	29	1	32.0		32	32	32	32	32	32	32
13-17	3	36.7	38	32	32	34	41	44	44	44										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	12	14.9	241	2	2	6	30	37	43	44	1	32.0		32	32	32	32	32	32	32
SUBTOTAL	81	16.9	338	2	2	5	30	42	50	76	6	23.5	376	1	1	25	36	49	50	50
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	57	31.7	572	2	3	26	54	75	96	99+	4	35.0	1011	7	7	30	61	72	72	72
13-17	29	29.7	531	7	8	23	44	73	90	99+										
18-20	2	14.5	1	14	14	14	15	15	15	15										
21-24	2	24.5	181	15	15	24	34	34	34	34										
25-34	3	25.7	78	20	20	21	32	36	36	36										
35-54	1	12.0		12	12	12	12	12	12	12										
55-74																				
75 +																				
ALL AGES	94	30.1	524	2	5	25	52	70	91	99+	4	35.0	1011	7	7	30	61	72	72	72
B. FEMALE																				
0-12 YRS.	18	36.2	544	5	10	39	56	78	95	99+										
13-17	6	27.5	300	7	8	28	43	46	46	46										
18-20	1	6.0		6	6	6	6	6	6	6										
21-24																				
25-34	1	6.0		6	6	6	6	6	6	6										
35-54	1	25.0		25	25	25	25	25	25	25										
55-74																				
75 +																				
ALL AGES	27	31.6	485	5	6	30	48	63	89	99+										
SUBTOTAL	121	30.5	507	3	6	25	50	69	90	99+	4	35.0	1011	7	7	30	61	72	72	72
GRAND TOTAL	202	25.0	484	2	2	21	41	62	81	99+	10	28.1	581	1	1	25	50	61	72	72

HYPERKINET W DEVEL DELAY (314.1)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	2.0		2	2	2	2	2	2	2										
B. FEMALE																				
0-12 YRS.	1	2.0		2	2	2	2	2	2	2										
13-17	1	21.0		21	21	21	21	21	21	21										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	11.5	181	2	2	11	21	21	21	21										
SUBTOTAL	3	8.3	121	2	2	2	16	21	21	21										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	3	8.3	121	2	2	2	16	21	21	21										

HYPERKINETIC CONDUCT DIS (314.2)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
SUBTOTAL	1	64.0		64	64	64	64	64	64	64	1	25.0		25	25	25	25	25	25	25
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	42.0		42	42	42	42	42	42	42	2	47.0	288	35	35	47	59	59	59	59
13-17	1	48.0		48	48	48	48	48	48	48										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
SUBTOTAL	2	45.0	18	42	42	45	48	48	48	48	2	47.0	288	35	35	47	59	59	59	59
GRAND TOTAL	3	51.3	134	42	42	48	60	64	64	64	3	39.7	301	25	25	35	53	59	59	59

OTHER HYPERKINETIC SYND (314.8)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NQ 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17	1	1.0		1	1	1	1	1	1	1										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	1	1.0		1	1	1	1	1	1	1										
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	1	1.0		1	1	1	1	1	1	1										
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	1	35.0		35	35	35	35	35	35	35	1	47.0		47	47	47	47	47	47	47
13-17	2	6.0		6	6	6	6	6	6	6										
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES	3	15.7	279	6	6	6	28	35	35	35	1	47.0		47	47	47	47	47	47	47
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL	3	15.7	279	6	6	6	28	35	35	35	1	47.0		47	47	47	47	47	47	47
GRAND TOTAL	4	12.0	241	1	1	6	21	35	35	35	1	47.0		47	47	47	47	47	47	47

HYPERKINETIC SYND NOS (314.9)

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54	1	21.0		21	21	21	21	21	21	21	1	6.0		6	6	6	6	6	6	6
55-74																				
75 +																				
ALL AGES	1	21.0		21	21	21	21	21	21	21	1	6.0		6	6	6	6	6	6	6
B. FEMALE																				
0-12 YRS.											1	14.0		14	14	14	14	14	14	14
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74	1	5.0		5	5	5	5	5	5	5	1	2.0		2	2	2	2	2	2	2
75 +																				
ALL AGES	1	5.0		5	5	5	5	5	5	5	2	8.0	72	2	2	8	14	14	14	14
SUBTOTAL	2	13.0	128	5	5	13	21	21	21	21	3	7.3	38	2	2	6	12	14	14	14
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
B. FEMALE																				
0-12 YRS.																				
13-17																				
18-20																				
21-24																				
25-34																				
35-54																				
55-74																				
75 +																				
ALL AGES																				
SUBTOTAL																				
GRAND TOTAL	2	13.0	128	5	5	13	21	21	21	21	3	7.3	38	2	2	6	12	14	14	14

ALL PSYCHIATRIC CODES

TYPE OF PATIENT (1)	HOSPITALS WITH PSY. UNIT/BEDS										HOSPITALS WITHOUT PSY. UNIT/BEDS									
	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. PSYCH PRIN, NO 2ND PSYCH DX																				
A. MALE																				
0-12 YRS.	415	18.7	368	1	1	13	31	47	72	99+	77	10.9	319	1	1	2	9	42	45	82
13-17	1346	20.7	342	1	2	16	33	48	66	99+	339	15.9	313	1	1	6	30	45	47	78
18-20	779	13.1	170	1	1	9	20	31	39	55	186	11.9	187	1	1	4	22	29	34	53
21-24	1433	13.9	194	1	1	10	21	30	39	72	378	12.7	125	1	1	9	22	28	30	44
25-34	5151	13.7	153	1	2	10	21	29	35	58	1715	12.2	119	1	2	7	22	28	30	37
35-54	6379	12.8	123	1	2	9	20	28	31	48	2300	11.5	117	1	2	6	22	28	30	35
55-74	2898	13.7	129	2	2	11	20	29	34	51	1088	9.6	94	1	2	5	12	27	30	36
75 +	983	12.4	115	2	3	9	17	26	34	51	457	6.9	44	1	2	5	8	13	22	35
ALL AGES	19384	13.9	164	1	2	10	21	30	38	64	6540	11.4	125	1	1	6	21	28	30	45
B. FEMALE																				
0-12 YRS.	235	18.9	384	1	1	11	33	52	63	99+	74	6.8	112	1	1	2	7	21	31	55
13-17	1712	21.2	356	1	2	16	33	49	63	99+	297	10.6	199	1	1	3	16	34	41	72
18-20	754	14.1	215	1	1	9	20	32	44	69	175	9.7	246	1	1	3	10	30	38	83
21-24	1328	13.0	160	1	2	9	19	30	39	62	243	8.5	108	1	1	4	9	25	29	40
25-34	4899	13.4	139	1	2	10	19	29	37	56	972	9.4	103	1	1	5	13	26	29	40
35-54	7447	14.2	131	2	3	12	20	29	36	54	1297	9.6	117	1	2	5	12	28	30	43
55-74	5005	16.1	153	2	4	14	22	32	40	62	957	8.0	86	1	2	5	9	21	28	43
75 +	2007	13.8	127	2	3	11	19	28	36	56	725	7.0	47	1	2	5	8	13	19	33
ALL AGES	23387	14.9	164	1	3	12	21	31	40	64	4740	8.8	108	1	1	5	10	25	30	47
SUBTOTAL	42771	14.4	166	1	2	11	21	30	39	64	11280	10.3	120	1	1	5	16	28	30	45
2. PSYCH PRIN, 2ND PSYCH DX(S)																				
A. MALE																				
0-12 YRS.	420	29.4	479	3	4	27	48	70	97	99+	54	32.6	806	2	2	28	59	87	99+	99+
13-17	1780	26.0	399	2	3	23	41	54	73	99+	381	25.6	287	1	3	28	35	45	51	98
18-20	891	15.6	177	1	2	12	24	33	40	59	274	17.5	184	1	2	19	29	35	35	49
21-24	1366	14.0	144	1	2	11	22	29	34	55	572	14.5	132	1	2	11	25	30	31	37
25-34	5312	13.3	124	1	2	10	21	28	31	47	2784	11.8	112	2	2	6	22	28	30	34
35-54	5539	13.0	123	2	2	9	20	28	31	47	2669	9.6	88	2	2	5	14	25	28	33
55-74	1825	14.0	125	2	3	11	21	29	34	53	774	8.9	75	2	2	5	11	23	28	36
75 +	414	13.2	90	3	4	12	18	26	33	52	153	7.3	53	1	2	5	9	14	21	59
ALL AGES	17547	15.1	184	2	2	11	22	31	42	72	7661	11.9	133	1	2	6	22	28	31	46
B. FEMALE																				
0-12 YRS.	142	29.6	565	2	4	28	47	84	99+	99+	20	32.4	751	1	1	39	69	99+	99+	99+
13-17	1725	25.2	409	2	4	21	39	57	75	99+	279	22.4	342	1	2	24	35	46	57	99+
18-20	706	15.1	220	1	2	10	22	35	45	73	163	13.5	204	1	1	7	27	33	36	89
21-24	1297	14.0	162	1	2	10	20	30	38	62	299	11.0	137	1	1	5	21	29	32	44
25-34	4473	13.7	150	2	2	10	20	29	36	63	1177	10.4	106	1	2	5	16	28	30	40
35-54	4997	14.4	138	2	3	11	20	29	36	57	1192	9.2	90	1	2	5	11	28	30	35
55-74	2558	16.7	156	3	4	14	23	33	41	59	563	8.2	74	1	2	5	9	21	29	39
75 +	933	15.1	121	3	4	13	20	30	38	50	224	7.2	43	2	3	5	8	15	18	35
ALL AGES	16831	15.8	194	2	3	12	22	33	44	76	3917	10.7	134	1	2	5	14	29	33	54
SUBTOTAL	34378	15.5	187	2	3	12	22	32	42	74	11578	11.5	133	1	2	5	21	29	32	48
GRAND TOTAL	77149	14.9	175	1	2	11	21	31	41	68	22858	10.9	127	1	2	5	19	28	31	46

APPENDIX 1

HOSPITAL SERVICE TYPE DEFINITIONS

To define the two hospital categories used in the Psychiatric Length of Stay series, the following steps were accomplished:

All specialty or long-term care hospitals, e.g., substance-abuse, orthopedic, or psychiatric, were deleted so that only nonfederal, short-term general hospitals remained in the psychiatric length of stay database. The exception is pediatric hospitals, specialty institutions, whose data were included.

Hospitals were then grouped according to whether the following service codes were recorded:

- A. Hospital-based psychiatric acute care
- B. Psychiatric acute care not available
- C. Psychiatric acute care provided by another hospital or provider
- D. Hospital-based pediatric psychiatric acute care
- E. Pediatric psychiatric acute care not available
- F. Pediatric psychiatric acute care provided by another hospital or provider
- G. Psychiatric acute care beds set up

Hospitals in A, D, and G above were separated and labeled: hospitals with a psychiatric unit/beds. Hospitals in B, C, E, and F above were labeled: hospitals without a psychiatric unit/beds.

In addition, however, both hospital service types may offer one or more of these services as defined in the *AHA Guide*, 1986 Edition:

Psychiatric outpatient services

Hospital services for the diagnosis and treatment of psychiatric outpatients.

Clinical psychology services

One or more clinical psychologists who provide diagnostic or therapeutic services on a regular full-time schedule or intermittently.

Psychiatric consultation and education services

Provision of interpretive psychiatric consultation and education services to community agencies and workers such as schools, police, courts, public health nurses, welfare agencies, clergy, and so forth. The purpose is to expand the mental health knowledge and competence of personnel not working in the mental health field and to promote good mental health through improved understanding, attitudes, and behavioral patterns.

Psychiatric foster and/or home care program

Planned postdischarge psychiatric observation and care in the patient's place of residence or in an approved foster home.

Psychiatric emergency services

Hospital facilities for the provision of unscheduled outpatient care to psychiatric patients whose conditions are considered to require immediate care. Staff must be available 24 hours a day.

Partial hospitalization program

Organized hospital facilities and services for day care and/or night care of psychiatric patients who do not require inpatient care 24 hours a day.

APPENDIX 2

CALCULATION OF PROGRAM INTENSITY INDEX

The (Ip) of Phillip and Hai (1976) is used to place hospitals in one of three levels of teaching status. The formula is presented below.

$$Ip = 9.9 (JCA) + 14.0 (CP) + 28.0 (RES) + 14.7 (MS) + 13.3 (PNS) + 20.1 (COT)$$

JCA: Accreditation by Joint Commission of Accreditation of Hospitals

CP: Cancer Program approved by American College of Surgeons

RES: Residency approved by American Medical Association

MS: Medical School Affiliation reported by American Medical Association

PNS: Hospital-controlled professional nursing school, reported by National League for Nursing

COT: Member of Council of Teaching Hospitals of the Association of American Medical Colleges

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

In the hospital characteristic tables of the Psychiatric Length of Stay series, the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution
Ip value 25.0-74.9	Minor Teaching Institution
Ip value 75.0+	Major Teaching Institution

APPENDIX 3

STATE INCLUSIONS BY REGION

<u>Northeast</u>	<u>North Central</u>	<u>South</u>	<u>West</u>
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number and percent of hospitals and total patients by census region and hospital type included in the psychiatric length of stay tables is shown below.

Region	Hospitals with a Psych Unit/Beds				Hospitals without a Psych Unit/Beds			
	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%	Number of Hospitals	%	Number of Patients with Psychiatric Prin Dx	%
Northeast	130	26.3	44,556	22.1	174	18.3	10,397	15.6
North Central	154	31.1	77,149	38.2	331	34.9	22,858	34.2
South	93	18.8	37,236	18.4	217	22.8	12,439	18.6
West	118	23.8	42,894	21.3	228	24.0	21,135	31.6
U.S.	495	100.0	201,835	100.0	950	100.0	66,829	100.0

Appendix 4

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
290	Senile and presenile organic psychotic conditions	
290.0	Senile dementia, uncomplicated	1
290.1	Presenile dementia	2
290.10	Presenile dementia, uncomplicated	2
290.11	Presenile dementia with delirium	2
290.12	Presenile dementia with delusional features	2
290.13	Presenile dementia with depressive features	2
290.2	Senile dementia with delusional or depressive features	3
290.20	Senile dementia with delusional features	3
290.21	Senile dementia with depressive features	3
290.3	Senile dementia with delirium	4
290.4	Arteriosclerotic dementia	5
290.40	Arteriosclerotic dementia, uncomplicated	5
290.41	Arteriosclerotic dementia with delirium	5
290.42	Arteriosclerotic dementia with delusional features	5
290.43	Arteriosclerotic dementia with depressive features	5
290.9	Unspecified senile psychotic condition	6
291	Alcoholic psychoses	
291.0	Alcohol withdrawal delirium	7
291.1	Alcohol amnestic syndrome	8
291.2	Other alcoholic dementia	9
291.3	Alcohol withdrawal hallucinosis	10
291.4	Idiosyncratic alcohol intoxication	11
291.5	Alcoholic jealousy	12
291.8	Other specified alcoholic psychosis	13
291.9	Unspecified alcoholic psychosis	14
292	Drug psychoses	
292.0	Drug withdrawal syndrome	15
292.1	Paranoid and/or hallucinatory states induced by drugs	16
292.11	Drug-induced organic delusional syndrome	16
292.12	Drug-induced hallucinosis	16
292.2	Pathological drug intoxication	17
292.8	Other specified drug-induced mental disorders	18
292.81	Drug-induced delirium	18
292.82	Drug-induced dementia	18
292.83	Drug-induced amnestic syndrome	18
292.84	Drug-induced organic affective syndrome	18
292.89	Other	18
292.9	Unspecified drug-induced mental disorder	19
293	Transient organic psychotic conditions	
293.0	Acute delirium	20
293.1	Subacute delirium	21
293.8	Other specified transient organic mental disorders	22
293.81	Organic delusional syndrome	22
293.82	Organic hallucinosis syndrome	22
293.83	Organic affective syndrome	22
293.89	Other	22
293.9	Unspecified transient organic mental disorder	23

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
294	Other organic psychotic conditions (chronic)	
294.0	Amnestic syndrome	24
294.1	Dementia in conditions classified elsewhere	25
294.8	Other specified organic brain syndromes (chronic)	26
294.9	Unspecified organic brain syndrome (chronic)	27
295	Schizophrenic disorders	
	Fifth-digit subclassification for use with 295:	
	0 unspecified	
	1 subchronic	
	2 chronic	
	3 subchronic with acute exacerbation	
	4 chronic with acute exacerbation	
	5 in remission	
295.0	Simple type	28
295.1	Disorganized type	29
295.2	Catatonic type	30
295.3	Paranoid type	31
295.4	Acute schizophrenic episode	32
295.5	Latent schizophrenia	33
295.6	Residual schizophrenia	34
295.7	Schizo-affective type	35
295.8	Other specified types of schizophrenia	36
295.9	Unspecified schizophrenia	37
296	Affective psychoses	
	Fifth-digit subclassification for use with 296.0-296.6:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe, without mention of psychotic behavior	
	4 severe, specified as with psychotic behavior	
	5 in partial or unspecified remission	
	6 in full remission	
296.0	Manic disorder, single episode	38
296.1	Manic disorder, recurrent episode	39
296.2	Major depressive disorder, single episode	40
296.3	Major depressive disorder, recurrent episode	41
296.4	Bipolar affective disorder, manic	42
296.5	Bipolar affective disorder, depressed	43
296.6	Bipolar affective disorder, mixed	44
296.7	Bipolar affective disorder, unspecified	45
296.8	Manic-depressive psychosis, other and unspecified	46
296.80	Manic-depressive psychosis, unspecified	46
296.81	Atypical manic disorder	46
296.82	Atypical depressive disorder	46
296.89	Other	46
296.9	Other and unspecified affective psychoses	47
296.90	Unspecified affective psychosis	47
296.99	Other specified affective psychoses	47
297	Paranoid states	
297.0	Paranoid state, simple	48
297.1	Paranoia	49
297.2	Paraphrenia	50
297.3	Shared paranoid disorder	51

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
297.8	Other specified paranoid states	52
297.9	Unspecified paranoid state	53
298	Other nonorganic psychoses	
298.0	Depressive type psychosis	54
298.1	Excitatory type psychosis	55
298.2	Reactive confusion	56
298.3	Acute paranoid reaction	57
298.4	Psychogenic paranoid psychosis	58
298.8	Other and unspecified reactive psychosis	59
298.9	Unspecified psychosis	60
299	Psychoses with origin specific to childhood	
	Fifth-digit subclassification for use with 299:	
	0 current or active state	
	1 residual state	
299.0	Infantile autism	61
299.8	Other specified early childhood psychoses	62
299.9	Unspecified	63
300	Neurotic disorders	
300.0	Anxiety states	64
300.00	Anxiety state, unspecified	64
300.01	Panic disorder	64
300.02	Generalized anxiety disorder	64
300.09	Other	64
300.1	Hysteria	65
300.10	Hysteria, unspecified	65
300.11	Conversion disorder	65
300.12	Psychogenic amnesia	65
300.13	Psychogenic fugue	65
300.14	Multiple personality	65
300.15	Dissociative disorder or reaction, unspecified	65
300.16	Factitious illness with psychological symptoms	65
300.19	Other and unspecified factitious illness	65
300.2	Phobic disorders	66
300.20	Phobia, unspecified	66
300.21	Agoraphobia with panic attacks	66
300.22	Agoraphobia without mention of panic attacks	66
300.23	Social phobia	66
300.29	Other isolated or simple phobias	66
300.3	Obsessive-compulsive disorders	67
300.4	Neurotic depression	68
300.5	Neurasthenia	69
300.6	Depersonalization syndrome	70
300.7	Hypochondriasis	71
300.8	Other neurotic disorders	72
300.81	Somatization disorder	72
300.89	Other	72
300.9	Unspecified neurotic disorder	73
301	Personality disorders	
301.0	Paranoid personality disorder	74
301.1	Affective personality disorder	75
301.10	Affective personality disorder, unspecified	75
301.11	Chronic hypomanic personality disorder	75

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
301.12	Chronic depressive personality disorder	75
301.13	Cyclothymic disorder	75
301.2	Schizoid personality disorder	76
301.20	Schizoid personality disorder, unspecified	76
301.21	Introverted personality	76
301.22	Schizotypal personality	76
301.3	Explosive personality disorder	77
301.4	Compulsive personality disorder	78
301.5	Histrionic personality disorder	79
301.50	Histrionic personality disorder, unspecified	79
301.51	Chronic factitious illness with physical symptoms	79
301.59	Other histrionic personality disorder	79
301.6	Dependent personality disorder	80
301.7	Antisocial personality disorder	81
301.8	Other personality disorders	82
301.81	Narcissistic personality	82
301.82	Avoidant personality	82
301.83	Borderline personality	82
301.84	Passive-aggressive personality	82
301.89	Other	82
301.9	Unspecified personality disorder	83
302	Sexual deviations and disorders	
302.1	Zoophilia	84
302.2	Pedophilia	85
302.4	Exhibitionism	86
302.5	Trans-sexualism	87
302.50	With unspecified sexual history	87
302.51	With asexual history	87
302.52	With homosexual history	87
302.53	With heterosexual history	87
302.6	Disorders of psychosexual identity	88
302.7	Psychosexual dysfunction	89
302.70	Psychosexual dysfunction, unspecified	89
302.71	With inhibited sexual desire	89
302.72	With inhibited sexual excitement	89
302.73	With inhibited female orgasm	89
302.74	With inhibited male orgasm	89
302.75	With premature ejaculation	89
302.76	With functional dyspareunia	89
302.79	With other specified psychosexual dysfunctions	89
302.8	Other specified psychosexual disorders	90
302.81	Fetishism	90
302.82	Voyeurism	90
302.83	Sexual masochism	90
302.84	Sexual sadism	90
302.85	Gender identity disorder of adolescent or adult life	90
302.89	Other	90
302.9	Unspecified psychosexual disorder	91

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
303	Alcohol dependence syndrome	
	Fifth-digit subclassification for use with 303:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
303.0	Acute alcoholic intoxication	92
303.9	Other and unspecified alcohol dependence	93
304	Drug dependence	
	Fifth-digit subclassification for use with 304:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
304.0	Opioid type dependence	94
304.1	Barbiturate and similarly acting sedative or hypnotic dependence	95
304.2	Cocaine dependence	96
304.3	Cannabis dependence	97
304.4	Amphetamine and other psychostimulant dependence	98
304.5	Hallucinogen dependence	99
304.6	Other specified drug dependence	100
304.7	Combinations of opioid type drug with any other	101
304.8	Combinations of drug dependence excluding opioid type drug	102
304.9	Unspecified drug dependence	103
305	Nondependent abuse of drugs	
	Fifth-digit subclassification for use with 305:	
	0 unspecified	
	1 continuous	
	2 episodic	
	3 in remission	
305.0	Alcohol abuse	104
305.1	Tobacco use disorder	105
305.2	Cannabis abuse	106
305.3	Hallucinogen abuse	107
305.4	Barbiturate and similarly acting sedative or hypnotic abuse	108
305.5	Opioid abuse	109
305.6	Cocaine abuse	110
305.7	Amphetamine or related acting sympathomimetic abuse	111
305.8	Antidepressant type abuse	112
305.9	Other, mixed, or unspecified drug abuse	113
306	Physiological malfunction arising from mental factors	
306.0	Musculoskeletal	114
306.1	Respiratory	115
306.2	Cardiovascular	116
306.3	Skin	117
306.4	Gastrointestinal	118
306.5	Genitourinary	119
306.50	Psychogenic genitourinary malfunction, unspecified	119
306.51	Psychogenic vaginismus	119
306.52	Psychogenic dysmenorrhea	119
306.53	Psychogenic dysuria	119
306.59	Other	119

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
306.7	Organs of special sense	120
306.8	Other specified psychophysiological malfunction	121
306.9	Unspecified psychophysiological malfunction	122
307	Special symptoms or syndromes, not elsewhere classified	
307.0	Stammering and stuttering	123
307.1	Anorexia nervosa	124
307.2	Tics	125
307.20	Tic disorder, unspecified	125
307.21	Transient tic disorder of childhood	125
307.22	Chronic motor tic disorder	125
307.23	Gilles de la Tourette's disorder	125
307.3	Stereotyped repetitive movements	126
307.4	Specific disorders of sleep of nonorganic origin	127
307.40	Nonorganic sleep disorder, unspecified	127
307.41	Transient disorder of initiating or maintaining sleep	127
307.42	Persistent disorder of initiating or maintaining sleep	127
307.43	Transient disorder of initiating or maintaining wakefulness	127
307.44	Persistent disorder of initiating or maintaining wakefulness	127
307.45	Phase-shift disruption of 24-hour sleep-wake cycle	127
307.46	Somnambulism or night terrors	127
307.47	Other dysfunctions of sleep stages or arousal from sleep	127
307.48	Repetitive intrusions of sleep	127
307.49	Other	127
307.5	Other and unspecified disorders of eating	128
307.50	Eating disorder, unspecified	128
307.51	Bulimia	128
307.52	Pica	128
307.53	Psychogenic rumination	128
307.54	Psychogenic vomiting	128
307.59	Other	128
307.7	Encopresis	129
307.8	Psychalgia	130
307.80	Psychogenic pain, site unspecified	130
307.81	Tension headache	130
307.89	Other	130
307.9	Other and unspecified special symptoms or syndromes, not elsewhere classified	131
308	Acute reaction to stress	
308.0	Predominant disturbance of emotions	132
308.1	Predominant disturbance of consciousness	133
308.2	Predominant psychomotor disturbance	134
308.3	Other acute reactions to stress	135
308.4	Mixed disorders as reaction to stress	136
308.9	Unspecified acute reaction to stress	137
309	Adjustment reaction	
309.0	Brief depressive reaction	138
309.1	Prolonged depressive reaction	139
309.2	With predominant disturbance of other emotions	140
309.21	Separation anxiety disorder	140
309.22	Emancipation disorder of adolescence and early adult life	140
309.23	Specific academic or work inhibition	140
309.24	Adjustment reaction with anxious mood	140
309.28	Adjustment reaction with mixed emotional features	140

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
309.29	Other	140
309.3	With predominant disturbance of conduct	141
309.4	With mixed disturbance of emotions and conduct	142
309.8	Other specified adjustment reactions	143
309.81	Prolonged posttraumatic stress disorder	143
309.82	Adjustment reaction with physical symptoms	143
309.83	Adjustment reaction with withdrawal	143
309.89	Other	143
309.9	Unspecified adjustment reaction	144
310	Specific nonpsychotic mental disorders due to organic brain damage	
310.0	Frontal lobe syndrome	145
310.1	Organic personality syndrome	146
310.2	Postconcussion syndrome	147
310.8	Other specified nonpsychotic mental disorders following organic brain damage	148
310.9	Unspecified nonpsychotic mental disorder following organic brain damage	149
311	Depressive disorder, not elsewhere classified	150
312	Disturbance of conduct, not elsewhere classified	
	Fifth-digit subclassification for use with 312.0-312.2:	
	0 unspecified	
	1 mild	
	2 moderate	
	3 severe	
312.0	Undersocialized conduct disorder, aggressive type	151
312.1	Undersocialized conduct disorder, unaggressive type	152
312.2	Socialized conduct disorder	153
312.3	Disorders of impulse control, not elsewhere classified	154
312.30	Impulse control disorder, unspecified	154
312.31	Pathological gambling	154
312.32	Kleptomania	154
312.33	Pyromania	154
312.34	Intermittent explosive disorder	154
312.35	Isolated explosive disorder	154
312.39	Other	154
312.4	Mixed disturbance of conduct and emotions	155
312.8	Other specified disturbances of conduct, not elsewhere classified	156
312.9	Unspecified disturbance of conduct	157
313	Disturbance of emotions specific to childhood and adolescence	
313.0	Overanxious disorder	158
313.1	Misery and unhappiness disorder	159
313.2	Sensitivity, shyness, and social withdrawal disorder	160
313.21	Shyness disorder of childhood	160
313.22	Introverted disorder of childhood	160
313.23	Elective mutism	160
313.8	Other or mixed emotional disturbances of childhood or adolescence	161
313.81	Oppositional disorder	161
313.82	Identity disorder	161
313.83	Academic underachievement disorder	161
313.89	Other	161
313.9	Unspecified emotional disturbance of childhood or adolescence	162

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continued)

<u>ICD-9-CM Code</u>	<u>English Description</u>	<u>Page Number</u>
314	Hyperkinetic syndrome of childhood	
314.0	Attention deficit disorder	163
314.00	Without mention of hyperactivity	163
314.01	With hyperactivity	163
314.1	Hyperkinesis with developmental delay	164
314.2	Hyperkinetic conduct disorder	165
314.8	Other specified manifestations of hyperkinetic syndrome	166
314.9	Unspecified hyperkinetic syndrome	167
290-314.9	All psychiatric diagnosis codes	168

Appendix 5

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES

<u>English Description</u>	<u>ICD-9-CM Code</u>	<u>Page Number</u>
Academic underachievement disorder	313.83	161
Acute alcoholic intoxication	303.0	92
Acute delirium	293.0	20
Acute paranoid reaction	298.3	57
Acute schizophrenic episode	295.4	32
Adjustment reaction with anxious mood	309.24	140
Adjustment reaction with mixed emotional features	309.28	140
Adjustment reaction with physical symptoms	309.82	143
Adjustment reaction with withdrawal	309.83	143
Affective personality disorder	301.1	75
Affective psychoses	296.0-296.6	38-44
Fifth-digit subclassification for use with 296.0-296.6:		
0 unspecified		
1 mild		
2 moderate		
3 severe, without mention of psychotic behavior		
4 severe, specified as with psychotic behavior		
5 in partial or unspecified remission		
6 in full remission		
Agoraphobia with panic attacks	300.21	66
Agoraphobia without mention of panic attacks	300.22	66
Alcohol abuse	305.0	104
Alcohol amnestic syndrome	291.1	8
Alcohol dependence syndrome	303.0-303.9	92-93
Fifth-digit subclassification for use with 303:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Alcohol withdrawal delirium	291.0	7
Alcohol withdrawal hallucinosis	291.3	10
Alcoholic jealousy	291.5	12
Amnestic syndrome	294.0	24
Amphetamine and other psychostimulant dependence	304.4	98
Amphetamine or related acting sympathomimetic abuse	305.7	111
Anorexia nervosa	307.1	124
Antidepressant type abuse	305.8	112
Antisocial personality disorder	301.7	81
Anxiety state, unspecified	300.00	64
Anxiety states	300.0	64
Arteriosclerotic dementia	290.4	5
Arteriosclerotic dementia, uncomplicated	290.40	5
Arteriosclerotic dementia with delirium	290.41	5
Arteriosclerotic dementia with delusional features	290.42	5
Arteriosclerotic dementia with depressive features	290.43	5
Attention deficit disorder	314.0	163
Atypical depressive disorder	296.82	46
Atypical manic disorder	296.81	46
Avoidant personality	301.82	82

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	ICD-9-CM Code	Page Number
Barbiturate and similarly acting sedative or hypnotic dependence	304.1	95
Barbiturate and similarly acting sedative or hypnotic abuse	305.4	108
Bipolar affective disorder, depressed	296.5	43
Bipolar affective disorder, manic	296.4	42
Bipolar affective disorder, mixed	296.6	44
Bipolar affective disorder, unspecified	296.7	45
Borderline personality	301.83	82
Brief depressive reaction	309.0	138
Bulimia	307.51	128
Cannabis abuse	305.2	106
Cannabis dependence	304.3	97
Cardiovascular-Physiological malfunction arising from mental factors	306.2	116
Catatonic type-Schizophrenic disorders	295.2	30
Chronic depressive personality disorder	301.12	75
Chronic factitious illness with physical symptoms	301.51	79
Chronic hypomanic personality disorder	301.11	75
Chronic motor tic disorder	307.22	125
Cocaine abuse	305.6	110
Cocaine dependence	304.2	96
Combinations of drug dependence excluding opioid type drug	304.8	102
Combinations of opioid type drug with any other	304.7	101
Compulsive personality disorder	301.4	78
Conversion disorder	300.11	65
Cyclothymic disorder	301.13	75
Dementia in conditions classified elsewhere	294.1	25
Dependent personality disorder	301.6	80
Depersonalization syndrome	300.6	70
Depressive disorder, not elsewhere classified	311	150
Depressive type psychosis	298.0	54
Disorders of impulse control, not elsewhere classified	312.3	154
Disorders of psychosexual identity	302.6	88
Disorganized type-Schizophrenic disorders	295.1	29
Dissociative disorder or reaction, unspecified	300.15	65
Disturbance of conduct, not elsewhere classified	312.0-312.2	151-153
Fifth-digit subclassification for use with 312.0-312.2:		
0 unspecified		
1 mild		
2 moderate		
3 severe		
Drug dependence	304.0-304.9	94-103
Fifth-digit subclassification for use with 304:		
0 unspecified		
1 continuous		
2 episodic		
3 in remission		
Drug withdrawal syndrome	292.0	15
Drug-induced amnestic syndrome	292.83	18
Drug-induced delirium	292.81	18
Drug-induced dementia	292.82	18
Drug-induced hallucinosis	292.12	16
Drug-induced organic affective syndrome	292.84	18
Drug-induced organic delusional syndrome	292.11	16

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

<u>English Description</u>	<u>ICD-9-CM Code</u>	<u>Page Number</u>
Eating disorder, unspecified	307.50	128
Elective mutism	313.23	160
Emancipation disorder of adolescence and early adult life	309.22	140
Encopresis	307.7	129
Excitative type psychosis	298.1	55
Exhibitionism	302.4	86
Explosive personality disorder	301.3	77
Factitious illness with psychological symptoms	300.16	65
Fetishism	302.81	90
Frontal lobe syndrome	310.0	145
Gastrointestinal-Physiological malfunction arising from mental factors	306.4	118
Gender identity disorder of adolescent or adult life	302.85	90
Generalized anxiety disorder	300.02	64
Genitourinary-Physiological malfunction arising from mental factors	306.5	119
Gilles de la Tourette's disorder	307.23	125
Hallucinogen abuse	305.3	107
Hallucinogen dependence	304.5	99
Histrionic personality disorder	301.5	79
Histrionic personality disorder, unspecified	301.50	79
Hyperkinesis with developmental delay	314.1	164
Hyperkinetic conduct disorder	314.2	165
Hypochondriasis	300.7	71
Hysteria	300.1	65
Hysteria, unspecified	300.10	65
Identity disorder	313.82	161
Idiosyncratic alcohol intoxication	291.4	11
Impulse control disorder, unspecified	312.30	154
Infantile autism	299.0	61
Intermittent explosive disorder	312.34	154
Introverted disorder of childhood	313.22	160
Introverted personality	301.21	76
Isolated explosive disorder	312.35	154
Kleptomania	312.32	154
Latent schizophrenia	295.5	33
Major depressive disorder, recurrent episode	296.3	41
Major depressive disorder, single episode	296.2	40
Manic disorder, recurrent episode	296.0	38
Manic disorder, single episode	296.1	39
Manic-depressive psychosis, other and unspecified	296.8	46
Manic-depressive psychosis, unspecified	296.80	46
Misery and unhappiness disorder	313.1	159
Mixed disorders as reaction to stress	308.4	136
Mixed disturbance of conduct and emotions	312.4	155
Multiple personality	300.14	65
Musculoskeletal-Physiological malfunction arising from mental factors	306.0	114
Narcissistic personality	301.81	82
Neurasthenia	300.5	69
Neurotic depression	300.4	68

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

<u>English Description</u>	<u>ICD-9-CM Code</u>	<u>Page Number</u>
Nondependent abuse of drugs	305.0-305.9	104-113
Fifth-digit subclassification for use with 305:		
0 unspecified		22
1 continuous		
2 episodic		
3 in remission		
Nonorganic sleep disorder, unspecified	307.40	127
Obsessive-compulsive disorders	300.3	67
Opioid abuse	305.5	109
Opioid type dependence	304.0	94
Oppositional disorder	313.81	161
Organic affective syndrome	293.83	22
Organic delusional syndrome	293.81	22
Organic hallucinosis syndrome	293.82	22
Organic personality syndrome	310.1	146
Organs of special sense-Physiological malfunction arising from mental factors	306.7	120
Other-Genitourinary physiological malfunction arising from mental factors	306.59	119
Other-Specific disorders of sleep of nonorganic origin	307.49	127
Other-Other and unspecified disorders of eating	307.59	128
Other-Psychalgia	307.89	130
Other-Adjustment reaction w/predominant disturbance of other emotions	309.29	140
Other-Other specified adjustment reactions	309.89	143
Other-Disorders of impulse control not elsewhere classified	312.39	154
Other-Other or mixed emotional disturbances of childhood or adolescence	313.89	161
Other-Other specified drug-induced mental disorders	292.89	18
Other-Other specified transient organic mental disorders	293.89	22
Other-Manic-depressive psychoses, other and unspecified	296.89	46
Other-Anxiety states	300.09	64
Other-Other neurotic disorders	300.89	72
Other-Other personality disorders	301.89	82
Other-Other specified psychosexual disorders	302.89	90
Other acute reactions to stress	308.3	135
Other alcoholic dementia	291.2	9
Other and unspecified affective psychoses	296.9	47
Other and unspecified alcohol dependence	303.9	93
Other and unspecified disorders of eating	307.5	128
Other and unspecified factitious illness	300.19	65
Other and unspecified reactive psychosis	298.8	59
Other and unspecified special symptoms or syndromes, not elsewhere classified	307.9	131
Other dysfunctions of sleep stages or arousal from sleep	307.47	127
Other histrionic personality disorder	301.59	79
Other isolated or simple phobias	300.29	66
Other, mixed, or unspecified drug abuse	305.9	113
Other neurotic disorders	300.8	72
Other or mixed emotional disturbances of childhood or adolescence	313.8	161
Other personality disorders	301.8	82
Other specified adjustment reactions	309.8	143
Other specified affective psychoses	296.99	47
Other specified alcoholic psychosis	291.8	13
Other specified disturbances of conduct, not elsewhere classified	312.8	156
Other specified drug dependence	304.6	100
Other specified drug-induced mental disorders	292.8	18

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

English Description	ICD-9-CM Code	Page Number
Other specified early childhood psychoses	299.8	62
Other specified manifestations of hyperkinetic syndrome	314.8	166
Other specified nonpsychotic mental disorders following organic brain damage	310.8	148
Other specified organic brain syndromes (chronic)	294.8	26
Other specified paranoid states	297.8	52
Other specified psychophysiological malfunction	306.8	121
Other specified psychosexual disorders	302.8	90
Other specified transient organic mental disorders	293.8	22
Other specified types of schizophrenia	295.8	36
Overanxious disorder	313.0	158
Panic disorder	300.01	64
Paranoia	297.1	49
Paranoid and/or hallucinatory states induced by drugs	292.1	16
Paranoid state, simple	297.0	48
Paranoid type-Schizophrenic disorders	295.3	31
Paraphrenia	297.2	50
Passive-aggressive personality	301.84	82
Pathological drug intoxication	292.2	17
Pathological gambling	312.31	154
Pedophilia	302.2	85
Persistent disorder of initiating or maintaining wakefulness	307.44	127
Persistent disorder of initiating or maintaining sleep	307.42	127
Phase-shift disruption of 24-hour sleep-wake cycle	307.45	127
Phobia, unspecified	300.20	66
Phobic disorders	300.2	66
Pica	307.52	128
Postconcussion syndrome	310.2	147
Predominant disturbance of consciousness	308.1	133
Predominant disturbance of emotions	308.0	132
Predominant psychomotor disturbance	308.2	134
Presenile dementia	290.1	2
Presenile dementia, uncomplicated	290.10	2
Presenile dementia with delirium	290.11	2
Presenile dementia with delusional features	290.12	2
Presenile dementia with depressive features	290.13	2
Prolonged depressive reaction	309.1	139
Prolonged posttraumatic stress disorder	309.81	143
Psychalgia	307.8	130
Psychogenic amnesia	300.12	65
Psychogenic dysmenorrhea	306.52	119
Psychogenic dysuria	306.53	119
Psychogenic fugue	300.13	65
Psychogenic genitourinary malfunction, unspecified	306.50	119
Psychogenic pain, site unspecified	307.80	130
Psychogenic paranoid psychosis	298.4	58
Psychogenic rumination	307.53	128
Psychogenic vaginismus	306.51	119
Psychogenic vomiting	307.54	128
Psychoses with origin specific to childhood	299.0-299.9	61-63
Fifth-digit subclassification for use with 299:		
0 current or active state		
1 residual state		

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

<u>English Description</u>	<u>ICD-9-CM Code</u>	<u>Page Number</u>
Psychosexual dysfunction	302.7	89
Psychosexual dysfunction, unspecified	302.70	89
Pyromania	312.33	154
Reactive confusion	298.2	56
Repetitive intrusions of sleep	307.48	127
Residual schizophrenia	295.6	34
Respiratory-Physiological malfunction arising from mental factors	306.1	115
Schizo-affective type-Schizophrenic disorders	295.7	35
Schizoid personality disorder	301.2	76
Schizoid personality disorder, unspecified	301.20	76
Schizophrenic disorders	295.0-295.9	28-37
Fifth-digit subclassification for use with 295:		
0 unspecified		
1 subchronic		
2 chronic		
3 subchronic with acute exacerbation		
4 chronic with acute exacerbation		
5 in remission		
Schizotypal personality	301.22	76
Senile dementia, uncomplicated	290.0	1
Senile dementia with delirium	290.3	4
Senile dementia with delusional or depressive features	290.2	3
Senile dementia with delusional features	290.20	3
Senile dementia with depressive features	290.21	3
Sensitivity, shyness, and social withdrawal disorder	313.2	160
Separation anxiety disorder	309.21	140
Sexual masochism	302.83	90
Sexual sadism	302.84	90
Shared paranoid disorder	297.3	51
Shyness disorder of childhood	313.21	160
Simple type-Schizophrenic disorders	295.0	28
Skin-Physiological malfunction arising from mental factors	306.3	117
Social phobia	300.23	66
Socialized conduct disorder	312.2	153
Somatization disorder	300.81	72
Somnambulism or night terrors	307.46	127
Specific academic or work inhibition	309.23	140
Specific disorders of sleep of nonorganic origin	307.4	127
Stammering and stuttering	307.0	123
Stereotyped repetitive movements	307.3	126
Subacute delirium	293.1	21
Tension headache	307.81	130
Tic disorder, unspecified	307.20	125
Tics	307.2	125
Tobacco use disorder	305.1	105
Trans-sexualism	302.5	87
Transient disorder of initiating or maintaining wakefulness	307.43	127
Transient disorder of initiating or maintaining sleep	307.41	127
Transient tic disorder of childhood	307.21	125
Undersocialized conduct disorder, aggressive type	312.0	151
Undersocialized conduct disorder, unaggressive type	312.1	152
Unspecified-Psychoses with origin specific to childhood	299.9	63

ICD-9-CM PSYCHIATRIC DIAGNOSIS CODES (continue)

<u>English Description</u>	<u>ICD-9-CM Code</u>	<u>Page Number</u>
Unspecified acute reaction to stress	308.9	137
Unspecified adjustment reaction	309.9	144
Unspecified affective psychosis	296.90	47
Unspecified alcoholic psychosis	291.9	14
Unspecified disturbance of conduct	312.9	157
Unspecified drug dependence	304.9	103
Unspecified drug-induced mental disorder	292.9	19
Unspecified emotional disturbance of childhood or adolescence	313.9	162
Unspecified hyperkinetic syndrome	314.9	167
Unspecified neurotic disorder	300.9	73
Unspecified nonpsychotic mental disorder following organic brain damage	310.9	149
Unspecified organic brain syndrome (chronic)	294.9	27
Unspecified paranoid state	297.9	53
Unspecified personality disorder	301.9	83
Unspecified psychophysiological malfunction	306.9	122
Unspecified psychosexual disorder	302.9	91
Unspecified psychosis	298.9	60
Unspecified schizophrenia	295.9	37
Unspecified senile psychotic condition	290.9	6
Unspecified transient organic mental disorder	293.9	23
Voyeurism	302.82	90
With asexual history-Trans-sexualism	302.51	87
With functional dyspareunia-Psychosexual dysfunction	302.76	89
With heterosexual history-Trans-sexualism	302.53	87
With homosexual history-Trans-sexualism	302.52	87
With hyperactivity-Attention deficit disorder	314.01	163
With inhibited female orgasm-Psychosexual dysfunction	302.73	89
With inhibited male orgasm-Psychosexual dysfunction	302.74	89
With inhibited sexual desire-Psychosexual dysfunction	302.71	89
With inhibited sexual excitement-Psychosexual dysfunction	302.72	89
With mixed disturbance of emotions and conduct-Adjustment reaction	309.4	142
With other specified psychosexual dysfunctions-Psychosexual dysfunction	302.79	89
With predominant disturbance of conduct-Adjustment reaction	309.3	141
With predominant disturbance of other emotions-Adjustment reaction	309.2	140
With premature ejaculation-Psychosexual dysfunction	302.75	89
With unspecified sexual history-Trans-sexualism	302.50	87
Without mention of hyperactivity-Attention deficit disorder	314.00	163
Zoophilia	302.1	84

APPENDIX 6

PATIENT CHARACTERISTIC DEFINITIONS USED IN GRAPHS

Complications and Comorbidities (CCs)

There are 2,979 *ICD-9-CM* diagnoses that have been distinguished by the Health Care Financing Administration (HCFA) as complications and comorbidities (CCs). These secondary diagnoses are used within the definitions of the Version 3 Diagnosis Related Group (DRG) classification system.

The HCFA definitions are:

A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.

A comorbidity is a preexisting condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

To obtain a complete listing of the Version 3 DRG CCs, please contact 1-800-521-6210, Extension 3534.

Payor Categories

Insurance Company

Payment covered by any private or commercial insurance carrier except Blue Cross.

Self-Pay

Direct payment by the patient himself.

Other

Sources of payment not included in the other payor categories. Included here are payment by local or organized charities, such as Cerebral Palsy Foundation, or payment by relatives or friends of the patient.

Title V

Maternal and Child Health. Applies only to females age 60 or younger or males 21 or younger.

Other Government Agencies

Payment by local, state, or federal government agencies, except Medicare, Medicaid, and Title V.